arXiv:1407.7837v1 [astro-ph.SR] 29 Jul 2014

The Solar Neighborhood XXXV: Distances to 1404 M Dwarf Systems Within 25 pc in the Southern Sky

Jennifer G. Winters[1], Wei-Chun Jao[1], Sergio B. Dieterich[1]

Department of Physics and Astronomy, Georgia State University, Atlanta, GA 30302-4106

winters@astro.gsu.edu, jao@astro.gsu.edu, dieterich@astro.gsu.edu

John C. Lurie[1]

Astronomy Department, University of Washington, Seattle, WA 98195

lurie@uw.edu

Todd J. Henry[1], Altonio D. Hosey[1], Kenneth J. Slatten, Mark R. Boyd[1], Philip A. Ianna[1]

RECONS Institute, Chambersburg, Pennsylvania, 17201

thenry@astro.gsu.edu, hosey@astro.gsu.edu, kslatten@cpinternet.com, boyd@astro.gsu.edu, philianna3@gmail.com

Nigel C. Hambly

Scottish Universities Physics Alliance (SUPA), Institute of Astronomy, University of Edinburgh, Royal Observatory, Blackford Hill, Edinburgh EH9 3HJ, Scotland, UK

nch@roe.ac.uk

Adric R. Riedel[1]

Hunter College/American Museum of Natural History, NYC, NY

ar494@hunter.cuny.edu

John P. Subasavage[1]

US Naval Observatory, Flagstaff Station, 10391 West Observatory Road, Flagstaff, AZ 86001

jsubasavage@nofs.navy.mil

and

Charlie T. Finch[1]

Jennifer L. Bartlett[1]

US Naval Observatory, 3450 Massachussetts Ave. NW, Washington, DC 20392

finch@usno.navy.mil, jennifer.bartlett@usno.navy.mil

ABSTRACT

We present trigonometric, photometric, and photographic distances to 1748 southern ($\delta \leq 0^\circ$) M dwarf systems with $\mu \geq 0\farcs18$ yr^{-1}, of which 1404 are believed to lie within 25 parsecs of the Sun. The stars have $6.67 \leq V_J \leq 21.38$ and $3.50 \leq (V_J - K_s) \leq 9.27$, covering the entire M dwarf spectral sequence from M0.0V through M9.5V. This sample therefore provides a comprehensive snapshot of our current knowledge of the southern sky for the nearest M dwarfs that dominate the stellar population of the Galaxy. Roughly one-third of the 1748 systems, each of which has an M dwarf primary, have published high quality parallaxes, including 179 from the RECONS astrometry program. For the remaining systems, we offer photometric distance estimates that have well-calibrated errors. The bulk of these ($\sim$700) are based on new $V_J R_{KC} I_{KC}$ photometry acquired at the CTIO/SMARTS 0.9m telescope, while the remaining 500 primaries have photographic plate distance estimates calculated using SuperCOSMOS $B_J R_{59F} I_{IVN}$ photometry. Confirmed and candidate subdwarfs in the sample have been identified, and a census of companions is included.

Subject headings: stars: distances — stars: low mass — stars: statistics — solar neighborhood — techniques: photometric — parallaxes

1. Introduction

There is great interest in developing a comprehensive list of nearby M dwarfs for studies of the Milky Way's stellar population, both as astrophysically compelling individual objects and as prime targets for exoplanet and SETI search lists. These stars, typically called red dwarfs, dominate the stellar population of our Galaxy, accounting for more than 75%

[1]Visiting Astronomer, Cerro Tololo Inter-American Observatory. CTIO is operated by AURA, Inc. under contract to the National Science Foundation.

of all main sequence stars in the solar neighborhood (Henry et al. 2006).[1] Yet, distance determinations for red dwarfs have remained a challenge. Trigonometric parallaxes are the optimal tool for calculating distances, but because of observing time and resource constraints, distance estimation methods are attractive alternatives and are often a preliminary step in determining which targets are to be added to parallax programs.

There are two primary sources of trigonometric parallax data currently available. The *Yale Trigonometric Parallaxes, Fourth Edition* (van Altena et al. 1995), often called the Yale Parallax Catalogue (hereafter YPC), is a valuable compendium of ground-based parallaxes published prior to 1995 and includes about half of the southern M dwarf parallaxes measured to date. The *Hipparcos* mission (initial release by Perryman et al. (1997), and the updated results by van Leeuwen (2007); hereafter HIP) updated many of those parallaxes, and contributed almost two hundred new measurements for mostly bright ($V \lesssim 12.5$) southern M dwarfs.

Since then, the RECONS (REsearch Consortium On Nearby Stars) group has measured a substantial number of parallaxes to nearby stars to date, adding 154 M dwarf systems to the 25 pc census (Jao et al. 2005; Costa et al. 2005; Henry et al. 2006; Costa et al. 2006; Subasavage et al. 2009; Riedel et al. 2010; Jao et al. 2011; Riedel et al. 2011; von Braun et al. 2011; Mamajek et al. 2013; Jao et al. 2014; Dieterich et al. 2014; Riedel et al. 2014), published in *The Solar Neighborhood* series of papers (hereafter TSN) in *The Astronomical Journal*. This effort has increased the number of M dwarf systems with accurate trigonometric parallaxes in the southern sky by 35%, with several hundred more determinations underway.

Both in addition to and in combination with proper motion surveys, optical photometry has historically been used to identify and characterize nearby stars. The first generation of sky surveys for intrinsically faint, nearby stars included the work of Luyten (1979a,b, 1980a,b) and Giclas et al. (1971, 1978). The work continued into the late twentieth century via the efforts of Bessel (1990); Bessell (1991), Weis (1984, 1986, 1987, 1988, 1991a,b, 1993, 1994, 1996, 1999), Wroblewski & Torres (1989, 1990, 1991, 1992, 1994, 1995, 1996, 1997, 1998), and Wroblewski & Costa (1999, 2000, 2001). More recent surveys include the SAAO group (Kilkenny & Cousins 1995; Kilkenny et al. 1998, 2007; Koen et al. 2002, 2010; Reid et al. 2001, 2002, 2003, 2004), Lépine (Lépine et al. 2002, 2003; Lépine 2005a,b, 2008; Lépine & Gaidos 2011), the USNO (Finch et al. 2010, 2012), and Deacon (Deacon et al. 2005a,b; Deacon & Hambly 2007; Deacon et al. 2009a,b), as well as RECONS' efforts in the southern sky (Hambly et al. 2004; Henry et al. 2004; Subasavage et al. 2005a,b; Finch et al. 2007;

[1]Updated counts provided at *www.recons.org*.

Winters et al. 2011; Boyd et al. 2011a,b). This work is a continuation in that tradition, and includes a comprehensive assessment of the known population of red dwarfs in the southern sky, with a particular emphasis on those closer than a 25 pc horizon.

2. Definition of the Sample

We have developed a list of 1748 southern ($\delta \leq 0°$) stellar systems containing M dwarf primaries.[2] Here we define an M dwarf to be a star with $3.50 \leq (V_J - K_s) \leq 9.27$, corresponding to spectral types M0.0V to M9.5V, where the red cut-off has been defined by Henry et al. (2004). This list is a combination of objects with existing high quality parallaxes, objects for which we have measured photometry as part of our southern astrometry/photometry program, and known objects that were recovered during our SuperCOSMOS-RECONS (SCR) proper motion searches for new nearby stars. To eliminate any red giants that may slip into this sample and to be consistent with the proper motion cut-off of Luyten, we limit our targets to those with proper motions, μ, greater than $0\farcs18$ yr^{-1}.

Table 1 provides the observed data for the entire sample, including the name of the M dwarf primary, the number of known components in the system, coordinates (J2000.0), proper motion magnitude and position angle with reference, the weighted mean of the published trigonometric parallaxes and the error, the number of parallaxes included in the weighted mean and references, SuperCOSMOS $B_J R_{59F} I_{IVN}$ plate magnitudes (hereafter simply BRI), $V_J R_{KC} I_{KC}$ (hereafter simply VRI) measured by RECONS at Cerro Tololo Inter-American Observatory (CTIO) and the number of observations, or VRI from a trusted source and the reference, and 2MASS JHK_s magnitudes. The table is divided into the 1404 systems within 25 pc (top) and the 344 systems beyond 25 pc (bottom). A number in parentheses next to the number of components column indicates how many of the components are included in the photometry. All proper motions are from SuperCOSMOS, except where noted.[3] 'J' next to a magnitude indicates that light from a close companion has resulted

[2]We refer to any collection of stars and their companion brown dwarfs and/or exoplanets as a system, including single M dwarfs not currently known to have any companions. Systems that contain a white dwarf component have been omitted, as the white dwarf was initially the brighter primary component.

[3]Some of the proper motion values from the SuperCOSMOS Sky Survey for SCR objects presented here differ slightly from those in the original discovery papers. For the new values, a more comprehensive method has been used that provides multiple measurements of proper motion between various plate pairs, while before only a single value was available that incorporated all plates into the solution simultaneously. The proper motions provided here are those that yield consistent values among multiple determinations and are preferred.

in blended photometry. A 'u' next to the photometry reference code indicates that we have previously published photometry for this object, but have since then acquired more data and updated the value.

Each system has at least one of three different distance determinations, listed in Table 2, with the best distance either photographic (*pltdist*, 500 systems), photometric (*ccddist*, 667), or trigonometric (*trgdist*, 581).[4] Most of the systems presented here have more than one type of distance measurement. For example, a system with a trigonometric parallax published by our group is likely to also have a *ccddist* and a *pltdist* because we first estimated a distance photometrically from SuperCOSMOS plates, then measured VRI photometry to yield a more accurate *ccddist*, then observed the system for a parallax measurement, which provides *trgdist*. We rank the quality of the distances by the errors associated with each method: *pltdists* from photographic photometry rank third (errors at least 26%), *ccddists* from VRI photometry rank second (errors at least 15%), and *trgdists* derived from accurate trigonometric parallaxes are the best available (errors <5%). Figure 1 illustrates the distribution of all 1748 systems on the sky.

2.1. Multiples

We are currently involved in an all-sky study of the multiplicity of M dwarfs using a sample of ∼1300 red dwarfs having accurate trigonometric parallaxes placing them within 25 pc. This project involves three search methods to identify and confirm companions at separations from 0.1″ to 600″: a robotic adaptive optics search (0.1–2″), an I-band imaging search (∼1–10″), and a common proper motion search (∼5–600″). Because most of these results will be published in a future paper, we give only the number of known components in each system in Table 1. An exhaustive literature search was not performed. Based on this cursory search, the number of known multiples in the 25 pc portion of the sample is 164, which results in a multiplicity fraction of 12%. This is one-half to one-third the value that is expected (Henry 1991; Fischer & Marcy 1992; Janson et al. 2012, 2014), so it is clear that more work is needed to determine the true multiplicity fraction of even the nearest M dwarfs. Of the 164 multiples, 114 have *pltdists* that are based on unresolved photometry. These are

[4]The term *pltdist* is used for the remainder of the paper to indicate a distance estimate that combines SuperCOSMOS plate $B_J R_{59F} I_{IVN}$ and 2MASS JHK_s magnitudes, as discussed in § 4.1. The plate R_{59F} magnitude is the second, more recent R epoch measurement of the two available in the SuperCOSMOS Sky Survey. The term *ccddist* is used to indicate a distance estimate that combines CCD $V_J R_{KC} I_{KC}$ and 2MASS JHK_s magnitudes, as discussed in §4.2. The term *trgdist* is used for those objects for which an accurate trigonometric parallax has been measured, as discussed in § 3.4.

typically multiples with magnitude differences at $BRI \lesssim 2$ and with separations $<4''$. Of these 114 with *pltdists*, 96 systems have *ccddists* based on unresolved photometry because their separations are $<1''$. In addition, photometry from the SAAO extracted from the literature (references in §1) uses apertures 21–31″ in diameter, so additional components have likely been included in the photometric values used to derive *ccddists*. The comprehensive survey of red dwarf multiplicity mentioned above constitutes a major fraction of the first author's Ph.D. work, so a much more careful treatment of red dwarf multiples within 25 pc is forthcoming. For now, we note that the reader should be cautious when applying the *pltdist* or *ccddist* values given in Table 2 for multiple systems.

3. Data

3.1. $B_J R_{59F} I_{IVN}$ Plate Photometry

Plate magnitudes from SuperCOSMOS are given in Table 1 for all but a few systems and are rounded to the nearest hundredth magnitude.[5] Errors are typically 0.3 mags for magnitudes fainter than 15, with larger errors for brighter objects due to systematic errors (Hambly et al. 2001). Derived *pltdists* in Table 2 for SCR discoveries have been previously presented in the TSN papers, but we provide 1457 new *pltdists* here for previously known objects. Additional SuperCOSMOS queries were recently done in an effort to provide as many *pltdists* as possible. Due to an improved SuperCOSMOS photometric calibration,[6] some magnitudes will be slightly different from those reported in previous papers in this series; the values presented here are preferred. In some cases, a match was not found because very red objects were not always recovered from the B plate, because of very high proper motion, or because of source mergers or corruption. All matches were visually confirmed and were doublechecked using the SuperCOSMOS proper motions and BRI magnitudes.

[5]The wavelength ranges for the B_J, R_{59F}, and I_{IVN} filters are 3950-5400Å, 5900-6900Å, and 7150-9000Å, respectively (Morgan 1995).

[6]The recommended access point for the current version of the photometrically calibrated SuperCOSMOS data is the SuperCOSMOS Science Archive, found at *http://surveys.roe.ac.uk/ssa.* Details of the photometric calibration procedure are available in the online documentation at *http://surveys.roe.ac.uk/ssa/dboverview.html#mags.*

3.2. $V_J R_{KC} I_{KC}$ CCD Photometry

We have measured VRI photometry for 799 of the systems presented here as a part of our astrometry/photometry program, primarily at the CTIO/SMARTS 0.9m, with a few measurements from the CTIO/SMARTS 1.0m (see Jao et al. (2005); Henry et al. (2006) for details on the astrometry; see Winters et al. (2011) for details on the photometry). The observations were made between 1999 and 2013. The photometry was typically acquired for these nearby star candidates based upon *pltdists* from our SuperCOSMOS trawls or from other proper motion or photometric surveys such as those listed in §1.

All of our VRI data, given in Table 1, were reduced using IRAF and are on the Johnson-Kron-Cousins system.[7] Calibration frames taken at the beginnings of nights were used for typical bias subtraction and dome flat-fielding. Standard star fields from Graham (1982), Bessel (1990), and/or Landolt (1992, 2007, 2013) were observed multiple times each night in order to derive transformation equations and extinction curves. In order to match those used by Landolt, apertures 14″ in diameter were used to determine the stellar fluxes, except in cases where close contaminating sources needed to be deblended. In these cases, smaller apertures were used and aperture corrections were applied. As outlined in Winters et al. (2011), photometric errors are typically 30 millimagnitudes (mmags) for the V-band and 20 mmags for both the R- and I-bands. Further details about the data reduction procedures, transformation equations, etc., can be found in Jao et al. (2005) and Winters et al. (2011).

An additional 369 primaries were found to have high quality optical photometry available from the literature, primarily from Bessell, Weis, and the SAAO group.[8] Among these, 214 already have parallaxes that place them within 25 pc, while an additional 109 have a *ccddist* that place them within 25 pc. The R and I photometric values from Weis have all been transformed to the Johnson-Kron-Cousins system via the color relations given in Bessell & Weis (1987) so that all VRI values in Table 1 are on the same photometric system. SOAR/SOI (SOAR Optical Imager) photometry from Dieterich et al. (2014) has also been converted to the Johnson-Kron-Cousin system using methods described in that paper.

A comparison of $(V_{CCD} - K_s)$ versus $(B_{plt} - K_s)$ for 1026 objects for which both plate B and CCD V photometry is available is shown in Figure 2. Known close binaries for which the photometry is blended have been omitted. A third order polynomial fit,

$$(V_J - K_s) = 4.939 - 1.174*(B_{plt} - K_s) + 0.256*(B_{plt} - K_s)^2 - 0.010*(B_{plt} - K_s)^3$$

[7]The central wavelengths for the V_J(old), V_J(new), R_{KC}, and I_{KC} filters are 5438Å, 5475Å, 6425Å, and 8075Å, respectively. See Jao et al. (2011) for a discussion of the nearly identical V_J(old) and V_J(new) filters.

[8]References given in Table 1.

permits users of SuperCOSMOS data to predict a CCD V_J magnitude from a given $(B_{plt}-K_s)$ for red objects similar to those given in this paper, $(V_J - K_s) = 3.5$–9.27 or $(B_{plt} - K_s) \approx 3.7$–$10.7$, assuming a 2MASS K_s magnitude is known.

3.3. JHK_s Photometry from 2MASS

Infrared photometry in the JHK_s (hereafter simply JHK) system has been extracted from 2MASS (Skrutskie et al. 2006) and is rounded to the nearest hundredth magnitude in Table 1. All magnitudes have been checked by eye. As described in §4, the same 2MASS photometry has been used for both the *pltdists* and the new *ccddists* presented here. Errors are typically less than 50 mmags. Exceptions are indicated in Table 1 as superscripts to the magnitudes.

3.4. Trigonometric Parallaxes

A total of 442 southern M dwarf systems have *trigdists* placing them within 25 pc; their weighted mean parallaxes and resulting distances are listed in Tables 1 and 2. These systems have been extracted from the new RECONS 25 Parsec Database that contains all stellar systems with published trigonometric parallaxes of at least 40 mas and with errors less than 10 mas. The RECONS group has published the only parallax for 147 (25%) of the 581 systems with parallaxes reported in this paper. Included in that 147 are 24 systems in the lower portions of Tables 1 and 2 that have parallaxes < 40 mas measured by RECONS — these were anticipated to be closer than 25 pc because of their *pltdists* and/or *ccddists*, but are now known to lie beyond 25 pc.

For all systems without parallaxes, a search of YPC and HIP was carried out in the event that a parallax < 40 mas already existed. A $30'$ search radius for YPC and a $5'$ search radius for HIP were used in sweeps for objects to compensate for high proper motions as well as poor coordinates, the latter being particularly important for the YPC. Possible matches were then confirmed or refuted by comparing identifiers, proper motions, and V magnitudes. Seven percent (114 systems) of the entire sample in this paper were discovered to have parallaxes < 40 mas in YPC and/or HIP. No other systematic literature search for stars with published parallaxes beyond 25 pc has yet been done beyond those using YPC and HIP.

4. Distances

4.1. Photographic Plate Distance Estimates

The *pltdist* estimates in Table 2 are calculated by combining SuperCOSMOS BRI photometry with 2MASS infrared photometry via a suite of 15 color-M_K relations using $BRIJHK$, as described in Hambly et al. (2004). The four relations M_K vs. $B-R$, $J-H$, $J-K$, and $H-K$ have limited spans in color through the M dwarf sequence and are thus omitted. The *pltdist* estimate is considered reliable if the remaining 11 relations are applicable, i.e. if a star's color falls within the range covered by the calibrations for single, main sequence stars. However, if a target star is blended with another source on one plate, up to five relations may drop out of the suite, yielding a less reliable *pltdist* based on 6–10 relations. We consider six relations to be the minimum number acceptable for a *pltdist* because at least two of the three BRI magnitudes, combined with three 2MASS measurements, provide optical/infrared colors consistent with those of normal main sequence stars. A few stars in Table 2 have *pltdists* with fewer than six relations because plate magnitudes were extracted and distances estimated after it was known that VRI photometry and/or trigonometric parallaxes were available. Thus the new extractions of SuperCOSMOS data simply augment the sample and provide as many distances as possible for comparisons.

As described in Hambly et al. (2004), to estimate the reliability of the *pltdists* generated from the suite of relations, single, main sequence, M dwarfs with known *trgdists* were run back through the relations to derive representative errors. The mean offsets between the *pltdists* and *trigdists* were found to be 26%. In Table 2 we list the total errors that include this systematic value combined in quadrature with the standard deviation of the up to 11 individual distances computed for a given star.

4.2. CCD Distance Estimates

The *ccddists* in Table 2 are determined using a method similar to that used for the *pltdists* and are described in Henry et al. (2004). The difference is that we use more accurate CCD VRI magnitudes obtained at CTIO instead of plate magnitudes from SuperCOSMOS to determine the suite of color-M_K relations. Again, the maximum number of possible relations from the combination of $VRIJHK$ magnitudes is 15, but in this case 12 relations yield useful results, as the color spreads in M_K vs. $J-H$, $J-K$, and $H-K$ are limited and these relations are omitted from the suite. For stars with VRI from the literature rather than from our observing program, the *ccddists* were calculated using the same relation suite. All photometry is on the Johnson-Kron-Cousins system, and therefore the resulting *ccddists*

are all generated in a uniform fashion.

Similar to the *pltdist*, stars with all 12 relations have *ccddists* we deem reliable (assuming the stars are single and on the main sequence), and those with 7–11 relations we deem suspect because at least one magnitude and up to five relations have dropped out of the suite. Again, some stars in Table 2 have *ccddists* with fewer than six relations because VRI photometry was gathered and distances estimated after it was known that trigonometric parallaxes were available. Thus the new extractions of VRI data simply augment the sample and provide as many distances as possible for comparisons. As described in Henry et al. (2004), to estimate the reliability of the *ccddists* generated from the suite of relations, single, main sequence M dwarfs with known *trgdists* were run back through the relations to derive representative errors. The mean offsets between the *ccddists* and *trigdists* were found to be 15%. In Table 2 we list the total errors that include this systematic value combined in quadrature with the standard deviation of the up to 12 individual distances computed for a given star. Those objects with equal magnitude companions included in unresolved photometry will have distance estimates placing them too close by a factor of 1.4. Light from fainter companions will decrease this offset, whereas light from additional unresolved companions will increase this offset.

Table 2 provides the derived data, split into the 25 pc sample (top) and systems with best quality distances beyond 25 pc (bottom). Data listed include the name of the M dwarf primary, coordinates, information on the *pltdists* (the distance, the total error, number of relations), *ccddists* (the distance, the total error, number of relations), and *trgdists* (the distance from the weighted mean of published parallaxes, the weighted mean error, and the number of parallaxes used to generate the weighted mean). These empirical values are then followed by the most reliable distance and its type. Distances based upon blended photometry are given in square brackets. Distances for subdwarfs (both confirmed and candidates) are given in curly brackets and are typically closer than estimated.

4.3. Distance Comparisons

Figure 3 shows a comparison of the *pltdists* and *ccddists* for the 739 stars that have both BRI and VRI photometry placing them within 25 pc. Only those objects thought to be single have been plotted. Error bars on individual points are omitted for clarity, but can be found for individual systems in Table 2. Total errors are typically 32% in *pltdist* and 16% in *ccddist*, and include the computed systematic errors inherent to the two techniques (26% and 15% for *pltdists* and *ccddists*, respectively), and the standard deviations of the individual estimates for each star. Because estimates from individual relations in the suites are usually

quite consistent, the total errors are dominated by the adopted values for systematic errors. The dominant cause of the distance discrepancies is poor plate photometry compared to CCD photometry.

Figures 4 (343 systems) and 5 (337 systems) compare the *pltdists* and *ccddists*, respectively, to the available *trgdists* placing systems within 25 pc, again using only single objects. The average offsets are 24% for the *pltdists* and 17% for the *ccddists*,consistent with the 26% and 15% reported in Hambly et al. (2004) and Henry et al. (2004). The inherent spreads around the one-to-one lines in each plot have three causes: (1) errors in the photometry and parallaxes used to derive the relations and for the stars targeted here, (2) unresolved systems, and (3) cosmic scatter due to differences in stellar ages, compositions, and perhaps magnetic properties among the stars that are not taken into account by the color-magnitude relations. BRI photometry errors dominate the *pltdist* vs. *trgdist* offsets, while cosmic scatter dominates the *ccddist* vs. *trgdist* offsets because the VRI photometry and parallax errors are each only a few percent. The reduced scatter in Figure 5 again illustrates the value of obtaining accurate photometry, as the scatter has been reduced by roughly a factor of two. While it appears that the distances are more often underestimated than overestimated, this is a result of the presence of unresolved multiples and young objects in the sample.

5. Results

5.1. M Dwarfs, M Subdwarfs and M Giants

Before outlining the population results of this study, we must first verify that stars included in the final sample are, indeed, M dwarfs based on the photometry and parallaxes now available. Although our sample has been selected to include only stars with proper motions in excess of $\mu = 0\farcs18$ yr^{-1}, a few giants might be included that have extraordinary space velocities, or more likely, have erroneous proper motions. For stars without parallaxes, we use several color-color diagrams to separate dwarfs from interloping giants — an example is shown in Figure 6, which plots $(J - H)$ vs. $(R - K)$. There are some objects in this sample that have a published trigonometric parallax, but for which reliable CCD VRI photometry does not yet exist. Those objects have been included on this plot using the plate R magnitude, rather than on the absolute-color diagram in Figure 7.

A small supplementary set of giants not in the M dwarf sample discussed here is included for comparison. These giants have been observed at the 0.9m using the same instrument configuration as for the dwarfs. Only those objects with 2MASS magnitude quality codes of AAA are used in Figure 6. While there appears to be some blending of giants and dwarfs in

the early M section of the plot ($(R-K) \sim$ 2.5-3.5 and $(J-H)$ ∼0.7-0.8), it is unlikely that any of the presumed dwarfs with only a photometric distance estimate in that region will be giants, given the proper motion limit of this sample. It is notable that the giants separate very cleanly from the dwarfs redward of $(R-K)$ ∼4. The $VRIJHK$ photometry for these objects is listed in Table 3.

Four stars in this diagram are worthy of note. We have been following the initially very interesting target CD-32 16735 on our parallax program and have measured for it a preliminary parallax of -4.69 ± 3.88 mas, essentially zero within the errors. Thus, this object is most certainly a giant. Both L173-003 and GJ0552.1 are likely unresolved binaries with odd colors from an inspection of their SuperCOSMOS images (as equal luminosity binaries will appear normal on a color-color plot). A comparison of the two available distances for L173-003 also indicates that it is an unresolved binary, as its *pltdist* (23.4 pc) is an underestimate of the true *trgdist* (47.9 pc). GJ0552.1 also has two distances available for comparison; however they are both photometric estimates that agree within the errors: *pltdist* = 13.2 ± 5.3 versus *ccddist* = 16.3 ± 3.9. HD320012 has only a *pltdist*, but has large H and K magnitude errors.

For the roughly one-third of systems with parallaxes, confirming that they are red dwarfs is straightforward using an empirical HR diagram. An example, using M_V vs. $(V-K)$, is shown in Figure 7. The M dwarf sequence is well-defined, and there is a noticeable population of cool subdwarfs below the main sequence having $(V-K) = 3.5$–4.5. As is evident from this diagram, none of the stars with trigonometric parallaxes presented in this paper fall in the region where known giants are found, so we are confident that at least among the stars with parallaxes, there are no giants.

In Figure 8 we show a reduced proper motion diagram (Boyd et al. 2011b) to confirm the subdwarfs identified in Figure 7 and to find additional subdwarf candidates in the sample that do not have parallaxes. Note that because subdwarfs are found below the main sequence (contrary to the positions of young and multiple objects above the main sequence), their distances will be *overestimated* rather than underestimated. Distances for these objects have been enclosed in curly brackets in Table 2 to highlight this effect. In total, we have identified 24 red subdwarf candidate systems, listed in Table 4. Of these 24 candidates, 21 have parallaxes, three do not, and 18 are confirmed subdwarfs (LHS2852 is buried in the mass of clustered points). While LHS3528, LHS0284, and LHS0323 both appear in (or on the border of) the subdwarf region of Figure 8, they have been shown spectroscopically to be dwarfs (Hawley et al. 1996; Jao et al. 2011). LHS0110 and SSS1444-2019 have both been identified as candidates by others (Jao et al. 2011; Schilbach et al. 2009).

5.2. The Red Dwarf Population

Of the 1748 systems presented here, our best distance estimates place 1404 closer than 25 pc. Table 5 lists the distance statistics for the entire sample. Those primaries with distance underestimates due to blended photometry are given in brackets next to the numbers in the multiples column. The 344 systems beyond 25 pc were typically pushed over the horizon via new VRI and/or new parallax measurements, or are supplementary entries to the sample with new VRI photometry. Even if an updated and better quality distance has moved a system beyond 25 pc, it remains in the sample for distance comparison purposes.

This sample is of sufficient size to calculate "retention rates" for stars that were first estimated to be within defined distance limits via the two photometric distance estimating techniques.

For the 1512 primaries that have *pltdists* that place them within 25 pc, 417 now have a trigonometric parallax (π_{trig}) $\geq$ 40 milliarcseconds (mas), and 112 now have $\pi_{trig} < 40$ mas, resulting in a 78.8% likelihood that an object initially estimated to be within 25 pc will be found within 25 pc. For the 904 primaries with *pltdists* $\leq$ 20 pc, 379 now have $\pi_{trig} \geq 40$ mas, and 67 now have $\pi_{trig} < 40$ mas, leading to a retention rate of 85.0%. Finally, for the 443 systems with *pltdists* $\leq$ 15 pc, 276 now have $\pi_{trig} \geq 40$ mas, and 18 now have $\pi_{trig} < 40$ mas, giving a retention rate of 93.9%.

For the 896 primaries that have *ccddists* that place them within 25 pc, 402 now have $\pi_{trig} \geq 40$ mas, and 32 now have $\pi_{trig} < 40$ mas, giving a retention rate of 92.6%. For the 664 primaries with *ccddists* $\leq$ 20 pc, 359 now have $\pi_{trig} \geq 40$ mas, and 12 now have $\pi_{trig} < 40$ mas, leading to a retention rate of 96.8%. And for the 409 systems with *ccddists* $\leq$ 15 pc, 257 now have $\pi_{trig} \geq 40$ mas, and 4 now have $\pi_{trig} < 40$ mas, resulting in a 98.5% likelihood that an object initially estimated to be within 15 pc will be found within 25 pc.

Thus, our photometric distance estimating techniques are successful in revealing red dwarfs within 25 pc 79–99% of the time, depending on which set of photometry is used and how restrictive the boundary is set. Even in the worst case, we are successful in nearly 4 out of 5 cases.

Figure 9 outlines the volume density of the southern M dwarfs within 25 pc, using the $(V - K)$ color versus distance in ten equal volume shells to 25 pc.[9] We expect a uniform volume density to the 25 pc horizon, and that is now the case for red dwarfs with types

[9]For those ∼500 targets that lack a V_J magnitude, one has been estimated using the polynomial given in §3.2.

earlier than ∼M4. Although recent work by RECONS (Dieterich et al. 2014) has bolstered the number of the closest and reddest objects on this plot, the sample shows a classic observational bias for redder, i.e. intrinsically fainter stars that are underrepresented at larger distances. There are several reasons for the non-uniform distribution, including: (1) The reddest dwarfs with types later than M6 have simply been missed in various search efforts, including our SCR trawls, due to their intrinsic faintness. (2) Some of the currently known 25 pc members are hidden multiples — resolution of these multiples would move the points to larger distances if they have been placed in Figure 9 using *pltdist* or *ccddist*. (3) Some systems are likely among the ∼80 southern red dwarfs within 25 pc predicted to have $\mu < 0\farcs18$ yr^{-1} by Riedel (2012). These have been excluded due to our proper motion cut-off. In fact, we currently have ∼40 stars on our parallax program with $\mu < 0\farcs18$ yr^{-1} having preliminary parallaxes larger than 40 mas. (4) Finally, some red dwarfs are lurking in the Galactic plane, which has traditionally been avoided due to crowded fields, although this deficit is not likely to be significantly distance-dependent.

We can assess the incompleteness of the current sample by assuming that the 19 southern systems with M dwarf primaries found within 5 pc (Henry 2014) represent a complete sample and that the stellar density is constant to 25 pc. If so, we expect 2375 such systems within 25 pc in the southern sky. The histogram in Figure 10 plots the cumulative number of expected systems at distances to 25 pc as a solid line, with the dotted lines representing the Poisson errors. Here we have propagated the 23% error on the 19 systems within 5 pc to 25 pc, corresponding to an error of 546 systems in 2375. The histogram of systems outlined for the trigonometric sample is the starting point for systems we consider reliably within 25 pc. The histograms for the CCD and plate additions include only those systems with best distances that are "clean", i.e. those that are for single stars based on current information, and that are not subdwarfs. These histograms are presumably overestimates, as a fraction of the included systems are as yet undiscovered close multiples with blended photometry whose plate and CCD distances are underestimates. We do not expect these overestimates to be extreme, in part because some of the known close multiple systems purposely removed to clean the sample will remain within 25 pc. With these *caveats* in mind, we make the following assessments of our current knowledge:

We predict that there are 1829–2921 stellar systems with red dwarf primaries within 25 pc in the southern sky.

We have identified roughly 1400 of these systems.

Based on our retention rates, only ∼90% of those with distance estimates or 1302 of these will remain within 25 pc.

There are ∼530–1620 systems missing from the current sample.

Using the mass-M_K relation given in Henry & McCarthy (1993), masses have been estimated for each M dwarf primary in the sample that is currently believed to be a single, main sequence star. The resulting mass function, the number of stars within each mass bin, for southern primaries within 25 pc is illustrated in Figure 11. The mass function may turn over at some point, but the turnover at $\sim 0.15 M_\odot$ indicated in this histogram is likely not the final answer. Early work by Henry & McCarthy (1990) pointed to $\sim 0.1\ M_\odot$ as the end of the main sequence and where the mass function will turn over. More recent work by Chabrier (2003) and Dieterich et al. (2012) reinforces this result. As is evident in Figure 9, few of the intrinsically faintest M dwarfs have yet to be identified beyond ∼20 pc, corresponding to roughly half of the sample volume, and these are the stars that will fill the lowest mass bins in Figure 11. Perhaps even more important, the true mass function for low mass stars will include M dwarfs as companions, and both known and as yet unknown fainter companions to M dwarf primaries in the sample will shift points to lower masses. This makes a profound statement that the smallest stars are the most likely product of the stellar/substellar formation process.

6. Future

Of the 1404 southern M dwarf systems presented here as within 25 pc, 954 do not have published parallaxes. More than 250 objects with only distances estimates are on our astrometry program at the 0.9m. If these systems lacking a parallax turn out to be within 25 pc, the RECONS effort in the southern sky will have increased the number of stellar systems identified within this distance by 52%.

Of course, *Gaia* should make great contributions to the census of nearby red dwarfs. However, assuming its $V \approx 20$ limit (Sozzetti et al. 2014) is achieved, it will only reach the intrinsically faintest M dwarfs to about 10 pc. Thus, it appears that careful, pointed observations to reveal the M dwarfs within 25 pc remain warranted and will be crucial in determining the true mass function for the smallest stars.

7. Acknowledgments

This research was made possible by NSF grants AST-0908402 and AST-1109445. The support of additional RECONS team members was vital for this research. We also thank the members of the SMARTS Consortium, who enable the operations of the small telescopes

at CTIO, as well as the observer support at CTIO, specifically Edgardo Cosgrove, Arturo Gomez, Alberto Miranda, Joselino Vasquez, Mauricio Rojas, and Hernan Tirado. We would like to thank Rick Mascall for bringing to our attention the object OUT1720-1725. The authors are grateful to referee Bill van Altena for suggesting changes that improved the paper.

This research has made use of data obtained from the SuperCOSMOS Science Archive, prepared and hosted by the Wide Field Astronomy Unit, Institute for Astronomy, University of Edinburgh, which is funded by the UK Science and Technology Facilities Council. Data products from the Two Micron All Sky Survey, which is a joint project of the University of Massachusetts and the Infrared Processing and Analysis Center/California Institute of Technology, funded by the National Aeronautics and Space Administration and the National Science Foundation have also been used, as have the SIMBAD database and the Aladin and Vizier interfaces, operated at CDS, Strasbourg, France.

REFERENCES

Andrei, A. H., et al. 2011, AJ, 141, 54

Anglada-Escudé, G., Boss, A. P., Weinberger, A. J., Thompson, I. B., Butler, R. P., Vogt, S. S., & Rivera, E. J. 2012, ApJ, 746, 37

Benedict, G. F., et al. 2002, ApJ, 581, L115

Bessel, M. S. 1990, A&AS, 83, 357

Bessell, M. S. 1991, AJ, 101, 662

Bessell, M. S., & Weis, E. W. 1987, PASP, 99, 642

Biller, B. A., & Close, L. M. 2007, ApJ, 669, L41

Boyd, M. R., Henry, T. J., Jao, W.-C., Subasavage, J. P., & Hambly, N. C. 2011a, AJ, 142, 92

Boyd, M. R., Winters, J. G., Henry, T. J., Jao, W.-C., Finch, C. T., Subasavage, J. P., & Hambly, N. C. 2011b, AJ, 142, 10

Chabrier, G. 2003, PASP, 115, 763

Costa, E., & Méndez, R. A. 2003, A&A, 402, 541

Costa, E., Méndez, R. A., Jao, W.-C., Henry, T. J., Subasavage, J. P., Brown, M. A., Ianna, P. A., & Bartlett, J. 2005, AJ, 130, 337

Costa, E., Méndez, R. A., Jao, W.-C., Henry, T. J., Subasavage, J. P., & Ianna, P. A. 2006, AJ, 132, 1234

Deacon, N. R., & Hambly, N. C. 2001, A&A, 380, 148

—. 2007, A&A, 468, 163

Deacon, N. R., Hambly, N. C., & Cooke, J. A. 2005a, A&A, 435, 363

Deacon, N. R., Hambly, N. C., Henry, T. J., Subasavage, J. P., Brown, M. A., & Jao, W.-C. 2005b, AJ, 129, 409

Deacon, N. R., Hambly, N. C., King, R. R., & McCaughrean, M. J. 2009a, MNRAS, 394, 857

Deacon, N. R., et al. 2009b, MNRAS, 397, 1685

Dieterich, S. B., Henry, T. J., Golimowski, D. A., Krist, J. E., & Tanner, A. M. 2012, AJ, 144, 64

Dieterich, S. B., Henry, T. J., Jao, W.-C., Winters, J. G., Hosey, A. D., Riedel, A. R., & Subasavage, J. P. 2014, AJ, 147, 94

Dupuy, T. J., & Liu, M. C. 2012, ApJS, 201, 19

Fabricius, C., & Makarov, V. V. 2000, A&AS, 144, 45

Faherty, J. K., et al. 2012, ApJ, 752, 56

Finch, C. T., Henry, T. J., Subasavage, J. P., Jao, W.-C., & Hambly, N. C. 2007, AJ, 133, 2898

Finch, C. T., Zacharias, N., Boyd, M. R., Henry, T. J., & Hambly, N. C. 2012, ApJ, 745, 118

Finch, C. T., Zacharias, N., & Henry, T. J. 2010, AJ, 140, 844

Fischer, D. A., & Marcy, G. W. 1992, ApJ, 396, 178

Gatewood, G., Coban, L., & Han, I. 2003, AJ, 125, 1530

Giclas, H. L., Burnham, R., & Thomas, N. G. 1971, Lowell proper motion survey Northern Hemisphere. The G numbered stars. 8991 stars fainter than magnitude 8 with motions gt 0".26/year (Lowell Observatory, Flagstaff, Arizona)

Giclas, H. L., Burnham, Jr., R., & Thomas, N. G. 1978, Lowell Observatory Bulletin, 8, 89

Gizis, J. E. 1997, AJ, 113, 806

Gizis, J. E., Troup, N. W., & Burgasser, A. J. 2011, ApJ, 736, L34

Graham, J. A. 1982, PASP, 94, 244

Hambly, N. C., Henry, T. J., Subasavage, J. P., Brown, M. A., & Jao, W.-C. 2004, AJ, 128, 437

Hambly, N. C., Irwin, M. J., & MacGillivray, H. T. 2001, MNRAS, 326, 1295

Hawley, S. L., Gizis, J. E., & Reid, I. N. 1996, AJ, 112, 2799

Henry, T. J. 1991, PhD thesis, Arizona Univ., Tucson.

Henry, T. J. 2014, in The Observer's Handbook, ed. D. M. F. Chapman (Toronto, Ontario: The Royal Astronomical Society of Canada), 286–290

Henry, T. J., Ianna, P. A., Kirkpatrick, J. D., & Jahreiss, H. 1997, AJ, 114, 388

Henry, T. J., Jao, W.-C., Subasavage, J. P., Beaulieu, T. D., Ianna, P. A., Costa, E., & Méndez, R. A. 2006, AJ, 132, 2360

Henry, T. J., & McCarthy, Jr., D. W. 1990, ApJ, 350, 334

—. 1993, AJ, 106, 773

Henry, T. J., Subasavage, J. P., Brown, M. A., Beaulieu, T. D., Jao, W.-C., & Hambly, N. C. 2004, AJ, 128, 2460

Hershey, J. L., & Taff, L. G. 1998, AJ, 116, 1440

Høg, E., et al. 2000, A&A, 355, L27

Janson, M., Bergfors, C., Brandner, W., Kudryavtseva, N., Hormuth, F., Hippler, S., & Henning, T. 2014, ArXiv e-prints

Janson, M., et al. 2012, ApJ, 754, 44

Jao, W.-C., Henry, T. J., Beaulieu, T. D., & Subasavage, J. P. 2008, AJ, 136, 840

Jao, W.-C., Henry, T. J., Subasavage, J. P., Brown, M. A., Ianna, P. A., Bartlett, J. L., Costa, E., & Méndez, R. A. 2005, AJ, 129, 1954

Jao, W.-C., Henry, T. J., Subasavage, J. P., Winters, J. G., Gies, D. R., Riedel, A. R., & Ianna, P. A. 2014, AJ, 147, 21

Jao, W.-C., Henry, T. J., Subasavage, J. P., Winters, J. G., Riedel, A. R., & Ianna, P. A. 2011, AJ, 141, 117

Kilkenny, D., & Cousins, A. W. J. 1995, Ap&SS, 230, 155

Kilkenny, D., Koen, C., van Wyk, F., Marang, F., & Cooper, D. 2007, MNRAS, 380, 1261

Kilkenny, D., van Wyk, F., Roberts, G., Marang, F., & Cooper, D. 1998, MNRAS, 294, 93

Koen, C., Kilkenny, D., van Wyk, F., Cooper, D., & Marang, F. 2002, MNRAS, 334, 20

Koen, C., Kilkenny, D., van Wyk, F., & Marang, F. 2010, MNRAS, 403, 1949

Landolt, A. U. 1992, AJ, 104, 372

—. 2007, AJ, 133, 2502

—. 2013, AJ, 146, 131

Lépine, S. 2005a, AJ, 130, 1680

—. 2005b, AJ, 130, 1247

—. 2008, AJ, 135, 2177

Lépine, S., & Gaidos, E. 2011, AJ, 142, 138

Lépine, S., Shara, M. M., & Rich, R. M. 2002, AJ, 124, 1190

—. 2003, AJ, 126, 921

Luyten, W. J. 1979a, LHS Catalogue. Second edition. (University of Minnesota)

—. 1979b, NLTT catalogue. Volume_I. +90__to_+30_. Volume._II. +30__to_0_. (University of Minnesota)

—. 1980a, NLTT Catalogue. Volume_III. 0__to -30_. (University of Minnesota)

—. 1980b, NLTT Catalogue. Volume_IV. -30__to_-90_. (University of Minnesota)

Mamajek, E. E., et al. 2013, AJ, 146, 154

Monet, D. G., et al. 2003, AJ, 125, 984

Morgan, D. H. 1995, in Astronomical Society of the Pacific Conference Series, Vol. 84, IAU Colloq. 148: The Future Utilisation of Schmidt Telescopes, ed. J. Chapman, R. Cannon, S. Harrison, & B. Hidayat, 137

Patterson, R. J., Ianna, P. A., & Begam, M. C. 1998, AJ, 115, 1648

Perryman, M. A. C., et al. 1997, A&A, 323, L49

Phan-Bao, N. 2011, Astronomische Nachrichten, 332, 668

Pokorny, R. S., Jones, H. R. A., & Hambly, N. C. 2003, A&A, 397, 575

Pokorny, R. S., Jones, H. R. A., Hambly, N. C., & Pinfield, D. J. 2004, A&A, 421, 763

Reid, I. N., & Gizis, J. E. 2005, PASP, 117, 676

Reid, I. N., Kilkenny, D., & Cruz, K. L. 2002, AJ, 123, 2822

Reid, I. N., van Wyk, F., Marang, F., Roberts, G., Kilkenny, D., & Mahoney, S. 2001, MNRAS, 325, 931

Reid, I. N., et al. 2003, AJ, 126, 3007

—. 2004, AJ, 128, 463

Riedel, A. R. 2012, PhD thesis, Georgia State University

Riedel, A. R., Murphy, S. J., Henry, T. J., Melis, C., Jao, W.-C., & Subasavage, J. P. 2011, AJ, 142, 104

Riedel, A. R., et al. 2010, AJ, 140, 897

—. 2014, AJ, 147, 85

Ruiz, M. T., Takamiya, M. Y., Mendez, R., Maza, J., & Wishnjewsky, M. 1993, AJ, 106, 2575

Ruiz, M. T., Wischnjewsky, M., Rojo, P. M., & Gonzalez, L. E. 2001, ApJS, 133, 119

Schilbach, E., Röser, S., & Scholz, R.-D. 2009, A&A, 493, L27

Schmidt, S. J., Cruz, K. L., Bongiorno, B. J., Liebert, J., & Reid, I. N. 2007, AJ, 133, 2258

Scholz, R.-D., Lehmann, I., Matute, I., & Zinnecker, H. 2004, A&A, 425, 519

Shkolnik, E. L., Anglada-Escudé, G., Liu, M. C., Bowler, B. P., Weinberger, A. J., Boss, A. P., Reid, I. N., & Tamura, M. 2012, ApJ, 758, 56

Skrutskie, M. F., et al. 2006, AJ, 131, 1163

Smart, R. L., Ioannidis, G., Jones, H. R. A., Bucciarelli, B., & Lattanzi, M. G. 2010, A&A, 514, A84

Smart, R. L., Lattanzi, M. G., Jahreiß, H., Bucciarelli, B., & Massone, G. 2007, A&A, 464, 787

Söderhjelm, S. 1999, A&A, 341, 121

Sozzetti, A., Giacobbe, P., Lattanzi, M. G., Micela, G., Morbidelli, R., & Tinetti, G. 2014, MNRAS, 437, 497

Subasavage, J. P., Henry, T. J., Hambly, N. C., Brown, M. A., & Jao, W.-C. 2005a, AJ, 129, 413

Subasavage, J. P., Henry, T. J., Hambly, N. C., Brown, M. A., Jao, W.-C., & Finch, C. T. 2005b, AJ, 130, 1658

Subasavage, J. P., Jao, W.-C., Henry, T. J., Bergeron, P., Dufour, P., Ianna, P. A., Costa, E., & Méndez, R. A. 2009, AJ, 137, 4547

Tinney, C. G. 1996, MNRAS, 281, 644

Tinney, C. G., Reid, I. N., Gizis, J., & Mould, J. R. 1995, AJ, 110, 3014

van Altena, W. F., Lee, J. T., & Hoffleit, D. 1995, VizieR Online Data Catalog, 1174, 0

van Leeuwen, F., ed. 2007, Astrophysics and Space Science Library, Vol. 350, Hipparcos, the New Reduction of the Raw Data

von Braun, K., et al. 2011, ApJ, 729, L26

Weis, E. W. 1984, ApJS, 55, 289

—. 1986, AJ, 91, 626

—. 1987, AJ, 93, 451

—. 1988, Ap&SS, 142, 223

—. 1991a, AJ, 102, 1795

—. 1991b, AJ, 101, 1882

—. 1993, AJ, 105, 1962

—. 1994, AJ, 107, 1135

—. 1996, AJ, 112, 2300

—. 1999, AJ, 117, 3021

Winters, J. G., Henry, T. J., Jao, W.-C., Subasavage, J. P., Finch, C. T., & Hambly, N. C. 2011, AJ, 141, 21

Wolf, M., & Reinmuth, K. 1925, Astronomische Nachrichten, 223, 231

Wroblewski, H., & Costa, E. 1999, A&AS, 139, 25

—. 2000, A&AS, 142, 369

—. 2001, A&A, 367, 725

Wroblewski, H., & Torres, C. 1989, A&AS, 78, 231

—. 1990, A&AS, 83, 317

—. 1991, A&AS, 91, 129

—. 1992, A&AS, 92, 449

—. 1994, A&AS, 105, 179

—. 1995, A&AS, 110, 27

—. 1996, A&AS, 115, 481

—. 1997, A&AS, 122, 447

—. 1998, A&AS, 128, 457

This preprint was prepared with the AAS LaTeX macros v5.2.




Fig. 1.— Distribution of the entire sample of 1748 M dwarf systems on the southern sky in RA and DEC. Solid points indicate the 1404 systems within 25 pc, while open points indicate the 344 systems beyond 25 pc. The Galactic plane has been plotted in gray.




Fig. 2.— Comparison of the CCD $(V - K)$ color to the plate $(B - K)$ color for more than 1000 objects. Known multiples with blended photometry are not included. The dashed line indicates a third order polynomial fit (given in §3.2) that provides an estimated CCD V magnitude, given a measured plate B magnitude for red objects and a known 2MASS K magnitude.




Fig. 3.— Distance comparisons of estimates using photographic plate photometry (*pltdist*) vs. CCD photometry (*ccddist*) for the systems closer than 25 pc that have both BRI and VRI photometry. Known unresolved multiples with blended photometry were not included. The diagonal line represents 1:1 correspondence in distances, while the dashed lines indicate the 26% errors associated with the plate distance estimates.




Fig. 4.— Distance comparisons of estimates from photographic plate photometry (*pltdist*) vs. distances measured using trigonometric parallaxes (*trgdist*) for the systems closer than 25 pc. Known unresolved multiples with blended photometry were not included. The diagonal line represents 1:1 correspondence in distances, while the dashed lines indicate the 26% errors associated with the plate distance estimates. The inset histogram indicates the distribution of the distance offsets between the *pltdist* and *trgdist*. For this sample, the absolute mean offset is 24%, consistent with the 26% systematic error determined in Hambly et al. (2004).




Fig. 5.— Distance comparisons of estimates from CCD photometry (*ccddist*) vs. distances measured using trigonometric parallaxes (*trgdist*) for the systems closer than 25 pc. Known unresolved multiples with blended photometry were not included. The diagonal line represents 1:1 correspondence in distances, while the dashed lines indicate the 15% errors associated with the CCD distance estimates. Note the reduced scatter compared to the similar *pltdist* plot shown in Figure 4, indicating the improvement in the photometry. The inset histogram indicates the distribution of the distance offsets between the *pltdist* and *trgdist*. For this sample, the absolute mean offset is 17%, consistent with the 15% systematic error determined by Henry et al. (2004).




Fig. 6.— Color-color diagram showing $(J-H)$ vs. $(R-K)$ for all presumed single M dwarfs in the sample. Known unresolved multiples with blended photometry were not included. Colors that use plate R magnitudes are shown as x's, while those that use CCD R magnitudes are plotted as plusses. Plate R photometry is used to calculate colors for the objects for which a published parallax, but no CCD R photometry exists and are noted as asterisks with a solid center. For comparison, a few known giants are denoted by open circles. The object CD-32 16735 is plotted as a solid dot surrounded by an open circle, as it is surely a giant, given its preliminary parallax. The giant X Men is too red for the $(R-K)$ color cut-off of this plot, but has been indicated with an arrow. Corresponding spectral type estimates are given along the bottom.




Fig. 7.— An observational HR diagram for all M dwarf systems in the sample that have trigonometric parallaxes and V magnitudes, using M_V and $(V-K)$ as proxies for luminosity and temperature, respectively. Known multiples with blended photometry are enclosed in open squares. A set of a few dozen subdwarfs is evident below the main sequence. Spectroscopically confirmed subdwarfs have been enclosed in triangles, with references given in Table 3. Corresponding spectral type estimates are given along the bottom.




Fig. 8.— A reduced proper motion diagram is shown, which is used to separate the dwarfs from the subdwarfs in the entire sample, based on the proper motion of the objects. The region of interest is outlined, as in Boyd et al. (2011b). The y-axis is $H_R = R + 5 +$ 5log (μ) and the x-axis is the $(R - J)$ color. Primaries with *trgdists* are plotted as solid dots, those with *ccddists* are plusses, and those with *pltdists* are x's. Objects that have a published parallax, but no CCD photometry have been indicated as asterisks with a solid center. Three additional objects, among those identified as subdwarf candidates in Table 4, are shown inside the outlined subdwarf region: LHS0284, LHS0323, and LEHPM1-4592, although both LHS0284 and LHS0323 have been shown to be dwarfs (Jao et al. (2011)). Spectroscopically confirmed subdwarfs have been enclosed in triangles, three of which fall outside the indicated subdwarf region and are labeled. Corresponding spectral type estimates are given along the bottom.




Fig. 9.— The density of M dwarf systems in the southern sky is plotted using $(V - K)$ vs. distance in 10 equal-volume shells to 25 pc . Solid points indicate systems with *trgdists*, plusses indicate those with *ccddists*, and x's indicate those with *pltdists*. Corresponding spectral type estimates are given along the right. For those 507 objects without a CCD V magnitude, one has been estimated using the equation in §3.2. The horizontal lines highlight masses of 0.60, 0.30, and 0.10 $M_\odot$ from top to bottom.




Fig. 10.— The cumulative numbers of southern single M dwarf systems known via the three distance techniques described in this paper are shown using histograms. Those objects with *trgdists* are indicated with vertical hatching, those with *ccddists* have −45 degree hatching and those with *pltdists* have +45 degree hatching. The solid black curve indicates the expected number within that distance horizon based on the 19 southern M dwarf systems known to lie within 5 pc with accurate trigonometric parallaxes and assuming a uniform density to 25 pc. The dotted lines indicate the extrapolated 23% Poisson errors based on those 19 systems.




Fig. 11.— The mass function for southern single M dwarf primaries known within 25 pc is shown. Not included are the 100 primaries with blended photometry due to the presence of a close companion. Those objects with mass estimates greater than 0.6 $M_\odot$ are possibly unknown unresolved close multiples. The apparent turnover at ∼0.15 $M_\odot$ is likely not the final answer.

Table 1. Observed Data for Southern Red Dwarf Systems

Name	# comp.	RA	DEC	μ ($''_{\rm yr^{-1}}$)	P.A. (deg)	ref	π ($''$)	π error ($''$)	# π	ref	B_J (mags)	R_{59F} (mags)	I_{IVN} (mags)	V_J (mags)	R_{KC} (mags)	I_{KC} (mags)	# nts/ref	J (mags)	H (mags)	K_s (mags)
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)
2MA0000-1245	1	00 00 28.7	−12 45 16	0.191	228.6	41	...	...	...	...	...	19.26	15.88	20.78	18.71	16.27	1/	13.20	12.45	11.97
LTT09844	1	00 00 46.9	−35 10 06	0.403	106.3	1	...	...	...	...	13.48	11.30	10.21	...	...	...	...	9.12	8.48	8.28
GJ1001	3(1)	00 04 36.5	−40 44 03	1.636	159.7	1	.07987	.00375	2	25,63	14.21	11.83	10.06	12.83	11.62	10.08	4/25u	8.60	8.04	7.74
G158-025	1	00 04 40.3	−09 52 42	0.267	170.6	1	...	...	...	...	14.47	12.52	10.92	...	...	...	...	9.77	9.10	8.82
SIP0004-2058	1	00 04 41.5	−20 58 30	0.826	090.6	1	...	...	...	...	21.86	18.85	15.65	19.94	17.81	15.36	2/	12.40	11.83	11.40
GJ0001	1	00 05 24.4	−37 21 27	6.106	112.5	28	.23032	.00090	2	63,64	10.10	7.91	6.28	8.54	7.57	6.41	/5	5.33	4.83[c]	4.52
LP644-034	1	00 05 34.9	−06 07 07	0.218	111.7	1	...	...	...	...	13.85	11.75	9.92	...	...	...	...	9.26	8.65	8.41
LP644-039	1	00 06 13.1	−02 32 11	0.305	101.3	1	...	...	...	...	15.38	13.34	10.91	14.62	13.42	11.84	/45	10.22	9.60	9.30
LHS1019	1	00 06 19.2	−65 50 26	0.564	158.7	1	.05985	.00264	1	64	13.13	10.92	8.98	12.17	11.11	9.78	/34	8.48	7.84	7.63
GJ1002	1	00 06 43.2	−07 32 17	2.041	204.0	63	.21300	.00360	1	63	15.04	12.34	9.88	13.84	12.21	10.21	3/	8.32	7.79	7.44
L217-028	1	00 08 17.4	−57 05 53	0.370	264.0	38	...	...	...	...	12.20	10.22	9.30	12.13	11.00	9.57	3/	8.21	7.63	7.40
GJ0007	1	00 09 04.3	−27 07 20	0.715	079.7	1	.04361	.00256	2	63,64	12.52	10.13	9.11	11.69	10.74	9.79	/5	8.66	8.14	7.86
LP644-094	1	00 09 13.5	−04 08 02	0.190	243.1	1	...	...	...	...	12.60	10.75	9.04	12.03	11.01	9.80	/46	8.58	7.98	7.73
BPM46052	1	00 09 20.0	−21 14 41	0.186	125.1	1	...	...	...	...	13.50	11.75	9.89	...	...	...	...	8.76	8.16	7.94
LEHPM1-0254	1	00 09 43.3	−41 17 36	0.226	067.9	1	...	...	...	...	17.24	15.01	12.89	...	...	...	...	10.92	10.38	10.08
LEHPM1-0255	1	00 09 45.1	−42 01 40	0.271	096.7	1	...	...	...	...	15.17	13.01	10.68	13.62	12.35	10.66	3/	9.07	8.45	8.22
L217-009	1	00 11 49.1	−55 21 52	0.362	218.2	1	...	...	...	...	13.99	11.93	11.04	...	...	...	...	9.33	8.72	8.50
GJ1005	2	00 15 28.1	−16 08 02	0.842	132.4	57	.16842	.00089	4	27,57,58,63	12.24J	9.96J	8.07J	11.48J	10.27J	8.70J	3/	7.22J	6.71J	6.39J
LHS1051	2(1)	00 15 51.5	−67 59 52	0.562	105.7	1	...	...	...	...	12.01	9.72	8.57	10.90	9.94	8.91	1/	7.80	7.21	6.95
L290-072	2	00 16 02.0	−48 15 39	0.244	190.9	1	.04389	.00439	1	64	12.08J	9.85J	8.58J	11.55J	10.51J	9.24J	/34	7.97J	7.36J	7.11J
L218-009	1	00 16 36.6	−50 16 09	0.432	052.2	1	.04504	.00336	1	64	13.01	10.54	9.26	12.35	11.34	10.14	/34	8.97	8.33	8.17
SCR0017-3219	1	00 17 15.7	−32 19 54	0.220	096.9	1	...	...	...	...	16.80	14.59	12.48	15.45	14.11	12.39	/71	10.64	10.08	9.73
LP704-074	1	00 17 28.2	−08 44 23	0.388	107.0	37	...	...	...	...	13.63	11.64	10.05	...	...	...	...	9.16	8.60	8.36
LTT00139	1	00 17 40.7	−01 22 41	0.393	090.8	1	...	...	...	...	13.96	11.92	10.26	12.89	11.84	10.50	/45	9.24	8.57	8.36
LTT00151	1	00 18 44.8	−34 50 15	0.275	183.7	1	...	...	...	...	14.14	11.92	10.49	...	...	...	...	9.02	8.39	8.16
LP825-035	1	00 20 23.2	−23 46 05	0.338	102.8	1	...	...	...	...	20.19	17.84	14.83	...	...	...	...	12.35	11.72	11.34
L170-007	1	00 20 41.5	−53 40 54	0.406	092.1	1	...	...	...	...	14.54	12.40	10.68	...	...	...	...	9.68	9.10	8.81
GJ0017.1	1	00 21 19.6	−45 44 47	0.854	179.8	1	.05776	.00192	2	63,64	11.37	8.87	7.88	10.40	9.46	8.50	/5	7.41	6.81	6.54
LHS5004a	1	00 21 37.3	−46 05 33	0.442	218.1	1	.05180	.00440	1	64	13.18	10.60	9.16	12.24	11.14	9.73	/34	8.33	7.73	7.45
LTT00180	1	00 21 39.4	−09 00 25	0.283	221.2	1	...	...	...	...	15.07	12.95	11.25	13.94	12.76	11.24	/45	9.71	9.15	8.87
G158-066	1	00 21 53.4	−09 38 03	0.417	087.1	1	...	...	...	...	14.04	12.02	10.64	...	...	...	...	9.46	8.78[c]	8.57
L086-082	1	00 21 54.9	−68 31 26	0.253	197.8	1	...	...	...	...	12.38	9.76	8.86	11.13	10.21	9.26	/46	8.23	7.59	7.35
GJ1009	1	00 21 56.1	−31 24 22	0.223	165.9	1	.05562	.00232	1	64	12.19	9.90	8.85	11.13	10.12	8.92	/34	7.67	7.05	6.79
L026-099	1	00 22 27.1	−79 09 59	0.255	084.9	1	...	...	...	...	12.18	10.21	8.68	...	...	...	...	8.45	7.84	7.62
LHS1064	1	00 23 18.5	−50 53 38	0.570	090.6	1	.04995	.00271	2	63,64	13.10	10.94	9.30	11.89	10.84	9.56	/34	8.26	7.64	7.38
LTT00214	1	00 24 25.2	−12 17 25	0.311	086.2	1	...	...	...	...	12.82	10.66	9.28	12.25	11.23	10.02	/45	8.83	8.21	7.98
GJ2005	3	00 24 44.2	−27 08 24	0.654	348.3	10	.12971	.00243	2	10,63	17.03J	14.42J	11.46J	15.28J	13.52J	11.37J	5/	9.25J	8.55J	8.24J
LTT00220	1	00 25 04.3	−36 46 18	0.272	076.9	1	...	...	...	...	13.80	11.53	10.13	12.48	11.38	10.00	2/	8.65	8.04	7.83
SCR0027-0806	1	00 27 45.4	−08 06 05	0.184	122.3	1	...	...	...	...	18.65	16.26	13.49	17.51	15.83	13.72	/71	11.57	10.97	10.61
LTT00250	2(1)	00 28 05.0	−23 00 37	0.325	164.0	1	...	...	...	...	15.12	13.11	11.31	...	...	...	...	9.93	9.27	9.07
GJ1012	1	00 28 39.5	−06 39 49	0.870	202.0	63	.07540	.00510	1	63	13.20	11.26	8.54	12.17	11.01	9.50	/69	8.04	7.50[c]	7.19
LEHPM1-0640	1	00 28 54.8	−27 33 34	0.199	073.9	1	...	...	...	...	16.65	14.56	12.47	...	...	...	...	10.76	10.15	9.90
LTT17138	1	00 28 57.7	−02 26 59	0.316	115.9	1	...	...	...	...	14.27	12.23	10.10	...	...	...	...	9.53	8.92	8.67
LTT00266	1	00 29 58.7	−24 38 27	0.392	080.6	1	...	...	...	...	13.93	11.49	10.28	...	...	...	...	9.16	8.56	8.28
L050-078	1	00 31 04.3	−72 01 06	0.435	068.7	1	...	...	...	...	15.25	13.21	11.41	13.69	12.47	10.90	/46	9.37	8.75	8.45
GJ1013	1	00 31 35.4	−05 52 13	1.098	163.0	63	.06230	.00420	1	63	13.77	11.59	9.59	12.73	11.59	10.14	/69	8.76	8.22	7.95
GR0050	1	00 32 53.2	−04 34 07	0.186	155.4	1	...	...	...	...	15.32	13.16	10.86	13.97	12.68	11.00	2/	9.28	8.62	8.35
L291-115	1	00 33 13.5	−47 33 17	0.313	064.3	1	...	...	...	...	16.96	14.62	11.97	...	...	...	...	10.45	9.83	9.54
LHS1099	1	00 34 07.5	−23 03 19	0.613	083.6	1	...	...	...	...	14.98	12.65	11.23	...	...	...	...	9.89	9.28	9.03

Table 1—Continued

Name	# comp.	RA	DEC	μ ($''$yr^{-1})	P.A. (deg)	ref	π ($''$)	π error ($''$)	# π	ref	B_J (mags)	R_{59F} (mags)	I_{IVN} (mags)	V_J (mags)	R_{KC} (mags)	I_{KC} (mags)	# nts/ref	J (mags)	H (mags)	K_s (mags)
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)
LTT00307	1	00 34 39.0	−02 25 00	0.268	084.8	1	...	...	...	...	13.26	10.91	9.74	11.95	10.95	9.79	/45	8.57	7.95	7.69
LTT00313	1	00 35 38.1	−10 04 19	0.193	250.6	1	...	...	...	...	13.01	11.05	9.33	11.85	10.81	9.57	3/	8.33	7.74	7.48
LP645-053	1	00 35 44.1	−05 41 11	0.297	181.8	1	...	...	...	...	17.35	15.09	12.74	...	...	...	...	10.67	10.07	9.71
LP881-239	1	00 37 35.8	−27 08 31	0.180	126.7	1	...	...	...	...	15.57	13.50	11.12	14.32	13.13	11.58	/46	10.03	9.46	9.18
LTT00338	1	00 38 33.4	−11 16 03	0.268	129.7	1	...	...	...	...	13.63	11.61	10.36	...	...	...	...	9.35	8.68	8.44
GJ0027.1	1	00 39 58.8	−44 15 12	0.535	114.6	28	.04099	.00270	2	63,64	12.29	9.87	8.92	11.39	10.44	9.36	/5	8.23	7.61	7.39
LTT00349	1	00 39 59.4	−12 11 43	0.265	089.8	1	...	...	...	...	13.61	11.53	9.86	...	...	...	...	9.14	8.58	8.23
GJ1016	1	00 41 30.5	−33 37 32	0.452	234.8	1	.05121	.00223	1	64	10.99	8.86	8.14	10.53	9.62	8.74	/34	7.71	7.10	6.88
LHS1134	1	00 43 26.0	−41 17 34	0.738	217.1	1	...	...	...	...	14.26	12.09	9.82	13.00	11.75	10.11	2/	8.57	8.03	7.71
LEHPM1-0927	1	00 44 38.0	−78 45 09	0.478	064.1	1	...	...	...	...	18.87	16.59	13.10	...	...	...	...	11.37	10.74	10.37
LHS1140	1	00 44 59.3	−15 16 18	0.625	153.0	1	...	...	...	...	14.98	12.48	10.03	14.18	12.88	11.19	2/	9.61	9.09	8.82
LP989-200	1	00 46 16.3	−40 17 54	0.403	075.7	1	...	...	...	...	14.58	12.49	10.76	...	...	...	...	9.64	9.05	8.77
LP646-016	1	00 47 18.0	−06 28 38	0.374	215.0	1	...	...	...	...	15.32	13.37	11.43	...	...	...	...	10.07	9.50	9.21
LTT00453	1	00 48 13.4	−05 08 08	0.218	125.8	1	.04207	.00376	1	64	13.32	10.86	9.89	12.04	11.04	9.94	1/	8.77	8.18	7.93
LTT00464	1	00 49 01.7	−50 08 42	0.340	133.2	1	.04632	.00208	1	64	11.39	9.58	7.83	10.73	9.80	8.86	/34	7.80	7.16	6.95
GJ1022	1	00 49 29.1	−61 02 33	1.143	093.5	1	.04862	.00139	1	30	13.10	10.78	9.19	12.17	11.12	9.86	/30	8.63	8.09	7.84
LTT00534	1	00 56 50.4	−11 35 20	0.324	223.4	1	.04037	.00281	1	64	11.28	9.52	8.10	11.12	10.19	9.25	/34	8.23	7.60[c]	7.36
L087-002	1	00 57 12.5	−64 15 24	0.391	066.6	1	...	...	...	...	13.57	11.28	9.64	12.40	11.28	9.81	4/	8.40	7.82	7.60
GJ0046	1	00 58 27.9	−27 51 25	1.339	105.0	1	.08075	.00313	2	63,64	13.39	11.69	9.31	11.77	10.65	9.17	/5	7.76	7.20[c]	6.89
LTT00556	1	00 58 52.8	−28 13 52	0.333	075.0	1	...	...	...	...	15.39	13.61	11.65	...	...	...	...	9.95	9.35	9.07
GJ1025	1	01 00 56.1	−04 26 57	1.350	069.0	1	.08770	.00238	1	29	14.46	12.02	10.21	13.35	12.08	10.52	/29	9.04	8.49	8.22
LEP0100-7904	1	01 00 56.4	−79 04 25	0.379	215.3	1	...	...	...	...	13.70	11.70	9.98	12.46	11.41	10.08	3/	8.80	8.17	7.88
LTT00573	1	01 01 24.7	−01 05 59	0.301	104.1	1	...	...	...	...	14.67	12.40	10.45	13.39	12.21	10.62	/45	9.27	8.63	8.37
L171-012	1	01 01 57.9	−55 23 46	0.283	075.6	1	...	...	...	...	15.34	13.33	11.24	...	...	...	...	10.01	9.47	9.17
LHS0132	1	01 02 51.1	−37 37 44	1.493	082.2	1	.08195	.00273	1	10	19.82	17.24	13.81	18.53	16.30	13.88	/16	11.13	10.48	10.07
LEHPM1-1188	1	01 03 12.0	−53 51 43	0.222	203.2	1	...	...	...	...	19.91	17.40	14.64	...	...	...	...	12.21	11.55	11.20
LTT00597	1	01 03 54.8	−26 20 05	0.390	165.4	1	...	...	...	...	14.28	12.07	10.44	...	...	...	...	9.40	8.85	8.56
L087-010	1	01 04 07.0	−65 22 27	0.343	239.1	1	...	...	...	...	15.20	12.89	10.74	13.98	12.63	10.95	3/	9.40	8.84	8.53
G269-089	1	01 04 28.9	−38 27 49	0.186	179.7	1	...	...	...	...	14.09	12.13	10.05	...	...	...	...	9.00	8.36	8.14
GJ1028	1	01 04 53.8	−18 07 29	1.342	071.0	63	.09980	.00500	1	63	15.51	13.33	10.85	14.45	12.99	11.13	/69	9.39	8.75	8.45
LTT00622	1	01 06 27.1	−02 10 35	0.470	131.4	1	...	...	...	...	14.16	12.28	10.52	...	...	...	...	9.59	8.93	8.71
GJ1031	1	01 08 18.3	−28 48 21	0.728	103.6	1	...	...	...	...	14.55	12.18	10.22	...	...	...	...	9.09	8.54	8.23
G271-001	1	01 08 50.4	−03 40 34	0.289	084.0	37	...	...	...	...	14.51	12.63	10.58	...	...	...	...	9.52	8.89	8.62
SSS0109-5101	1	01 09 01.5	−51 00 50	0.224	067.3	1	...	...	...	...	21.19	18.31	14.78	20.17	17.55	15.11	2/	12.23	11.54	11.09
GJ1032	1	01 09 12.5	−24 41 21	0.301	090.4	1	.04429	.00302	1	64	13.19	11.06	9.52	12.25	11.17	9.80	/34	8.45	7.84	7.61
GJ2021	1	01 09 18.7	−24 30 24	0.337	126.5	1	...	...	...	...	15.78	13.47	11.37	...	...	...	...	9.94	9.39	9.07
LP647-013	1	01 09 51.2	−03 43 26	0.376	086.6	1	.10423	.00229	1	10	21.10	17.94	14.77	19.31	17.14	14.88	3/	11.69	10.93	10.43
LP707-016	1	01 10 17.5	−11 51 18	0.236	119.0	37	...	...	...	...	13.00	10.87	8.68	12.70	11.50	10.02	2/	8.63	7.93	7.66
GJ0054	2	01 10 22.9	−67 26 42	0.697	033.7	28	.12824	.00193	3	25,63,64	11.64J	8.38J	7.77J	9.82J	8.70J	7.32J	/25	6.00J	5.41J	5.13J
SCR0111-4908	1	01 11 47.5	−49 08 09	0.542	213.1	1	...	...	...	...	18.93	16.50	13.01	17.72	15.92	13.75	/71	11.54	11.00	10.61
GJ0054.1	1	01 12 30.7	−16 59 56	1.386	063.6	1	.26908	.00299	2	63,64	13.08	10.56	8.52	12.15	10.72	8.94	1/	7.26	6.75	6.42
LEHPM1-1343	1	01 13 16.4	−54 29 14	0.369	070.2	1	...	...	...	...	15.39	13.45	10.99	14.16	12.85	11.17	2/	9.57	8.98	8.68
SCR0113-7603	1	01 13 31.5	−76 03 09	0.228	125.1	1	...	...	...	...	17.68	15.23	13.05	16.07	14.62	12.83	/71	11.03	10.47	10.13
LHS1217	1	01 14 08.6	−36 56 43	0.773	062.3	1	...	...	...	...	15.11	12.99	11.23	...	...	...	...	9.63	9.07	8.81
L221-060	1	01 14 34.2	−53 56 32	0.340	020.0	1	.06038	.00181	1	64	12.21	9.95	8.60	11.08	10.09	8.99	/34	7.81	7.24	6.97
LP938-144	1	01 14 36.7	−34 34 51	0.312	080.4	1	...	...	...	...	17.13	15.03	12.86	...	...	...	...	10.96	10.36	10.07
LP938-149	1	01 15 29.8	−33 25 52	0.244	192.0	1	...	...	...	...	17.14	14.99	12.69	...	...	...	...	10.95	10.37	10.06
GJ1036	1	01 17 15.4	−35 42 57	0.197	152.7	1	.06168	.00343	1	64	12.68	10.18	9.09	11.28	10.26	9.05	/34	7.85	7.18[c]	6.94
L797-030	1	01 17 15.7	−13 15 48	0.368	086.9	28	.04278	.00255	1	64	11.33	9.09	7.63	10.79	9.84	8.86	/34	7.76	7.17	6.91

Table 1—Continued

Name	# comp.	RA	DEC	μ ($''$yr^{-1})	P.A. (deg)	ref	π ($''$)	π error ($''$)	# π	ref	B_J (mags)	R_{59F} (mags)	I_{IVN} (mags)	V_J (mags)	R_{KC} (mags)	I_{KC} (mags)	# nts/ref	J (mags)	H (mags)	K_s (mags)
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)
GJ0056.1	1	01 18 16.0	−12 53 59	0.722	165.5	1	.04528	.00327	2	63,64	12.33	9.97	8.49	11.79	10.78	9.55	/5	8.36	7.74	7.55
LTT00734	1	01 19 51.1	−27 26 39	0.369	100.8	1	...	...	...	...	15.47	13.11	11.32	...	...	...	...	9.98	9.36	9.10
GJ0057	1	01 21 34.6	−41 39 23	1.279	112.5	1	.05990	.00153	2	63,64	11.06	9.33	7.97	10.12	9.25	8.38	/5	7.36	6.76	6.58
LTT00755	1	01 22 23.1	−33 12 51	0.470	130.7	1	.04066	.00185	1	64	11.67	9.33	8.93	...	...	...	...	7.79	7.18	6.98
L797-023	1	01 23 18.0	−12 56 23	0.313	001.5	1	...	...	...	...	13.74	11.34	9.67	12.99	11.88	10.49	2/	9.18	8.63[c]	8.35
LTT00774	1	01 23 24.8	−30 45 34	0.236	213.2	1	...	...	...	...	13.05	10.86	9.86	...	...	...	...	8.62	8.03	7.82
SCR0124-0027	1	01 24 31.3	−00 27 56	0.193	155.9	1	...	...	...	...	19.46	16.93	13.94	18.38	16.48	14.37	1/	12.11	11.51	11.13
LEHPM1-1550	1	01 26 43.1	−54 43 30	0.300	091.7	1	...	...	...	...	17.27	15.10	12.74	...	...	...	...	10.87	10.24	9.95
L002-060	1	01 29 20.9	−85 56 11	0.431	137.9	1	...	...	...	...	14.53	12.59	10.46	13.49	12.21	10.58	2/	9.05	8.39	8.08
LTT00818	1	01 30 05.1	−25 45 08	0.321	096.2	1	...	...	...	...	12.76	10.68	9.38	...	...	...	...	8.66	7.97	7.79
LHS0142	1	01 32 26.2	−21 54 19	1.050	212.2	1	.05518	.00188	2	63,64	11.64	9.51	8.11	11.18	10.18	9.08	1/	7.98	7.35	7.10
LP768-113	1	01 33 58.0	−17 38 24	0.190	167.5	1	...	...	...	...	13.56	11.27	9.35	13.04	11.85	10.31	2/	8.84	8.24	7.97
SCR0135-6127	1	01 35 53.7	−61 27 11	0.274	258.9	1	...	...	...	...	15.01	12.83	10.96	14.32	13.11	11.57	/71	10.06	9.53	9.24
LP883-537	1	01 36 08.7	−26 52 16	0.229	098.4	1	...	...	...	...	14.28	12.08	10.25	13.22	12.10	10.62	1/	9.22	8.60	8.41
LP648-020	1	01 36 55.2	−06 47 38	0.214	124.0	1	...	...	...	...	14.87	12.54	10.40	...	...	...	...	9.71	9.14	8.86
LHS1268	1	01 37 20.8	−49 11 44	0.509	076.7	28	.04438	.00149	2	63,64	11.35	9.23	8.27	10.39	9.48	8.56	/34	7.50	6.85	6.62
SCR0137-4148	1	01 37 23.5	−41 48 56	0.238	054.2	1	...	...	...	...	16.91	14.55	12.24	15.33	13.99	12.30	/71	10.68	10.07	9.78
SCR0138-6029	1	01 38 01.1	−60 29 56	0.563	084.4	1	...	...	...	...	17.46	15.17	12.44	16.61	15.07	13.16	1/	11.19	10.66	10.29
GJ0065	2	01 39 01.5	−17 57 02	3.368	080.4	36	.37370	.00270	1	63	12.78J	10.42J	7.58J	12.06J	10.40J	8.35J	/6	6.28J	5.69J	5.34J
L294-078	1	01 39 11.5	−48 17 50	0.266	106.4	1	...	...	...	...	15.17	13.11	11.10	...	...	...	...	9.82	9.18	8.95
LP991-084	1	01 39 21.7	−39 36 09	0.283	146.1	1	...	...	...	...	15.85	13.64	10.79	14.48	12.97	11.06	3/	9.21	8.63	8.27
SCR0139-5927	1	01 39 39.8	−59 27 56	0.205	041.8	1	...	...	...	...	12.81	10.81	9.50	...	...	...	...	8.51	7.85	7.66
WT0050	1	01 46 29.4	−53 39 33	0.211	121.3	1	...	...	...	...	15.53	13.31	10.90	14.18	12.81	11.08	2/	9.46	8.85[c]	8.61
L870-044	1	01 46 36.8	−08 38 58	0.422	108.2	1	...	...	...	...	13.87	11.68	10.25	12.99	11.82	10.30	/70	8.83	8.24	7.99
L294-092	1	01 47 42.6	−48 36 06	0.371	141.5	1	...	...	...	...	13.83	11.53	9.61	12.42	11.23	9.72	3/	8.25	7.69	7.45
L173-039	1	01 48 26.0	−56 58 42	0.272	092.5	1	...	...	...	...	13.09	11.14	9.30	11.76	10.73	9.47	2/	8.22	7.55[c]	7.32
L052-022	1	01 48 26.2	−70 58 29	0.445	077.9	1	...	...	...	...	12.67	10.49	8.71	...	...	...	...	8.81	8.25	7.97
SCR0149-8038	1	01 49 42.7	−80 38 28	0.611	085.5	1	...	...	...	...	18.42	16.36	13.84	17.14	15.60	13.69	2/	11.68	11.11	10.72
LP940-020	1	01 49 43.5	−33 19 20	0.439	079.5	1	...	...	...	...	17.00	14.85	12.39	...	...	...	...	10.92	10.32	10.01
LP940-021	1	01 50 13.3	−37 41 52	0.230	112.3	1	...	...	...	...	15.80	13.49	11.41	14.47	13.23	11.64	/71	10.11	9.54	9.24
LHS1300	1	01 50 20.1	−49 36 40	0.564	096.9	1	...	...	...	...	14.87	12.77	11.08	...	...	...	...	9.84	9.26	8.99
LHS5043	1	01 50 53.3	−34 24 39	0.500	120.0	1	...	...	...	...	15.05	12.93	11.31	...	...	...	...	9.96	9.35	9.07
LHS1302	1	01 51 04.1	−06 07 05	0.609	118.6	1	.10078	.00189	1	25	15.22	12.76	10.25	14.49	13.00	11.17	/49	9.41	8.84	8.55
GJ0078	1	01 51 48.7	−10 48 13	0.793	134.0	63	.06159	.00280	2	63,64	12.57	10.51	9.33	11.80	10.81	9.59	/5	8.38	7.85	7.63
GJ0079	1	01 52 49.2	−22 26 06	0.845	090.0	28	.09077	.00115	2	63,64	10.03	7.70	6.34	8.88	7.98	7.08	/5	6.06	5.41	5.18
LHS5045	1	01 52 51.6	−48 05 41	0.565	247.5	1	...	...	...	...	15.22	12.94	10.65	13.79	12.48	10.80	3/	9.17	8.60[c]	8.24
LTT01010	1	01 53 11.4	−21 05 43	0.282	075.5	1	...	...	...	...	12.15	10.03	8.68	11.42	10.42	9.26	/46	8.07	7.42[c]	7.14
L088-043	1	01 53 37.1	−66 53 34	0.417	065.0	1	...	...	...	...	12.40	10.39	8.54	11.68	10.60	9.24	3/	7.91	7.29	6.99
LHS1311	1	01 53 50.6	−10 32 14	0.691	114.8	1	...	...	...	...	16.58	14.47	11.75	15.43	14.03	12.22	/69	10.45	9.93	9.65
LP768-670	1	01 54 08.0	−15 36 22	0.316	163.9	1	...	...	...	...	15.23	12.82	10.68	14.42	13.13	11.44	/46	9.81	9.22	8.90
L223-077	1	01 55 13.2	−53 06 31	0.400	047.6	1	...	...	...	...	16.65	14.61	12.23	...	...	...	...	10.54	9.98	9.73
LHS1325	1	02 00 47.3	−10 21 21	0.488	226.7	1	...	...	...	...	15.18	12.96	10.99	...	...	...	...	9.89	9.35	9.09
LP709-018	1	02 01 43.9	−10 17 29	0.340	042.1	1	...	...	...	...	15.61	13.37	11.42	...	...	...	...	10.03	9.47	9.19
L655-017	1	02 03 20.8	−21 13 43	0.438	205.1	1	...	...	...	...	11.28	9.34	7.38	11.21	10.18	8.90	/66	7.61	7.03	6.77
LHS1332	1	02 04 27.5	−01 52 57	0.812	223.2	1	...	...	...	...	14.76	12.68	10.74	13.77	12.59	11.04	/69	9.59	9.09	8.80
GJ0084	2	02 05 04.9	−17 36 53	1.315	097.4	28	.10959	.00187	2	63,64	10.39J	8.35J	6.54J	10.19J	9.14J	7.84J	/5	6.54J	5.90J	5.66J
GJ0084.1	2(1)	02 05 23.7	−28 04 11	0.572	037.5	1	.04324	.00206	2	63,64	11.93	9.92	8.64	10.88	10.00	9.04	/5	7.99	7.35[c]	7.16
LHS1339	1	02 05 48.6	−30 10 36	0.500	282.1	1	.10781	.00292	1	64	13.34	11.02	9.42	12.18	11.07	9.69	3/	8.37	7.87	7.56
GJ0085	1	02 07 23.3	−66 34 12	1.798	078.0	63	...	...	...	...	12.18	9.79	8.45	11.49	10.49	9.31	3/	8.13	7.61	7.36

Table 1—Continued

Name	# comp.	RA	DEC	μ ($''$yr^{-1})	P.A. (deg)	ref	π ($''$)	π error ($''$)	# π	ref	B_J (mags)	R_{59F} (mags)	I_{IVN} (mags)	V_J (mags)	R_{KC} (mags)	I_{KC} (mags)	# nts/ref	J (mags)	H (mags)	K_s (mags)
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)
LHS1347	1	02 09 36.1	−14 21 33	0.610	127.7	1	.05089	.00247	2	63,64	12.38	9.36	8.42	11.81	10.75	9.46	/69	8.12	7.50	7.26
LP709-043	1	02 10 03.7	−08 53 00	0.390	241.2	1	...	...	...	...	13.89	11.72	9.86	13.05	11.91	10.40	/44	8.95	8.34[c]	8.08
SCR0210-6622	1	02 10 45.1	−66 22 27	0.883	067.8	1	...	...	...	...	16.86	14.60	12.15	15.94	14.56	12.77	1/	10.97	10.43	10.09
LHS1351	1	02 11 18.0	−63 13 41	0.765	243.2	47	.07153	.00164	1	47	12.99	10.60	9.14	12.23	11.15	9.82	/47	8.54	7.98	7.73
LHS1354	2	02 12 29.2	−08 04 10	0.756	227.3	36	...	...	...	...	12.70J	10.91J	9.84J	11.99J	11.06J	9.86J	/69	8.65J	8.07J	7.83J
LHS1356	1	02 12 58.8	−73 45 50	0.535	065.9	1	...	...	...	...	13.84	11.68	10.09	...	...	...	...	9.24	8.56	8.34
L296-105	1	02 13 53.0	−49 23 14	0.247	066.7	1	...	...	...	...	14.34	12.07	10.34	...	...	...	...	9.43	8.76	8.53
GJ0091	1	02 13 53.6	−32 02 29	0.911	122.5	1	.08004	.00168	2	63,64	10.96	9.10	7.30	10.31	9.32	8.15	/5	6.96	6.33	6.09
LHS1363	1	02 14 12.6	−03 57 44	0.504	105.0	1	...	...	...	...	17.28	14.96	11.96	16.44	14.71	12.62	4/	10.48	9.86	9.49
LP885-034	1	02 14 18.6	−30 33 47	0.269	067.0	1	...	...	...	...	13.38	11.69	9.68	...	...	...	...	8.82	8.24[c]	7.96
LHS1367	1	02 15 08.1	−30 40 01	0.854	116.9	1	...	...	...	...	20.23	17.68	14.03	18.98	16.70	14.23	1/	11.62	10.95	10.54
StKM1-249	1	02 15 20.0	−13 00 58	0.180	091.8	1	...	...	...	...	12.48	10.44	9.23	...	...	...	...	8.63	8.00	7.77
LHS1373	1	02 15 48.9	−12 40 27	0.558	067.1	1	...	...	...	...	13.84	11.83	9.90	13.00	11.89	10.46	/69	9.05	8.47[c]	8.17
LP829-041	1	02 16 21.4	−22 00 49	0.260	334.8	1	...	...	...	...	18.14	15.72	12.74	...	...	...	...	11.31	10.76	10.40
SCR0216-5257	1	02 16 32.0	−52 57 47	0.193	234.3	1	...	...	...	...	16.20	14.11	11.99	15.23	13.95	12.28	1/	10.62	9.96	9.68
LHS1377	2(1)	02 16 41.2	−30 59 18	0.724	069.9	1	.06981	.00310	1	64	12.71	10.79	8.54	12.03	10.87	9.38	2/	7.99	7.32	7.13
WT0084	1	02 17 28.5	−59 22 44	0.537	202.2	1	.07661	.00302	1	10	17.19	14.66	11.50	15.67	14.19	12.25	/10	10.44	9.87	9.54
GJ0093	1	02 17 34.2	−53 59 20	0.621	050.5	1	.04443	.00250	2	63,64	12.16	9.64	8.88	11.40	10.50	9.51	/5	8.47	7.83	7.65
L174-034	1	02 18 17.9	−55 07 33	0.484	069.0	1	...	...	...	...	14.37	12.27	10.40	...	...	...	...	9.48	8.91	8.64
GJ1046	2	02 19 10.1	−36 46 41	1.497	068.5	36	.07106	.00323	1	64	12.41J	10.11J	8.65J	11.56J	10.52J	9.19J	1/	7.92J	7.32J[c]	7.03J
LP710-008	1	02 22 17.8	−13 11 06	0.254	087.4	1	...	...	...	...	14.87	12.86	10.87	...	...	...	...	9.83	9.23	8.96
LP941-057	1	02 22 18.3	−36 51 52	0.306	067.1	1	...	...	...	...	17.45	15.20	12.57	...	...	...	...	11.06	10.47	10.13
L440-002	1	02 22 25.6	−34 33 18	0.292	024.3	1	...	...	...	...	12.11	9.73	8.68	...	...	...	...	8.36	7.76	7.56
LP829-051	1	02 23 24.0	−23 18 25	0.349	217.4	1	...	...	...	...	15.34	13.14	10.70	14.21	12.98	11.38	/44	9.86	9.31	9.01
L296-061	1	02 24 26.6	−47 10 24	0.247	000.4	1	...	...	...	...	14.00	11.29	9.74	...	...	...	...	8.96	8.37	8.18
LP885-059	1	02 26 32.8	−29 30 56	0.431	070.9	1	...	...	...	...	12.50	10.89	9.16	...	...	...	...	8.94	8.26	8.05
L513-008	1	02 27 30.4	−30 54 36	0.431	099.1	1	.04850	.00196	1	64	11.45	9.30	7.78	10.89	9.93	8.88	/34	7.76	7.11	6.93
LP941-090	1	02 28 07.7	−36 28 20	0.486	094.1	1	...	...	...	...	14.88	12.77	10.56	...	...	...	...	9.72	9.14	8.87
LHS1412	1	02 30 34.9	−15 43 25	0.532	099.0	1	...	...	...	...	13.94	11.91	10.19	...	...	...	...	9.28	8.65	8.42
LP650-158	1	02 31 33.3	−03 56 23	0.203	096.2	1	...	...	...	...	...	10.51	9.30	12.43	11.43	10.25	/46	8.95	8.31[c]	8.08
L225-057	1	02 34 21.2	−53 05 37	0.425	141.4	1	...	...	...	...	13.57	11.09	9.28	12.53	11.32	9.76	2/	8.23	7.61	7.31
GJ0103	2	02 34 22.6	−43 47 47	0.300	157.7	1	.08618	.00078	2	63,64	9.59J	6.85J	6.92J	8.84J	7.96J	7.00J	/5	5.80J	5.13J	4.89J
APM0237-5928	1	02 36 32.5	−59 28 06	0.731	054.8	1	.10372	.00112	1	25	15.29	12.70	9.96	14.47	12.96	11.08	/25	9.28	8.70	8.34
L174-028	1	02 37 52.8	−58 45 11	0.216	022.0	1	.06662	.00337	1	64	12.92	11.03	8.73	12.44	11.27	9.78	1/	8.36	7.79	7.51
LEHPM1-2662	1	02 38 49.1	−39 16 37	0.188	063.1	1	...	...	...	...	16.47	14.21	11.89	...	...	...	...	10.62	9.98	9.70
GJ1050	1	02 39 50.7	−34 07 58	1.737	162.5	29	.09374	.00444	1	29	12.59	10.38	8.57	11.76	10.68	9.35	3/29u	8.06	7.54	7.31
G075-035	1	02 41 15.1	−04 32 18	0.353	097.6	1	...	...	...	...	14.50	12.23	10.02	13.79	12.48	10.77	2/	9.20	8.58[c]	8.25
LHS1434	1	02 42 56.3	−38 56 12	0.597	102.0	1	...	...	...	...	14.25	12.13	10.36	13.04	11.96	10.56	1/	9.24	8.64	8.38
GJ1051	1	02 43 53.2	−08 49 46	0.973	140.3	1	.04029	.00390	2	63,64	11.94	10.25	8.49	11.91	10.95	9.83	/34	8.69	8.10	7.92
LP993-115	3(1)	02 45 14.3	−43 44 11	0.433	168.4	1	.08737[a]	.00133	2	49,49	12.98	10.79	8.22	12.38	11.17	9.61	/49	8.06	7.53	7.20
LP711-005	1	02 45 18.5	−13 56 24	0.262	174.0	1	...	...	...	...	14.16	12.04	10.01	...	...	...	...	9.45	8.81	8.59
SCR0246-7024	1	02 46 02.3	−70 24 06	0.259	113.3	1	...	...	...	...	15.71	13.33	10.71	14.86	13.44	11.61	/71	9.84	9.33	9.02
LHS0017	1	02 46 14.9	−04 59 21	2.524	138.1	36	.06030	.00820	1	63	17.23	15.04	12.10	16.36	14.75	12.76	1/	10.97	10.50	10.15
LTT01349	1	02 46 42.9	−23 05 12	0.300	069.4	1	.04345	.00172	1	64	11.20	8.99	8.03	10.24	9.36	8.54	/34	7.56	6.93	6.74
LP771-021	1	02 48 41.0	−16 51 22	0.272	192.1	1	.06160	.00540	1	62	21.23	18.52	15.02	20.02	17.71	15.32	/16	12.55	11.87	11.42
GJ0114.1	1	02 50 09.8	−53 08 20	0.521	348.9	1	.07634	.00162	2	63,64	11.57	9.05	7.82	10.72	9.73	8.55	/5	7.35	6.75	6.50
LEHPM1-2816	1	02 50 23.0	−21 04 45	0.250	064.9	1	...	...	...	...	13.79	11.78	9.96	...	...	...	...	9.32	8.72	8.51
GJ0118	1	02 52 22.2	−63 40 48	1.149	058.0	63	.08579	.00197	2	63,64	12.17	9.80	8.23	11.38	10.32	8.99	/5	7.67	7.12	6.83
LEHPM1-2855	1	02 52 29.3	−24 17 19	0.190	078.1	1	...	...	...	...	13.40	11.60	9.45	...	...	...	...	9.05	8.37	8.17

Table 1—Continued

Name	# comp.	RA	DEC	μ ($''$yr^{-1})	P.A. (deg)	ref	π ($''$)	π error ($''$)	# π	ref	B_J (mags)	R_{59F} (mags)	I_{IVN} (mags)	V_J (mags)	R_{KC} (mags)	I_{KC} (mags)	# nts/ref	J (mags)	H (mags)	K_s (mags)
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)
L012-006	1	02 53 17.0	−80 31 20	0.396	073.0	1	...	...	...	...	15.14	13.10	11.12	14.10	12.92	11.42	2/	10.00	9.40	9.09
L127-058	1	02 53 46.9	−61 35 19	0.192	048.4	1	...	...	...	...	13.16	11.03	9.48	...	...	...	...	8.57	7.95	7.70
LP831-001	1	02 54 39.5	−22 15 59	0.410	101.9	1	...	...	...	...	13.68	11.58	9.57	...	...	...	...	8.98	8.44	8.17
LHS1471	1	02 55 14.5	−51 40 21	0.656	070.5	1	...	...	...	...	15.35	13.25	11.13	...	...	...	...	9.94	9.37	9.08
LHS1481	1	02 58 10.2	−12 53 06	0.618	016.0	1	...	...	...	...	13.71	11.25	10.00	12.69	11.58	10.23	2/	8.95	8.45	8.20
LTT01445	3	03 01 51.0	−16 35 31	0.503	238.3	1	.14381[a]	.00249	3	25,25,6	11.03J	8.55J	6.82J	11.22	10.07	8.66	/25	7.11	6.56	6.29
LHS1490	1	03 02 06.4	−39 50 52	0.859	221.3	1	...	...	...	...	17.18	14.49	11.93	15.87	14.35	12.44	3/	10.71	10.18	9.89
G075-060	1	03 02 09.8	−00 44 43	0.448	100.5	1	...	...	...	...	14.28	12.33	10.68	...	...	...	...	9.53	8.94	8.71
APM0302-6952	1	03 02 30.8	−69 52 03	0.560	131.9	1	...	...	...	...	15.09	13.02	10.97	...	...	...	...	9.69	9.18	8.91
GJ0121.1	1	03 02 38.1	−18 09 59	0.446	068.9	1	.05183	.00387	2	63,64	12.30	10.70	8.46	11.80	10.76	9.46	/5	8.21	7.59	7.34
LEHPM1-3019	1	03 03 00.7	−55 24 53	0.237	045.9	1	...	...	...	...	16.27	14.04	11.70	...	...	...	...	10.45	9.93	9.60
LP711-044	2(1)	03 03 47.9	−12 51 19	0.246	118.2	1	...	...	...	...	14.46	12.11	10.52	13.37	12.22	10.73	/67	9.28	8.66	8.37
LHS1491	1	03 04 04.5	−20 22 43	0.703	138.9	1	.06728	.00125	1	47	13.56	11.80	9.49	12.84	11.65	10.13	/47	8.63	8.02	7.75
LEHPM1-3070	1	03 06 11.6	−36 47 53	0.690	196.0	16	.07646	.00142	1	16	20.55	17.79	13.76	19.38	16.98	14.49	/16	11.69	11.07	10.63
GJ1054	3(2)	03 07 55.8	−28 13 11	0.342	249.8	1	.05550	.00250	1	18	10.11J	8.05J	6.82J	10.24J	9.35J	8.38J	/68	7.24J	6.58J	6.37J
LP994-114	1	03 09 22.2	−39 11 03	0.392	090.6	1	...	...	...	...	13.56	11.96	9.99	...	...	...	...	9.00	8.37	8.15
LP831-035	1	03 10 03.1	−23 41 31	0.197	143.8	1	...	...	...	...	14.35	12.31	10.14	...	...	...	...	9.41	8.78	8.57
LTT01505	1	03 11 36.7	−04 16 37	0.423	157.0	1	...	...	...	...	13.75	11.76	9.72	13.38	12.21	10.71	/44	9.33	8.72	8.46
GJ0130	1	03 12 29.8	−38 05 20	1.460	060.1	1	.07960	.00970	1	63	...	10.39	8.76	11.43	10.40	9.18	/5	8.03	7.42	7.19
LP831-045	1	03 14 18.2	−23 09 30	0.397	062.4	1	...	...	...	...	13.29	11.09	9.37	12.58	11.42	9.93	3/	8.49	7.88	7.63
StKM1-350	1	03 14 36.7	−09 40 03	0.273	230.2	1	...	...	...	...	11.80	9.97	8.67	11.63	10.67	9.62	/66	8.53	7.91	7.68
LP831-068	1	03 16 47.8	−21 25 26	0.295	061.0	1	...	...	...	...	11.55	9.90	7.97	11.04	10.01	8.79	2/	7.61	6.95	6.69
LP994-091	1	03 17 03.0	−42 14 33	0.414	174.0	38	...	...	...	...	14.62	12.63	10.46	...	...	...	...	9.70	9.13	8.85
LP887-070	1	03 18 04.0	−30 24 12	0.342	208.3	1	.04349	.00255	1	64	11.69	9.68	7.87	11.00	10.05	9.05	/34	7.99	7.36	7.12
LP994-096	1	03 18 45.5	−40 51 34	0.338	030.0	1	...	...	...	...	12.96	11.03	8.85	12.10	10.99	9.61	1/	8.29	7.71	7.39
LTT01577	1	03 18 58.3	−36 23 35	0.198	229.9	1	.04959	.00315	1	64	12.12	9.66	8.20	11.88	10.82	9.51	/34	8.21	7.63[c]	7.40
LTT01578	1	03 19 29.2	−30 59 44	0.364	050.7	1	...	...	...	...	15.00	12.80	10.30	14.00	12.78	11.18	/44	9.65	9.06	8.78
2MA0320-0446	1	03 20 28.4	−04 46 37	0.678	190.6	14	...	...	...	...	...	19.84	16.56	21.18	18.85	16.37	4/	13.26	12.54	12.13
L127-124	1	03 20 51.8	−63 51 53	0.309	174.9	1	...	...	...	...	14.29	11.95	9.49	...	...	...	...	9.13	8.54	8.20
DEN0320-5520	1	03 20 58.9	−55 20 16	0.398	048.4	1	...	...	...	...	19.39	17.24	14.24	...	...	...	...	12.07	11.45	11.08
LTT17505	1	03 21 46.9	−06 40 24	0.331	101.5	1	...	...	...	...	12.54	10.39	8.92	11.32	10.29	9.07	2/	7.86	7.28	6.98
LP832-007	1	03 23 06.7	−24 13 28	0.248	165.0	1	...	...	...	...	15.00	12.91	10.83	...	...	...	...	9.87	9.24	8.99
DEN0324-7727	1	03 24 26.9	−77 27 05	0.326	054.3	1	...	...	...	...	19.88	17.56	14.39	...	...	...	...	12.10	11.46	11.05
LTT01628	1	03 25 39.7	−42 59 12	0.355	113.4	1	.04292	.00211	1	64	11.96	9.85	8.61	11.25	10.33	9.35	/34	8.30	7.73	7.48
SCR0327-3634	1	03 27 46.8	−36 34 40	0.184	244.6	1	...	...	...	...	13.40	11.29	9.27	12.69	11.61	10.24	2/	8.92	8.26	8.04
L055-011	1	03 28 08.4	−70 01 41	0.313	019.3	1	...	...	...	...	14.08	12.04	10.40	...	...	...	...	9.41	8.81	8.59
GJ0143.1	1	03 29 19.8	−11 40 42	0.329	169.2	1	.04538	.00196	2	63,64	10.17	8.03	7.28	9.95	9.10	8.27	/5	7.30	6.65	6.45
LP888-018	1	03 31 30.3	−30 42 39	0.406	174.0	1	...	...	...	...	19.91	17.26	13.55	18.81	16.55	14.10	2/	11.36	10.70	10.26
GJ0145	1	03 32 55.8	−44 42 07	0.335	293.7	1	.09293	.00192	2	63,64	11.80	9.97	8.02	11.47	10.40	9.06	/5	7.74	7.21	6.91
LEHPM1-3396	1	03 34 12.2	−49 53 32	2.448	077.6	1	.12060	.00360	1	19	20.50	17.54	13.92	19.38	16.85	14.39	3/	11.38	10.82	10.39
LHS0176	1	03 35 38.6	−08 29 23	1.550	101.9	30	.07777	.00130	1	30	17.04	14.66	11.60	15.92	14.30	12.31	/30	10.38	9.80	9.46
GJ1061	1	03 35 59.7	−44 30 45	0.802	114.4	1	.27201	.00130	2	25,26	13.51	11.20	8.37	13.09	11.45	9.47	6/25u	7.52	7.02	6.61
LHS1567	1	03 36 06.7	−40 59 54	0.547	206.2	1	...	...	...	...	13.76	11.95	9.79	...	...	...	...	9.29	8.64	8.39
LEHPM1-3427	1	03 36 47.6	−55 45 08	0.223	000.8	1	...	...	...	...	15.17	13.05	10.79	...	...	...	...	9.86	9.31	9.01
LHS1572	2	03 38 10.0	−68 56 46	0.555	029.6	1	...	...	...	...	12.92J	10.62J	9.20J	11.95J	10.86J	9.52J	1/	8.21J	7.60J	7.37J
GJ1062	1	03 38 15.7	−11 29 14	3.033	152.1	36	.06240	.00330	1	63	13.92	11.55	9.84	13.01	11.98	10.81	/69	9.63	9.11	8.83
L228-092	1	03 38 55.9	−52 34 11	0.256	034.9	1	...	...	...	...	15.67	13.18	10.90	...	...	...	...	9.69	9.11	8.80
LP944-020	1	03 39 35.3	−35 25 44	0.411	047.8	1	.15847	.00100	2	16,62	20.24	17.02	13.29	18.70	16.39	14.01	/16	10.73	10.02	9.55
L128-007	1	03 40 08.9	−60 35 59	0.217	216.9	1	...	...	...	...	13.35	11.10	9.67	...	...	...	...	9.00	8.43	8.13

Table 1—Continued

Name	# comp.	RA	DEC	μ ($''$yr^{-1})	P.A. (deg)	ref	π ($''$)	π error ($''$)	# π	ref	B_J (mags)	R_{59F} (mags)	I_{IVN} (mags)	V_J (mags)	R_{KC} (mags)	I_{KC} (mags)	# nts/ref	J (mags)	H (mags)	K_s (mags)
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)
SCR0342-6407	1	03 42 57.4	−64 07 57	1.071	141.4	1	.04156	.00201	1	30	17.17	15.13	12.34	16.01	14.65	12.89	/30	11.32	10.89	10.58
LHS1582	2	03 43 22.1	−09 33 51	0.505	053.4	1	.04604	.00178	1	47	15.73J	13.37J	10.95J	14.69J	13.33J	11.60J	/47	9.80J	9.18J	8.85J
LP944-038	2	03 44 47.9	−38 20 13	0.420	064.7	1	...	...	...	...	13.03J	10.78J	9.42J	...	...	...	...	8.59	8.02	7.79
LHS1590	1	03 46 45.4	−11 17 42	0.551	078.8	36	...	...	...	...	13.25	10.91	9.44	12.70	11.64	10.31	/69	9.00	8.46	8.19
G080-021	1	03 47 23.4	−01 58 20	0.323	147.8	1	.06257	.00189	2	55,64	12.28	10.04	8.52	11.51	10.44	9.11	/44	7.80	7.17[c]	6.93
LEHPM1-3548	1	03 50 05.5	−39 22 32	0.244	041.6	1	...	...	...	...	13.06	10.95	9.76	...	...	...	...	8.94	8.31	8.05
GJ1065	1	03 50 44.3	−06 05 42	1.428	196.8	36	.10540	.00320	1	63	13.37	11.19	9.11	12.82	11.60	10.04	3/	8.57	8.00[c]	7.75
LHS1604	1	03 51 00.0	−00 52 45	0.526	176.0	63	.06810	.00180	1	63	19.22	16.68	13.44	18.11	16.08	13.80	/16	11.30	10.61	10.23
LP833-014	2	03 52 23.1	−22 52 56	0.464	066.8	1	.04107	.00481	1	64	12.31J	10.24J	8.86J	11.46J	10.47J	9.31J	/44	8.13J	7.53J	7.30J
LEHPM1-3582	1	03 57 49.1	−37 54 04	0.218	106.5	1	...	...	...	...	12.85	10.84	9.53	...	...	...	...	8.53	7.89	7.66
LP833-023	1	04 00 28.6	−25 52 52	0.438	051.3	1	...	...	...	...	14.32	12.30	10.27	...	...	...	...	9.42	8.89	8.61
LHS1630	2	04 07 20.5	−24 29 14	0.704	161.1	1	.05618	.00106	1	47	13.22J	11.12J	9.22J	12.38J	11.22J	9.68J	/47	8.24J	7.68J	7.44J
LP889-037	1	04 08 55.6	−31 28 54	0.260	195.0	38	...	...	...	...	15.47	13.29	10.87	14.56	13.21	11.48	2/	9.78	9.16	8.82
GJ0163	1	04 09 15.7	−53 22 25	1.147	064.3	1	.06659	.00179	2	63,64	12.69	10.04	8.66	11.84	10.76	9.34	/5	7.95	7.43	7.14
GJ1068	1	04 10 28.1	−53 36 08	2.554	199.1	29	.14342	.00192	1	29	...	12.11	9.81	13.60	12.18	10.42	3/29u	8.75	8.21	7.90
LP714-037	1	04 10 48.1	−12 51 43	0.426	203.0	37	...	...	...	...	17.40	14.93	12.13	...	...	...	...	11.01	10.37	9.92
LHS1641	1	04 12 43.1	−22 50 39	0.541	219.3	1	...	...	...	...	14.44	12.47	10.57	...	...	...	...	9.57	8.96	8.71
LHS1639	1	04 12 47.5	−53 52 04	0.810	041.9	1	...	...	...	...	14.65	12.58	10.45	...	...	...	...	9.51	8.92	8.68
G160-054	1	04 13 45.9	−05 09 05	0.247	119.4	1	...	...	...	...	14.75	12.70	10.29	14.21	12.95	11.28	/45	9.72	9.11	8.82
GJ2033	2	04 16 41.7	−12 33 23	0.225	348.9	1	.04682	.00432	1	64	11.87J	9.80J	8.31J	10.91J	9.91J	8.76J	/44	7.57J	6.98J	6.73J
LEHPM1-3719	1	04 17 34.6	−48 34 39	0.658	028.0	1	...	...	...	...	16.74	14.25	11.25	...	...	...	...	10.28	9.71	9.34
LHS1654	1	04 18 04.7	−49 01 30	0.484	009.9	1	...	...	...	...	13.81	11.68	9.70	...	...	...	...	9.30	8.70	8.47
LP834-013	1	04 18 06.5	−24 06 24	0.389	194.1	1	...	...	...	...	17.12	14.83	12.29	...	...	...	...	10.92	10.34	10.02
LP834-015	1	04 18 40.1	−25 07 09	0.209	054.1	1	...	...	...	...	16.32	13.99	11.70	...	...	...	...	10.37	9.78	9.48
SCR0420-7005	1	04 20 12.6	−70 05 59	0.689	021.0	1	...	...	...	...	18.18	15.68	12.58	17.09	15.35	13.25	/71	11.19	10.59	10.25
LHS1665	1	04 22 12.5	−57 26 01	0.534	207.1	1	...	...	...	...	12.53	9.75	8.47	...	...	...	...	8.08	7.50	7.21
LHS1668	1	04 24 56.2	−40 02 48	0.648	190.3	1	...	...	...	...	15.03	12.62	10.38	14.10	12.77	11.07	/46	9.53	8.99	8.67
LHS0189	2	04 25 38.4	−06 52 37	1.204	145.7	11	.05424[a]	.00303	2	11,11	14.55J	12.30J	10.81J	14.23J	13.17J	11.91J	2/	11.14J	10.66J[c]	10.31J
LHS5094	1	04 26 32.6	−30 48 02	0.483	185.7	36	...	...	...	...	15.06	12.99	10.53	14.17	12.73	10.99	2/	9.30	8.72	8.41
LEHPM2-1698	1	04 27 05.8	−40 26 40	0.261	059.7	1	...	...	...	...	15.65	13.45	11.21	...	...	...	...	10.15	9.53	9.25
L178-101	1	04 27 36.2	−59 21 16	0.401	053.9	1	...	...	...	...	14.21	12.09	10.31	...	...	...	...	9.30	8.70	8.44
L130-037	1	04 28 05.7	−62 09 25	0.389	030.7	1	...	...	...	...	14.15	12.06	9.96	13.06	11.88	10.36	2/	8.94	8.34[c]	8.01
LP715-051	2	04 31 09.0	−13 30 53	0.254	219.5	1	.05233	.00356	1	64	12.53J	10.33J	8.85J	11.54J	10.49J	9.21J	/34	7.96J	7.30J	7.05J
SCR0433-0211	1	04 33 31.5	−02 11 01	0.354	137.7	1	...	...	...	...	18.01	15.87	12.88	17.16	15.47	13.45	2/	11.48	10.95	10.63
L231-032	1	04 33 39.7	−51 57 22	0.286	161.3	1	...	...	...	...	13.46	11.35	9.76	...	...	...	...	9.10	8.53[c]	8.25
LP775-031	1	04 35 16.1	−16 06 57	0.355	028.1	1	.09535	.00106	1	16	18.85	16.37	12.34	17.70	15.50	13.06	3/16u	10.41	9.78	9.35
LP834-032	1	04 35 36.2	−25 27 35	0.242	160.4	1	...	...	...	...	13.21	10.98	8.83	12.44	11.26	9.73	2/	8.24	7.65	7.41
L951-054	1	04 36 26.8	−03 43 56	0.464	195.2	36	...	...	...	...	14.86	12.75	10.56	...	...	...	...	9.69	9.07	8.81
L591-042	2(1)	04 36 40.9	−27 21 18	0.347	231.9	1	...	...	...	...	12.95	10.94	9.19	12.25	11.20	9.88	2/	8.61	7.98	7.73
GJ0173	1	04 37 41.9	−11 02 20	0.318	232.0	1	.09020	.00172	2	63,64	11.48	9.29	7.76	10.34	9.34	8.16	/5	6.94	6.33	6.09
LP655-043	1	04 38 02.5	−05 56 13	0.204	201.0	1	...	...	...	...	15.54	13.42	10.80	14.44	13.14	11.41	/44	9.73	9.14	8.82
LP715-039	1	04 38 37.2	−11 30 15	0.371	227.4	1	...	...	...	...	13.76	11.63	9.89	12.69	11.54	10.09	2/	8.67	8.11	7.82
LP655-048	1	04 40 23.3	−05 30 08	0.359	069.2	49	.10261	.00071	1	49	18.85	16.49	13.17	17.79	15.72	13.36	/49	10.66	9.99	9.55
LP891-006	1	04 43 11.8	−32 26 42	0.205	107.7	1	...	...	...	...	15.63	13.40	11.52	...	...	...	...	10.25	9.58	9.33
UPM0444-3749	1	04 44 50.2	−37 49 41	0.236	100.4	1	...	...	...	...	15.44	13.15	10.98	14.55	13.26	11.61	1/	10.08	9.49	9.18
LP656-009	1	04 46 24.4	−02 49 08	0.194	216.7	1	...	...	...	...	12.68	10.27	9.15	11.91	10.93	9.84	/44	8.68	8.09	7.86
LP835-018	1	04 48 01.0	−26 03 01	0.192	070.5	1	...	...	...	...	16.93	14.71	12.10	...	...	...	...	10.77	10.26	9.94
L736-001	1	04 49 32.8	−14 47 23	0.356	216.7	1	.04033	.00234	1	64	10.95	8.87	7.57	...	...	...	...	8.05	7.41	7.20
APM0452-5819	1	04 51 37.3	−58 18 52	0.740	190.5	1	.05805	.00117	1	10	19.39	17.19	13.98	18.51	16.43	14.14	/10	11.69	11.09	10.71

Table 1—Continued

Name	# comp.	RA	DEC	μ	P.A.	ref	π	π error	# π	ref	B_J	R_{59F}	I_{IVN}	V_J	R_{KC}	I_{KC}	# nts/ref	J	H	K_s
				($''$yr^{-1})	(deg)		($''$)	($''$)			(mags)	(mags)	(mags)	(mags)	(mags)	(mags)		(mags)	(mags)	(mags)
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)
LP716-010	1	04 52 04.0	−10 58 22	0.423	241.0	1	...	...	...	...	17.32	15.20	12.42	16.24	14.61	12.60	1/	10.50	9.97	9.61
LP776-025	1	04 52 24.4	−16 49 22	0.243	150.7	28	...	...	...	...	...	9.72	7.33	11.63	10.53	9.12	3/	7.74	7.15	6.89
GJ0180	1	04 53 50.0	−17 46 24	0.767	148.1	28	.08260	.00232	2	63,64	12.22	9.80	8.41	10.91	9.89	8.69	/5	7.41	6.86	6.60
G084-025	1	04 57 58.6	−05 06 17	0.238	204.4	1	...	...	...	...	15.84	13.50	11.04	...	...	...	...	10.13	9.58	9.29
LP891-046	1	04 59 24.4	−30 55 58	0.385	084.3	1	...	...	...	...	16.11	13.65	11.13	14.95	13.65	11.94	/45	10.23	9.63	9.35
L131-012	1	04 59 32.3	−61 53 04	0.200	275.9	1	...	...	...	...	13.55	11.29	9.47	...	...	...	...	8.70	8.09	7.81
LHS1723	1	05 01 57.4	−06 56 47	0.769	226.9	25	.18792	.00126	1	25	13.00	10.57	8.48	12.20	10.86	9.18	4/25u	7.62	7.07	6.74
GJ0185	2	05 02 28.4	−21 15 24	0.278	206.9	1	.12027	.00167	2	18,63	9.32J	6.82J	5.81J	8.28J	7.37J	6.47J	3/	5.45J	4.85J	4.60J
LHS1731	1	05 03 20.1	−17 22 25	0.519	205.4	1	.10866	.00167	2	29,64	12.70	9.61	7.42	11.74	10.60	9.17	3/29u	7.82	7.24	6.94
LP716-035	1	05 05 11.8	−12 00 29	0.260	234.7	1	...	...	...	...	13.83	11.55	9.66	12.97	11.51	10.35	/46	9.10	8.50	8.25
L057-064	1	05 08 09.1	−73 26 50	0.290	299.4	1	...	...	...	...	13.98	11.80	11.26	...	...	...	...	9.44	8.83	8.58
GJ0190	2	05 08 35.1	−18 10 19	1.487	159.4	1	.10757	.00208	2	63,64	10.57J	8.52J	6.48J	10.31J	9.15J	7.64J	3/	6.18J	5.59J	5.31J
LP717-003	1	05 09 19.4	−13 48 41	0.286	095.2	1	...	...	...	...	17.26	15.16	12.68	...	...	...	...	10.93	10.35	10.03
SCR0509-4325	1	05 09 43.9	−43 25 17	0.225	324.9	1	...	...	...	...	15.12	13.00	10.71	14.09	12.83	11.21	/71	9.61	9.00	8.74
GJ0191	1	05 11 40.6	−45 01 06	8.728	131.4	28	.25567	.00091	2	63,64	10.01	7.42	6.47	8.85	7.90	6.90	/5	5.82	5.32	5.05
WT2419	1	05 11 44.6	−36 12 31	0.181	182.7	1	...	...	...	...	16.23	14.33	11.98	...	...	...	...	10.52	9.97	9.68
L031-041	1	05 13 06.0	−76 53 22	0.274	301.2	1	...	...	...	...	14.54	12.32	11.23	12.99	11.89	10.52	/71	9.24	8.63	8.36
LTT02208	1	05 13 47.3	−31 19 34	0.383	083.7	1	...	...	...	...	15.74	13.52	11.34	14.45	13.26	11.69	/45	10.16	9.61	9.32
G084-040	1	05 13 50.8	−01 03 07	0.296	026.6	1	...	...	...	...	13.44	11.16	9.01	...	...	...	...	9.16	8.50	8.34
L521-011	1	05 14 53.6	−33 04 30	0.250	058.4	1	...	...	...	...	16.23	14.03	11.83	14.97	13.63	11.87	1/	10.09	9.44	9.17
LHS1747	1	05 15 08.1	−07 20 49	0.514	148.0	28	.04454	.00406	1	64	12.24	9.84	8.91	11.54	10.57	9.51	/34	8.36	7.82	7.52
LHS1748	1	05 15 46.7	−31 17 45	0.593	065.6	1	.04318	.00140	1	47	13.20	10.96	9.35	12.08	11.06	9.83	/47u	8.59	7.99	7.73
LHS1749	2	05 16 00.4	−72 14 13	0.814	356.4	47	.04608	.00140	2	11,47	13.64J	12.03J	10.41J	11.74J	10.70J	9.47J	/47	8.21J	7.62J	7.36J
GJ1077	1	05 16 59.7	−78 17 20	1.123	176.0	1	.06571	.00188	2	30,63	12.84	10.75	9.07	11.90	10.81	9.42	/30	8.07	7.44	7.20
SCR0517-4252	1	05 17 21.4	−42 52 47	0.186	012.8	1	...	...	...	...	12.79	10.29	9.25	11.92	10.87	9.61	3/	8.34	7.73[c]	7.45
L449-001	2	05 17 22.9	−35 21 55	0.269	230.6	1	.08438	.00135	1	49	13.02J	10.70J	8.65J	11.69J	10.48J	8.91J	/49	7.40J	6.85J	6.56J
2MA0517-3349	1	05 17 37.7	−33 49 03	0.560	124.7	1	...	...	...	...	20.89	18.36	15.10	19.75	17.38	14.96	3/	12.00	11.32	10.83
LP892-032	1	05 18 36.6	−28 42 07	0.412	000.6	1	...	...	...	...	17.22	14.92	12.25	...	...	...	...	10.87	10.33	10.01
LP717-036	2	05 25 41.7	−09 09 13	0.208	164.2	1	...	...	...	...	13.56J	11.43J	9.61J	12.59J	11.43J	9.92J	2/	8.45J	7.88J	7.62J
L233-036	1	05 25 48.6	−51 19 16	0.245	056.8	1	...	...	...	...	14.63	12.64	10.75	...	...	...	...	9.55	8.97	8.66
CD-42 01943	2	05 26 36.0	−42 20 18	0.183	259.1	1	...	...	...	...	11.50J	9.32J	7.64J	...	...	...	...	7.77	7.19	6.94
L306-062	1	05 26 40.8	−48 51 47	0.279	158.7	1	...	...	...	...	13.82	11.67	10.02	12.88	11.79	10.43	/71	9.10	8.46	8.24
LEHPM2-1009	1	05 27 30.6	−51 29 16	0.304	355.3	1	...	...	...	...	16.97	14.79	11.95	...	...	...	...	10.31	9.80	9.46
GJ0204.2	1	05 29 52.0	−03 26 30	0.540	211.2	1	.05680	.00650	1	63	12.71	10.53	9.23	12.03	10.94	9.60	/5	8.28	7.69	7.44
LTT02295	1	05 30 18.6	−53 58 48	0.443	026.8	1	...	...	...	...	12.41	9.60	8.37	...	...	...	...	7.91	7.28	7.01
L234-022	1	05 30 57.2	−53 30 52	0.249	181.7	1	...	...	...	...	11.92	9.11	8.23	...	...	...	...	7.93	7.31[c]	7.05
LHS1767	1	05 31 04.3	−30 11 45	0.615	140.9	1	.06526	.00151	1	47	14.15	11.86	9.99	13.11	11.93	10.45	/47	9.05	8.49[c]	8.19
GJ0205	1	05 31 27.4	−03 40 38	2.228	159.9	28	.17599	.00104	2	63,64	8.89	6.78	5.60	7.98	6.97	5.88	/5	5.00[c]	4.15[c]	4.04[c]
LP718-005	1	05 35 21.3	−09 31 07	0.429	121.8	1	...	...	...	...	19.64	17.27	13.79	...	...	...	...	11.82	11.18	10.83
LHS5109	1	05 36 00.1	−07 38 59	0.472	003.7	1	...	...	...	...	13.56	11.46	9.38	12.86	11.62	10.05	3/	8.46	7.83	7.57
LP658-106	1	05 37 23.3	−08 16 06	0.408	174.7	1	...	...	...	...	19.95	17.73	14.70	...	...	...	...	12.30	11.70	11.35
WT0178	1	05 37 39.8	−61 54 44	0.506	011.7	1	.06202	.00089	1	47	15.60	13.61	11.09	14.81	13.47	11.77	/47	10.14	9.53	9.23
L378-006	1	05 40 02.6	−40 11 14	0.368	334.6	1	...	...	...	...	13.54	11.41	9.52	...	...	...	...	9.16	8.55	8.29
GJ2045	1	05 42 12.7	−05 27 56	0.980	351.4	1	.07958	.00115	4	10,19,29,63	16.58	15.16	11.55	15.34	13.84	11.93	2/29u	10.21	9.69	9.37
LP837-016	1	05 43 04.6	−26 35 40	0.205	020.8	1	...	...	...	...	16.75	14.41	12.08	15.25	13.96	12.24	/45	10.57	9.96	9.72
APM0544-4108	1	05 43 46.6	−41 08 08	0.621	168.3	1	.04841	.00078	1	47	14.88	12.55	10.32	14.12	12.85	11.25	/47	9.74	9.16	8.87
2MA0544-2433	1	05 44 11.5	−24 33 03	0.700	165.0	1	...	...	...	...	21.15	18.81	15.45	20.15	17.81	15.41	1/	12.53	11.87	11.46
LP837-019	1	05 44 57.0	−21 36 56	0.352	345.0	1	...	...	...	...	12.78	10.73	9.17	12.31	11.24	9.93	/44	8.65	8.06	7.82
LP837-020	1	05 44 57.9	−24 56 10	0.277	123.0	1	...	...	...	...	17.01	14.81	12.41	...	...	...	...	10.76	10.13	9.85

Table 1—Continued

Name	# comp.	RA	DEC	μ ($''$yr^{-1})	P.A. (deg)	ref	π ($''$)	π error ($''$)	# π	ref	B_J (mags)	R_{59F} (mags)	I_{IVN} (mags)	V_J (mags)	R_{KC} (mags)	I_{KC} (mags)	# nts/ref	J (mags)	H (mags)	K_s (mags)
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)
LHS1785	1	05 47 09.1	−05 12 11	0.757	136.1	1	.05880	.00190	1	63	15.78	13.83	11.10	14.58	13.29	11.62	1/	10.04	9.51	9.18
GJ0218	1	05 47 40.6	−36 19 43	0.781	099.1	28	.06704	.00142	2	63,64	11.33	9.06	7.84	10.74	9.77	8.62	/5	7.41	6.81	6.62
WT2440	1	05 47 50.2	−34 19 14	0.204	073.9	1	...	...	...	...	12.53	10.34	8.87	...	...	...	...	8.50	7.95[c]	7.71
L307-012	1	05 48 45.2	−45 55 42	0.258	330.4	1	...	...	...	...	12.36	10.18	9.03	...	...	...	...	8.68	8.03	7.85
LHS1793	1	05 52 29.2	−55 06 43	0.648	219.5	1	...	...	...	...	14.03	11.81	10.22	...	...	...	...	9.22	8.61	8.38
L379-017	1	05 53 40.1	−42 41 44	0.456	176.9	1	...	...	...	...	14.29	12.00	10.07	...	...	...	...	9.45	8.89	8.60
LP837-037	1	05 53 55.4	−22 46 58	0.270	147.0	1	...	...	...	...	18.99	16.65	13.57	...	...	...	...	11.62	11.05	10.70
LP837-053	1	05 55 43.2	−26 51 23	0.323	092.6	1	.06857	.00217	1	64	11.96	9.78	7.76	10.82	9.78	8.47	/34	7.18	6.48	6.29
LHS5112	2	05 56 56.2	−46 55 54	0.529	013.9	1	.04229	.00111	2	63,64	11.63J	9.56J	8.23J	10.58J	9.66J	8.72J	/34	7.64J	7.00J	6.79J
UPM0559-5225	1	05 59 33.2	−52 25 05	0.189	042.8	1	...	...	...	...	14.67	12.54	10.57	13.66	12.49	11.00	1/	9.63	8.95	8.70
LHS1807	1	06 02 22.6	−20 19 44	0.574	353.7	1	.07100	.00158	1	47	14.47	12.28	10.22	13.26	12.10	10.62	/47	9.22	8.67	8.37
LHS1810	1	06 02 54.2	−09 15 04	0.645	168.9	1	...	...	...	...	17.86	15.75	12.59	...	...	...	...	10.98	10.40	10.03
APCOL	1	06 04 52.2	−34 33 36	0.330	003.6	1	.11921	.00098	1	48	13.78	11.70	9.03	12.96	11.49	9.60	/49	7.74	7.18	6.87
LP838-016	1	06 07 43.7	−25 44 42	0.262	220.9	1	.08814	.00250	1	64	12.58	10.33	8.48	11.88	10.78	9.37	...	8.02	7.50[c]	7.17
LEHPM2-3528	1	06 07 58.1	−61 15 11	0.217	008.5	1	...	...	...	...	15.75	13.43	11.13	14.57	13.26	11.57	/71	9.98	9.38	9.10
LHS1823	1	06 08 16.4	−32 16 46	0.717	094.1	1	...	...	...	...	14.26	12.06	10.12	...	...	...	...	9.01	8.50	8.20
GJ0229	2	06 10 34.6	−21 51 53	0.717	191.2	28	.17377	.00097	2	63,64	8.94J	7.37J	4.72J	8.10J	7.15J	6.08J	1/	5.10J	4.39J[c]	4.17J[c]
GJ1088	1	06 10 52.9	−43 24 18	0.748	014.5	1	.08703	.00128	1	47	13.20	10.95	9.05	12.28	11.11	9.61	/47	8.17	7.58[c]	7.31
L308-038	1	06 12 36.7	−47 29 33	0.370	036.3	1	...	...	...	...	13.34	11.05	9.47	...	...	...	...	8.85	8.23	7.98
SCR0613-3437	2	06 13 57.3	−34 37 02	0.312	042.7	1	...	...	...	...	16.06J	14.09J	11.46J	15.32J	13.87J	12.05J	1/	10.61J	10.06J[c]	9.53J
GJ0231.3	1	06 19 20.8	−06 39 22	0.648	183.2	1	.06820	.00890	1	63	13.58	11.33	9.17	13.06	11.92	10.50	/5	9.12	8.54	8.24
L308-057	1	06 21 06.7	−49 05 38	0.254	356.0	1	...	...	...	...	14.41	11.94	9.55	...	...	...	...	9.16	8.63[c]	8.35
UPM0621-6111	1	06 21 45.7	−61 11 13	0.204	004.8	1	...	...	...	...	16.11	14.26	12.03	14.95	13.68	12.06	1/	10.43	9.79	9.53
SCR0622-4956	1	06 22 36.1	−49 56 29	0.184	003.0	1	...	...	...	...	17.40	15.16	12.45	16.30	14.88	13.05	1/	11.20	10.62	10.29
2MA0623-3435	1	06 23 08.8	−34 35 53	0.263	017.9	1	...	...	...	...	13.66	11.72	9.89	...	...	...	...	9.24	8.69	8.38
GJ0234	2	06 29 23.5	−02 48 51	0.930	131.7	28	.24444	.00092	3	22,58,63	11.46J	8.58J	7.19J	11.12J	9.78J	8.04J	4/	6.38J	5.75J	5.49J
SCR0630-7643	2	06 30 46.6	−76 43 09	0.491	355.8	1	.11416	.00185	1	25	15.78J	13.56J	10.74J	14.82J	13.08J	11.00J	/71	8.89J	8.28J	7.92J
SCR0631-8811	1	06 31 31.0	−88 11 37	0.484	354.8	1	...	...	...	...	16.96	14.67	11.46	15.65	14.05	12.04	/71	10.04	9.46	9.07
GJ0237	2	06 31 51.1	−43 32 03	0.263	261.1	1	.04287	.00141	2	63,64	11.42J	9.19J	8.04J	10.58J	9.64J	8.65J	/5	7.63	7.00	6.79
LHS1852	1	06 32 22.0	−69 57 44	0.679	022.8	1	...	...	...	...	14.02	11.75	9.97	12.97	11.89	10.53	1/	9.23	8.61	8.38
L032-009	2(1)	06 33 43.3	−75 37 48	0.420	324.3	1	.11107[a]	.00220	2	64,64	11.30	8.81	8.14	10.44	9.37	8.04	3/	6.73	6.15	5.86
GJ0238	1	06 33 50.0	−58 31 43	0.903	332.2	1	.06094	.00192	2	63,64	12.54	10.10	8.84	11.66	10.61	9.27	/5	7.90	7.31	7.03
LTT02591	1	06 34 18.6	−31 52 23	0.388	199.2	1	...	...	...	...	14.02	11.76	9.98	...	...	...	...	9.20	8.58	8.29
SCR0634-5403	1	06 34 36.9	−54 03 13	0.528	176.4	1	...	...	...	...	17.18	14.89	12.29	15.98	14.56	12.79	1/	11.07	10.45	10.13
LP381-004	1	06 36 18.3	−40 00 24	0.247	285.9	1	.05115	.00168	1	64	11.52	9.50	8.91	10.59	9.66	8.72	/34	7.62	7.08	6.79
LP720-031	1	06 38 35.3	−14 04 58	0.280	247.2	1	...	...	...	...	15.43	13.13	11.52	...	...	...	...	10.02	9.43	9.14
LP780-032	1	06 39 37.4	−21 01 33	0.208	301.8	1	...	...	...	...	13.26	11.04	9.02	12.77	11.55	9.99	3/	8.51	7.91	7.65
L182-007	1	06 39 37.6	−55 36 35	0.381	274.6	1	.07519	.00110	1	64	10.48	8.30	7.18	9.81	8.88	7.93	/34	6.86	6.28	6.03
LP453-031	1	06 39 41.1	−36 59 03	0.276	165.8	1	...	...	...	...	12.53	10.29	9.20	11.90	10.86	9.58	/46	8.30	7.63	7.42
LP780-023	1	06 40 08.6	−16 27 26	0.318	018.4	1	...	...	...	...	13.95	11.69	9.68	12.94	11.83	10.43	/46	9.12	8.51	8.22
SCR0640-0552	1	06 40 14.0	−05 52 23	0.620	172.1	1	...	...	...	...	11.23	8.79	7.59	10.22	9.22	8.03	/71	6.84	6.21	5.96
LP780-026	1	06 42 10.8	−15 43 15	0.322	216.8	1	...	...	...	...	13.90	11.76	10.13	...	...	...	...	9.38	8.72	8.51
SCR0642-6707	1	06 42 27.2	−67 07 20	0.804	120.2	1	...	...	...	...	17.00	14.69	11.61	16.01	14.43	12.42	/71	10.62	10.15	9.81
L059-002	1	06 43 29.8	−70 03 21	0.193	005.2	1	...	...	...	...	13.95	11.51	9.75	12.92	11.76	10.29	/71	8.85	8.28	7.97
L597-018	1	06 43 40.7	−26 24 41	0.464	225.1	1	...	...	...	...	13.84	11.45	9.77	12.92	11.76	10.31	2/	8.91	8.43[c]	8.13
SCR0644-4223	2	06 44 32.1	−42 23 45	0.197	163.8	1	...	...	...	...	15.59J	13.35J	11.18J	14.44J	13.19J	11.55J	/71	9.93J	9.27J	8.98J
SCR0650-2135	1	06 50 26.6	−21 35 58	0.271	088.8	1	...	...	...	...	18.18	16.10	13.06	17.18	15.49	13.49	2/	11.51	10.89	10.55
LHS1873	1	06 50 59.5	−09 10 50	0.570	189.1	1	...	...	...	...	13.73	11.51	9.19	13.31	12.20	10.76	/46	9.40	8.83[c]	8.56
DEN0652-2534	1	06 52 19.8	−25 34 50	0.294	300.8	1	.06376	.00094	1	16	...	19.14	15.96	20.58	18.32	15.97	1/	12.76	12.02	11.52

Table 1—Continued

Name	# comp.	RA	DEC	μ ($''$yr^{-1})	P.A. (deg)	ref	π ($''$)	π error ($''$)	# π	ref	B_J (mags)	R_{59F} (mags)	I_{IVN} (mags)	V_J (mags)	R_{KC} (mags)	I_{KC} (mags)	# nts/ref	J (mags)	H (mags)	K_s (mags)
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)
L059-054	1	06 52 37.8	−73 58 16	0.424	007.7	1	...	...	...	...	13.79	11.75	10.08	...	...	...	...	9.14	8.56[c]	8.29
LP721-012	1	06 56 00.9	−38 24 17	0.252	342.2	1	...	...	...	...	13.28	11.00	9.36	...	...	...	...	9.06	8.42	8.17
LP661-013	1	06 56 19.0	−08 35 46	0.248	164.0	37	...	...	...	...	14.98	12.74	10.26	13.97	12.76	11.17	/46	9.63	9.07	8.76
LP382-056	2	06 57 11.7	−43 24 51	0.232	161.3	1	...	...	...	...	11.58J	9.41J	8.01J	11.17J	10.12J	8.87J	2/	7.59J	6.98J	6.76J
GJ0257	2	06 57 46.6	−44 17 28	1.107	263.8	1	.12457	.00208	2	63,64	11.27J	9.12J	7.22J	10.85J	9.72J	8.32J	/33	6.88J	6.37J	6.06J
WT0204	1	06 58 18.9	−39 32 16	0.213	341.9	1	...	...	...	...	13.78	11.42	9.44	13.18	12.02	10.60	3/	9.23	8.64[c]	8.35
SCR0659-5622	1	06 59 40.8	−56 22 47	0.238	187.6	1	...	...	...	...	15.80	13.48	11.19	14.81	13.50	11.85	1/	10.35	9.77	9.49
WT1539	1	07 00 09.5	−28 47 02	0.222	246.7	1	...	...	...	...	11.83	9.46	9.07	...	...	...	...	7.94	7.33[c]	7.12
SCR0701-1437	1	07 01 36.6	−14 37 18	0.301	313.8	1	...	...	...	...	17.71	15.57	12.68	16.36	14.90	13.05	1/	11.25	10.67	10.32
WT0207	1	07 02 36.6	−40 06 28	0.632	103.2	11	.04044	.00133	1	11	16.07	13.88	11.38	15.13	13.90	12.26	1/	10.74	10.26	9.96
SCR0702-6102	1	07 02 50.4	−61 02 48	0.812	051.5	1	...	...	...	...	17.50	15.11	11.73	16.62	14.75	12.49	/71	10.36	9.85	9.52
GJ0263	2	07 04 17.7	−10 30 32	0.821	189.7	28	.06205	.00292	2	63,64	...	...	7.83J	11.30J	10.18J	8.74J	/5	7.31J	6.69J	6.43J
LHS0225	2	07 04 45.8	−38 36 08	1.228	099.3	1	.05598[a]	.00219	2	29,29	12.59J	10.47J	8.66J	12.87	11.85	10.51	/29	8.61	8.07	7.87
LEHPM2-0449	1	07 05 09.3	−80 29 50	0.385	353.1	1	...	...	...	...	15.07	13.41	11.21	...	...	...	...	9.95	9.32	9.06
GJ2055	1	07 07 22.9	−21 27 27	0.288	137.7	28	.05781	.00236	1	64	11.80	9.26	8.73	11.08	10.09	8.87	/34	7.63	7.03	6.80
ESO207-061	1	07 07 53.3	−49 00 50	0.404	355.3	1	.06093	.00302	2	62,63	...	19.55	16.15	21.20	18.70	16.24	1/	13.23	12.54	12.11
LP840-016	1	07 08 07.0	−22 48 47	0.502	239.9	1	...	...	...	...	12.36	10.03	8.37	11.42	10.42	9.27	/46	8.09	7.51	7.27
APM0710-5704	1	07 09 37.7	−57 03 42	0.456	046.3	1	...	...	...	...	14.49	12.17	9.88	13.64	12.36	10.73	2/	9.25	8.63[c]	8.30
LHS1906	1	07 12 54.1	−52 20 06	0.938	344.0	63	...	...	...	...	13.48	11.22	9.65	...	...	...	...	8.88	8.32	8.06
SCR0713-0511	1	07 13 11.2	−05 11 49	0.319	187.2	1	...	...	...	...	11.76	9.31	8.84	11.13	10.08	8.86	/71	7.65	7.08	6.82
LHS1909	1	07 15 49.0	−83 00 19	0.821	351.8	1	...	...	...	...	12.12	10.51	8.92	...	...	...	...	8.42	7.77	7.55
SCR0717-0501	1	07 17 17.1	−05 01 04	0.602	136.3	1	...	...	...	...	13.86	11.34	8.83	13.29	12.02	10.39	/71	8.87	8.35[c]	8.05
LEHPM2-4145	1	07 18 14.0	−52 29 30	0.194	191.8	1	...	...	...	...	12.35	9.93	9.27	...	...	...	...	8.66	8.04[c]	7.80
L383-019	1	07 20 30.2	−40 55 33	0.447	119.9	1	...	...	...	...	12.41	10.12	8.89	...	...	...	...	8.46	7.86	7.61
L136-037	1	07 20 52.0	−62 10 12	0.344	303.1	1	...	...	...	...	13.15	11.03	8.98	12.33	11.18	9.74	2/	8.38	7.84[c]	7.52
LP527-012	1	07 21 54.4	−31 04 37	0.252	166.2	1	...	...	...	...	14.15	11.62	9.61	...	...	...	...	9.37	8.76[c]	8.54
L136-001	1	07 23 20.8	−60 06 13	0.462	010.5	1	...	...	...	...	12.96	10.81	9.11	...	...	...	...	8.59	8.03	7.76
SCR0723-8015	1	07 23 59.7	−80 15 18	0.817	329.3	1	...	...	...	...	18.68	16.44	13.27	17.45	15.61	13.41	3/71u	11.30	10.82	10.44
SCR0724-3125	1	07 24 21.2	−31 25 58	0.209	282.6	1	...	...	...	...	15.25	12.35	10.25	14.41	13.08	11.38	2/	9.79	9.22	8.89
L383-082	1	07 25 35.6	−42 38 57	0.239	295.2	1	...	...	...	...	14.69	12.39	10.53	...	...	...	...	9.54	9.00	8.68
GJ1097	1	07 28 45.5	−03 17 53	0.931	150.5	1	.08608	.00183	2	63,64	12.06	9.67	8.84	11.43	10.33	8.93	/69	7.54	6.98	6.70
GJ2060	3(2)	07 28 51.4	−30 14 49	0.212	207.9	1	.06453	.00152	2	55,64	10.55J	8.14J	7.43J	9.92J	8.95J	7.83J	/34	6.62J	5.97J	5.72J
LHS1922	1	07 30 39.3	−44 24 01	0.487	341.1	1	...	...	...	...	11.16	9.20	7.75	...	...	...	...	7.52	6.87	6.68
SCR0731-4807	1	07 31 08.1	−48 07 33	0.235	317.7	1	...	...	...	...	17.72	15.59	13.00	16.74	15.19	13.29	1/	11.32	10.77	10.41
SCR0733-2749	1	07 33 26.8	−27 49 04	0.187	236.3	1	...	...	...	...	17.37	14.96	12.05	16.03	14.56	12.73	1/	11.01	10.43	10.08
SCR0733-4406	1	07 33 42.7	−44 06 13	0.298	161.6	1	...	...	...	...	16.19	13.89	11.53	15.13	13.79	12.05	2/	10.32	9.73	9.44
LHS1932	1	07 36 12.0	−51 55 21	0.586	044.3	1	.06192	.00098	1	47	13.25	11.05	9.27	12.48	11.36	9.92	/47	8.55	8.04	7.76
SCR0736-3024	1	07 36 56.7	−30 24 16	0.424	145.7	60	...	...	...	...	14.76	12.06	9.46	13.64	12.41	10.83	/71	9.36	8.79	8.50
L528-016	1	07 38 09.7	−31 12 19	0.251	318.7	1	...	...	...	...	12.84	10.22	8.73	11.89	10.80	9.48	2/	8.18	7.56	7.30
LHS1935	1	07 38 41.0	−21 13 28	0.657	136.3	28	.09431	.00331	1	64	12.08	9.85	8.26	11.72	10.62	9.23	/69	7.85	7.33	7.06
SCR0740-4257	1	07 40 11.8	−42 57 40	0.713	318.2	1	...	...	...	...	14.52	12.37	9.99	13.81	12.36	10.50	/71	8.68	8.09	7.77
L034-026	1	07 49 12.7	−76 42 07	0.212	205.6	1	.09436	.00211	1	49	11.38	9.33	7.50	11.31	10.19	8.79	/49	7.41	6.86	6.58
GJ1103	1	07 51 54.7	−00 00 13	0.793	161.9	1	.11400	.00330	1	63	14.16	11.79	9.44	13.26	11.89	10.19	3/	8.50	7.94[c]	7.66
SCR0754-3809	1	07 54 54.8	−38 09 38	0.400	351.4	1	...	...	...	...	16.90	14.68	11.75	15.46	13.91	11.98	/71	10.01	9.42	9.08
LHS1955	2	07 54 54.8	−29 20 56	0.629	146.8	1	.07436	.00113	1	47	13.19J	10.75J	8.72J	12.79J	11.52J	9.89J	/47	8.31J	7.69J	7.35J
LHS1957	1	07 56 53.9	−45 38 14	0.650	342.7	1	...	...	...	...	13.08	10.86	8.87	12.28	11.27	10.02	2/	8.76	8.23	8.00
LHS5132	1	08 00 51.3	−57 30 34	0.492	138.3	1	...	...	...	...	15.13	12.95	11.06	...	...	...	...	9.91	9.35	9.05
SCR0803-1939	2	08 03 26.9	−19 39 28	0.292	149.5	1	...	...	...	...	15.19J	12.66J	10.02J	14.26J	13.04J	11.48J	2/	10.02J	9.45J	9.16J
LHS1978	1	08 04 25.8	−83 13 59	0.606	309.7	1	...	...	...	...	13.33	11.28	9.69	...	...	...	...	8.97	8.35[c]	8.11

Table 1—Continued

Name	# comp.	RA	DEC	μ ($''$yr^{-1})	P.A. (deg)	ref	π ($''$)	π error ($''$)	# π	ref	B_J (mags)	R_{59F} (mags)	I_{IVN} (mags)	V_J (mags)	R_{KC} (mags)	I_{KC} (mags)	# nts/ref	J (mags)	H (mags)	K_s (mags)
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)
SCR0805-5912	1	08 05 46.2	−59 12 50	0.640	154.4	1	...	...	...	...	15.76	13.76	11.33	14.69	13.38	11.68	/71	10.07	9.52	9.22
GJ0298	1	08 09 58.1	−52 58 05	0.832	322.6	1	.06001	.00243	2	63,64	12.89	10.61	8.87	11.81	10.73	9.34	/5	7.99	7.44	7.14
GJ0300	1	08 12 40.9	−21 33 07	0.699	178.7	25	.12578	.00097	2	25,63	12.79	9.57	8.07	12.15	10.85	9.22	/25	7.60	6.96	6.71
SCR0812-4504	1	08 12 44.3	−45 04 34	0.441	218.1	1	...	...	...	...	18.70	16.66	13.29	17.54	15.87	13.82	1/	11.73	11.23	10.91
GJ0301	2	08 13 08.5	−13 55 01	0.536	198.7	1	.05211	.00198	2	58,63	10.31J	8.29J	7.10J	9.37J	8.50J	7.66J	/34	6.64J	6.04J	5.82J
L242-075	1	08 13 26.1	−53 17 38	0.298	100.8	1	...	...	...	...	12.99	10.82	9.73	...	...	...	...	8.54	7.99	7.73
LHS1992	1	08 13 42.6	−76 07 49	0.685	337.4	1	...	...	...	...	12.00	9.92	8.35	11.86	10.79	9.46	1/	8.16	7.60[c]	7.30
LP843-016	1	08 14 22.6	−25 42 19	0.239	198.9	1	...	...	...	...	11.87	9.71	8.35	11.55	10.55	9.34	/46	8.11	7.47	7.20
LP386-035	1	08 16 37.5	−42 12 26	0.245	301.3	1	...	...	...	...	12.43	10.15	9.07	...	...	...	...	8.76	8.08	7.88
L098-059	1	08 18 07.6	−68 18 47	0.391	162.6	1	...	...	...	...	12.71	10.44	8.97	11.71	10.61	9.25	3/	7.93	7.36	7.10
SCR0827-2526	1	08 27 07.0	−25 26 54	0.216	167.9	1	...	...	...	...	14.91	12.29	10.12	13.90	12.66	11.10	2/	9.65	9.09	8.78
LHS2010	1	08 27 11.8	−44 59 21	0.537	343.1	47	.07280	.00130	1	47	12.47	9.89	7.62	11.86	10.70	9.19	/47	7.75	7.15	6.87
SCR0829-3709	1	08 29 41.3	−37 09 35	0.327	300.8	1	...	...	...	...	15.14	12.69	10.28	14.27	13.02	11.41	1/	9.83	9.26	9.00
LHS2024	1	08 31 23.5	−10 29 54	0.668	241.7	1	...	...	...	...	15.71	13.08	10.32	15.06	13.62	11.84	1/	10.07	9.49	9.14
LHS2026	1	08 32 30.5	−01 34 39	0.540	151.9	1	.05080	.00050	1	63	19.83	17.07	13.68	18.94	16.69	14.32	/6	12.04	11.48	11.14
GJ2070	1	08 34 25.9	−01 08 40	0.455	152.0	63	.07340	.00960	1	63	13.74	11.70	9.83	...	...	...	...	8.81	8.32	8.03
SCR0835-3400	1	08 35 31.7	−34 00 37	0.447	190.1	1	...	...	...	...	15.31	12.76	10.25	14.26	12.99	11.39	1/	9.90	9.37	9.08
SCR0837-2819	1	08 37 20.4	−28 19 58	0.256	140.7	1	...	...	...	...	17.05	14.60	11.95	15.59	14.18	12.43	1/	10.73	10.19	9.89
LP844-004	1	08 37 33.9	−22 32 32	0.185	261.8	1	...	...	...	...	16.34	14.09	12.01	15.15	13.82	12.14	1/	10.50	9.94	9.64
SCR0838-5855	1	08 38 02.2	−58 55 59	0.320	189.0	1	...	...	...	...	18.44	16.11	12.44	17.19	15.08	12.78	3/71u	10.31	9.71	9.27
SCR0838-5302	1	08 38 13.2	−53 02 12	0.487	278.6	1	...	...	...	...	21.75	17.81	15.23	18.89	17.01	14.81	1/	12.50	11.85	11.45
LTT03201	1	08 38 54.5	−09 33 59	0.240	205.5	1	...	...	...	...	12.33	10.02	8.59	11.80	10.80	9.59	/44	8.36	7.68	7.44
SCR0840-4044	1	08 40 01.7	−40 44 31	0.289	307.2	1	...	...	...	...	17.19	15.24	12.50	16.29	14.81	12.97	1/	11.19	10.64	10.25
GJ0317	1	08 40 59.2	−23 27 23	0.912	329.0	1	.06533	.00040	2	3,63	12.74	10.27	8.44	12.01	10.84	9.37	3/	7.93	7.32[c]	7.03
G114-014	1	08 42 23.2	−04 53 55	0.318	190.2	1	...	...	...	...	13.91	11.65	10.30	12.86	11.76	10.37	/44	9.05	8.54[c]	8.19
LP786-005	1	08 47 17.6	−20 58 20	0.299	322.4	1	...	...	...	...	13.84	11.91	10.52	...	...	...	...	9.44	8.75	8.56
L388-106	2(1)	08 48 23.2	−44 12 26	0.208	165.0	1	...	...	...	...	14.60	12.33	10.36	...	...	...	...	9.69	9.05	8.79
LEHPM2-0870	1	08 48 59.1	−80 35 02	0.317	205.8	1	...	...	...	...	16.30	14.23	11.86	...	...	...	...	10.42	9.79	9.50
SCR0852-6608	1	08 52 50.0	−66 08 47	0.519	334.2	1	...	...	...	...	17.81	15.50	12.88	16.41	14.93	13.11	1/	11.34	10.73	10.39
SCR0853-3924	1	08 53 28.7	−39 24 41	0.355	262.3	1	...	...	...	...	13.21	10.86	8.34	12.32	11.22	9.87	2/	8.51	7.94	7.72
LHS2065	1	08 53 36.2	−03 29 32	0.550	249.4	16	.11725	.00064	4	10,16,57,63	20.08	17.27	13.92	18.94	16.74	14.46	/16	11.21	10.47	9.94
L532-012	1	08 54 02.4	−30 51 37	0.274	266.3	1	...	...	...	...	14.36	12.16	9.91	13.44	12.16	10.55	2/	9.01	8.39	8.09
GJ0326	2	08 54 05.3	−13 07 31	0.622	148.0	63	.06180	.00670	1	63	12.75J	10.40J	8.77J	11.93J	10.81J	9.42J	/69	8.05J	7.53J	7.26J
LHS2071	2	08 55 20.3	−23 52 15	0.578	267.6	1	.06284	.00143	1	47	14.92J	12.56J	10.35J	13.88J	12.55J	10.82J	/47	9.11J	8.54J	8.20J
L139-024	1	08 56 06.6	−61 57 44	0.267	250.5	1	...	...	...	...	14.27	12.33	10.94	...	...	...	...	9.48	8.95[c]	8.67
LP844-033	1	08 56 17.6	−23 26 57	0.401	277.5	1	.04242	.00294	1	11	17.17	14.75	11.93	15.98	14.43	12.55	/11	10.70	10.13	9.82
LP606-030	1	08 58 43.3	−00 41 47	0.286	258.1	1	...	...	...	...	18.64	16.32	15.20	17.40	15.77	13.75	1/	11.72	11.15	10.76
GJ1118	1	08 59 05.3	−31 13 27	1.094	139.9	29	.05619	.00176	1	29	14.78	12.46	10.41	13.79	12.56	10.95	/29	9.41	8.86	8.59
2MA0901-6526	1	09 01 31.7	−65 26 40	0.245	338.0	1	...	...	...	...	16.27	14.22	11.47	15.04	13.63	11.85	1/	10.14	9.59	9.28
L063-046	1	09 01 39.0	−72 40 17	0.315	311.8	1	...	...	...	...	13.61	11.53	9.50	12.41	11.37	10.09	1/	8.82	8.24	7.99
LTT03347	1	09 04 02.3	−25 04 10	0.251	291.1	1	...	...	...	...	13.38	11.31	9.84	...	...	...	...	9.15	8.56	8.31
L244-024	1	09 05 17.9	−51 02 36	0.305	338.6	1	...	...	...	...	14.67	12.57	10.55	...	...	...	...	9.50	8.88[c]	8.64
SCR0905-0841	1	09 05 43.3	−08 41 58	0.368	120.9	1	...	...	...	...	16.90	14.64	12.30	15.88	14.45	12.65	1/	10.83	10.24	9.96
GJ0334	1	09 06 45.4	−08 48 25	0.366	304.6	28	.06912	.00124	2	63,64	10.24	8.13	7.05	9.50	8.59	7.68	/5	6.64	5.98	5.76
LHS2106	1	09 07 02.8	−22 08 50	0.499	211.7	1	.06623	.00116	1	47	15.11	12.72	10.18	14.21	12.87	11.13	/47	9.53	9.00	8.65
SCR0907-3533	1	09 07 17.1	−35 33 03	0.219	305.0	1	...	...	...	...	14.39	12.85	10.60	13.89	12.73	11.28	1/	9.85	9.28	8.96
L460-139	1	09 09 14.9	−39 59 32	0.237	209.0	1	...	...	...	...	13.51	11.30	9.50	...	...	...	...	9.15	8.54	8.32
SCR0914-4134	1	09 14 17.4	−41 34 38	0.749	312.5	60	...	...	...	...	16.33	13.69	10.98	15.01	13.57	11.72	/71	9.98	9.42	9.12
LHS6167	2	09 15 36.4	−10 35 47	0.440	242.0	1	...	...	...	...	14.86J	12.40J	9.79J	13.82J	12.32J	10.42J	3/	8.61J	8.07J	7.73J

Table 1—Continued

Name	# comp.	RA	DEC	μ ($''$yr^{-1})	P.A. (deg)	ref	π ($''$)	π error ($''$)	# π	ref	B_J (mags)	R_{59F} (mags)	I_{IVN} (mags)	V_J (mags)	R_{KC} (mags)	I_{KC} (mags)	# nts/ref	J (mags)	H (mags)	K_s (mags)
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)
L749-034	1	09 16 20.7	−18 37 33	0.348	295.2	28	...	...	...	...	11.06	8.89	7.56	10.73	9.72	8.54	3/	7.35	6.76	6.49
LHS2122	1	09 16 26.0	−62 04 16	0.934	313.3	47	.05859	.00257	1	47	13.36	10.83	9.09	12.57	11.43	9.94	/47	8.47	7.83	7.55
LTT03416	1	09 16 44.0	−24 47 43	0.195	285.2	1	...	...	...	...	12.55	10.31	9.04	...	...	...	...	8.70	8.05	7.83
GJ1123	1	09 17 05.3	−77 49 23	1.052	141.6	29	.11092	.00202	1	29	14.17	12.15	9.88	13.16	11.86	10.16	/29	8.33	7.77	7.45
G161-013	1	09 20 11.1	−01 10 17	0.223	293.2	1	...	...	...	...	14.88	12.74	11.00	...	...	...	...	9.88	9.13	8.89
LEP0920-4922	1	09 20 26.0	−49 22 35	0.534	313.9	1	...	...	...	...	17.88	16.67	13.68	...	...	...	...	11.33	10.82	10.53
SIP0921-2104	1	09 21 14.1	−21 04 44	0.904	173.6	1	...	...	...	...	22.26	19.07	16.03	20.85	18.50	16.17	2/	12.78	12.15	11.69
GJ0341	1	09 21 37.6	−60 16 55	0.859	253.1	1	.09568	.00091	2	63,64	10.22	6.98	8.29	9.49	8.55	7.54	/5	6.44	5.79	5.59
LP902-060	1	09 23 32.4	−33 32 56	0.304	156.7	1	...	...	...	...	12.83	10.46	9.77	...	...	...	...	8.89	8.17	8.02
LP389-001	2(1)	09 24 17.3	−40 05 45	0.257	153.2	1	...	...	...	...	11.35	9.45	8.15	...	...	...	...	7.85	7.16	6.99
L822-019	1	09 28 41.6	−12 09 56	0.414	174.1	1	...	...	...	...	13.06	10.75	9.48	12.23	11.23	9.05	/44	8.84	8.20[c]	7.95
GJ0347	2(1)	09 28 53.3	−07 22 16	0.773	195.1	1	.06106	.00286	2	63,64	12.40	10.27	9.03	12.10	11.05	9.72	/5	8.45	7.89	7.63
WT1637	1	09 29 03.8	−24 29 04	0.258	236.9	1	...	...	...	...	18.28	15.94	12.73	...	...	...	...	10.84	10.29	9.91
GJ0352	2	09 31 19.4	−13 29 19	0.733	087.9	1	.09848	.00310	2	58,63	9.76J	7.46J	5.74J	10.08J	9.03J	7.69J	/5	6.36J	5.76J	5.51J
LP788-001	1	09 31 22.3	−17 17 43	0.359	246.7	1	...	...	...	...	18.99	16.74	13.14	17.55	15.63	13.38	2/	11.07	10.47	10.07
LP846-015	1	09 34 27.9	−26 43 27	0.292	093.9	1	...	...	...	...	15.36	12.94	10.71	...	...	...	...	9.47	8.94	8.62
LTT03532	1	09 35 54.4	−33 43 51	0.261	130.5	1	...	...	...	...	14.14	11.94	10.16	...	...	...	...	9.39	8.82	8.58
GJ0357	1	09 36 01.6	−21 39 39	0.995	171.8	28	.11074	.00190	2	63,64	11.27	10.49	7.49	10.92	9.86	8.57	3/	7.34	6.74	6.48
SCR0939-4300	1	09 39 44.7	−43 00 27	0.393	209.4	1	...	...	...	...	14.05	12.14	10.30	13.57	12.42	10.93	1/	9.50	8.87	8.64
GJ0358	1	09 39 46.4	−41 04 03	0.620	302.8	1	.10546	.00162	2	63,64	11.33	9.07	7.78	10.78	9.66	8.27	3/	6.90	6.32	6.06
LTT03553	1	09 41 21.2	−20 34 41	0.404	270.8	1	...	...	...	...	13.55	11.18	9.50	12.56	11.52	10.23	/44	8.98	8.28	8.06
G161-066	1	09 42 12.8	−07 01 46	0.405	193.5	1	...	...	...	...	14.93	12.60	10.47	...	...	...	...	9.75	9.22	8.92
LHS2177	1	09 42 35.7	−19 14 05	0.545	241.6	1	.06347	.00354	1	64	12.69	10.15	8.66	11.96	10.90	9.60	/69	8.30	7.72	7.50
GJ1128	1	09 42 46.4	−68 53 06	1.125	000.6	1	.15305	.00241	1	29	13.76	11.24	9.02	12.74	11.39	9.65	/29	7.95	7.39[c]	7.04
LHS5156	1	09 42 49.6	−63 37 56	0.506	084.1	1	.09515	.00117	1	47	14.06	11.69	9.30	13.30	11.98	10.28	/47	8.62	8.10	7.77
LHS0272	1	09 43 46.2	−17 47 06	1.439	279.2	30	.07395	.00118	1	30	14.09	11.61	10.01	13.16	12.10	10.87	/30	9.62	9.12	8.87
WT0244	1	09 44 23.7	−73 58 38	0.517	257.2	1	.04330	.00150	1	47	16.24	14.08	11.49	15.17	13.80	12.02	/47	10.23	9.71	9.38
GJ0367	1	09 44 29.8	−45 46 36	0.745	218.6	28	.10255	.00294	2	63,64	10.28	8.66	7.81	10.12	9.10	7.86	3/	6.63	6.05	5.78
GJ1129	1	09 44 47.3	−18 12 49	1.597	264.3	30	.09389	.00249	1	30	13.31	10.18	8.56	12.46	11.24	9.67	/30	8.12	7.54	7.26
G161-071	1	09 44 54.2	−12 20 54	0.353	275.7	1	...	...	...	...	14.54	11.90	9.32	13.76	12.26	10.36	2/	8.50	7.92	7.60
LP462-119	2	09 45 40.1	−39 02 27	0.307	206.3	1	.04948	.00479	1	64	12.54J	10.30J	8.92J	...	...	...	...	8.37J	7.78J	7.52J
WT2458	1	09 45 58.4	−32 53 30	0.355	295.5	1	...	...	...	...	15.31	12.89	10.43	14.04	12.66	10.89	2/	9.20	8.60	8.28
LHS2186	1	09 46 09.3	−04 25 43	0.547	287.6	36	...	...	...	...	15.19	12.78	10.38	...	...	...	...	9.69	9.15	8.83
GJ2075	2	09 49 27.8	−55 20 09	0.300	126.5	1	.04770	.00184	1	64	10.76	8.60	7.47	10.28J	9.34J	8.33J	/34	7.25J	6.57J	6.37J
LTT03613	1	09 50 40.5	−13 48 39	0.195	125.5	1	...	...	...	...	13.25	10.93	8.85	12.71	11.52	9.99	2/	8.58	7.97	7.72
LTT03612	1	09 50 48.3	−09 07 10	0.230	204.0	37	...	...	...	...	13.90	11.65	9.67	...	...	...	...	9.26	8.66	8.38
GJ0369	1	09 51 09.6	−12 19 48	1.850	142.1	28	.07298	.00174	2	63,64	10.49	8.37	6.93	10.06	9.13	8.11	/5	6.99	6.40	6.15
LTT03616	1	09 51 23.3	−17 44 24	0.445	074.4	1	...	...	...	...	12.45	10.10	8.67	11.84	10.83	9.55	/44	8.30	7.74	7.49
GJ0372	2	09 53 11.8	−03 41 25	0.512	190.7	1	.06220	.00210	2	63,64	11.28J	8.96J	7.78J	10.55J	9.53J	8.29J	/5	7.00J	6.41J	6.13J
GJ1130	2(1)	09 53 28.1	−31 45 08	0.180	235.2	1	.04145	.00155	1	64	11.06	8.79	8.00	10.15	9.29	8.43	1/	7.40	6.77	6.57
LTT03629	1	09 53 30.3	−31 28 12	0.235	167.3	1	...	...	...	...	13.53	11.59	10.05	...	...	...	...	9.14	8.55	8.32
LP847-048	1	09 55 23.9	−27 15 41	0.185	207.7	1	.08832	.00318	1	64	12.56	10.20	8.43	12.08	10.90	9.44	1/	8.03	7.43	7.14
GJ0375	2	09 58 34.3	−46 25 30	0.678	138.4	1	.06477	.00172	2	63,64	12.15J	10.07J	8.55J	11.27J	10.11J	8.59J	1/	7.13J	6.52J	6.26J
GJ0377	1	10 01 10.7	−30 23 25	1.273	300.3	28	.06223	.00246	2	63,64	12.51	9.91	8.54	11.44	10.36	8.98	/34	7.60	6.99[c]	6.70
LP463-104	1	10 01 23.8	−38 50 25	0.272	144.9	1	...	...	...	...	12.47	10.16	8.62	...	...	...	...	8.33	7.74[c]	7.46
LHS5166	2(1)	10 04 38.7	−33 35 10	0.493	137.6	36	.05480	.00560	1	2	15.39	13.01	10.90	14.36	13.08	11.41	2/	9.85	9.30	9.03
LP903-021	1	10 04 50.6	−31 05 28	0.339	226.8	1	.04349	.00344	1	64	13.08	10.61	9.31	12.00	10.97	9.75	/34	8.46	7.86[c]	7.62
L319-147	1	10 06 08.7	−49 49 38	0.192	191.7	1	...	...	...	...	13.06	10.97	9.19	...	...	...	...	8.89	8.33	8.10
LP789-023	1	10 06 31.9	−16 53 26	0.343	304.4	1	...	...	...	...	20.10	17.41	13.83	...	...	...	...	12.04	11.39	10.99

Table 1—Continued

Name	# comp.	RA	DEC	μ ($''$yr^{-1})	P.A. (deg)	ref	π ($''$)	π error ($''$)	# π	ref	B_J (mags)	R_{59F} (mags)	I_{IVN} (mags)	V_J (mags)	R_{KC} (mags)	I_{KC} (mags)	# nts/ref	J (mags)	H (mags)	K_s (mags)
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)
L016-059	2	10 07 09.9	−82 50 16	0.341	300.9	1	...	...	...	...	12.94J	10.93J	9.17J	...	...	...	...	8.52J	8.14J[c]	7.74J[c]
LP729-033	1	10 08 01.1	−14 36 27	0.394	255.2	1	...	...	...	...	16.83	14.68	12.04	...	...	...	...	10.60	10.02	9.67
LP903-035	1	10 10 46.8	−30 46 49	0.389	283.8	1	...	...	...	...	14.27	12.21	10.50	...	...	...	...	9.48	8.86	8.59
WT1757	1	10 11 45.0	−24 25 34	0.198	097.2	1	...	...	...	...	12.13	10.00	8.96	...	...	...	...	8.17	7.50	7.32
GJ0381	2	10 12 04.7	−02 41 05	0.790	140.3	28	.08352	.00277	2	63,64	11.89J	9.40J	7.74J	10.64J	9.59J	8.32J	/5	7.02J	6.47J	6.19J
GJ0382	1	10 12 17.7	−03 44 44	0.314	219.0	1	.12611	.00181	2	63,64	10.12	7.61	6.58	9.29	8.28	7.11	/5	5.89	5.26	5.02
LHS2233	1	10 12 59.6	−35 43 59	0.532	292.7	36	...	...	...	...	13.95	11.77	10.19	13.02	11.86	10.47	/9	9.22	8.58	8.36
GJ1132	1	10 14 51.8	−47 09 24	1.126	291.7	29	.08307	.00169	1	29	13.95	11.93	9.57	13.49	12.26	10.69	/29	9.25	8.67	8.32
G162-037	1	10 16 35.7	−11 56 48	0.277	191.6	1	...	...	...	...	15.10	13.14	11.28	...	...	...	...	9.96	9.40	9.13
GJ0386	1	10 16 46.0	−11 57 42	0.726	217.6	1	.07538	.00245	2	63,64	12.08	9.71	8.53	10.51	9.46	8.14	/5	7.32	6.71	6.45
LP790-002	2(1)	10 18 13.9	−20 28 41	0.390	287.2	1	...	...	...	...	14.90	12.73	10.28	13.95	12.58	10.81	7/	9.00	8.42	8.15
LTT03780	1	10 18 35.2	−11 43 00	0.396	238.1	1	...	...	...	...	13.88	12.02	10.40	13.07	11.94	10.44	/44	9.01	8.44[c]	8.20
L392-039	2(1)	10 19 51.3	−41 48 46	0.442	193.0	1	...	...	...	...	12.43	10.16	8.68	11.64	10.66	9.52	2/	8.36	7.72	7.49
WT2473	1	10 21 12.1	−37 05 44	0.355	143.5	1	...	...	...	...	14.53	12.47	10.30	...	...	...	...	9.39	8.75	8.47
GJ0389	2	10 22 24.6	−60 10 38	0.531	139.6	28	.05042	.00183	2	63,64	10.92J	8.34J	7.27J	10.72	9.82	8.80	/5	7.71	7.08	6.85
L101-009	1	10 22 46.1	−66 02 26	0.210	290.2	1	...	...	...	...	14.77	12.79	10.51	...	...	...	...	9.55	8.98	8.72
L142-086	1	10 24 07.0	−63 59 55	0.347	214.8	1	...	...	...	...	11.55	8.98	...	10.62	9.67	8.66	1/	7.54	6.85	6.66
GJ0390	1	10 25 10.8	−10 13 43	0.709	278.6	1	.08134	.00178	2	63,64	11.31	8.97	7.82	10.17	9.19	8.10	/5	6.90	6.26	6.03
LTT03835	2	10 26 38.3	−16 51 19	0.357	213.6	1	...	...	...	...	12.28J	10.18J	8.36J	...	...	...	...	8.55J	7.90J	7.69J
LTT03855	1	10 30 50.8	−35 46 39	0.334	271.3	1	.04062	.00203	1	64	12.15	9.74	8.46	...	...	...	...	8.19	7.49	7.29
LTT03538	1	10 31 08.5	−41 27 49	0.286	280.3	1	...	...	...	...	14.42	11.96	10.04	...	...	...	...	9.43	8.85	8.61
LP904-068	1	10 33 39.1	−29 00 32	0.287	137.9	1	...	...	...	...	13.91	11.62	10.12	...	...	...	...	9.16	8.49	8.24
LEHPM2-4342	1	10 34 24.7	−28 19 19	0.210	266.2	1	...	...	...	...	13.36	11.18	9.52	...	...	...	...	8.69	8.06	7.79
LTT03877	1	10 35 01.1	−09 24 39	0.313	133.3	1	...	...	...	...	12.69	10.37	9.01	12.11	11.02	9.63	/44	8.28	7.68[c]	7.39
LP904-038	1	10 37 41.6	−29 31 04	0.216	120.8	1	...	...	...	...	14.44	12.45	11.02	...	...	...	...	9.64	9.07	8.82
LTT03896	1	10 37 45.3	−27 46 39	0.322	318.4	1	...	...	...	...	14.30	12.02	9.94	13.14	11.84	10.19	3/	8.60	8.04[c]	7.72
LEHPM2-2758	1	10 38 47.8	−86 32 44	0.223	198.2	43	...	...	...	...	14.08	13.04	10.31	13.24	12.02	10.46	3/	8.97	8.40	8.11
GJ0399	1	10 39 40.6	−06 55 26	0.756	263.8	1	.06394	.00278	2	63,64	11.51	9.49	7.73	11.31	10.27	8.99	/5	7.66	7.05[c]	6.82
LP465-084	2	10 39 44.4	−37 55 14	0.241	123.8	1	.07151	.00248	1	64	12.23J	9.85J	8.52J	11.06J	9.94J	8.54J	1/	7.21J	6.63J	6.38J
WT0309	1	10 40 47.5	−44 45 53	0.269	328.0	1	...	...	...	...	14.56	12.20	10.24	...	...	...	...	9.50	8.84	8.66
GJ1135	2	10 41 09.3	−36 53 44	0.255	131.7	1	.06121	.00152	1	64	10.86J	8.64J	7.36J	9.94J	9.00J	7.98J	/34	6.91J	6.22J	5.99J
LP904-051	1	10 41 44.0	−31 11 55	0.455	125.9	1	...	...	...	...	17.48	15.20	12.73	...	...	...	...	11.04	10.45	10.16
LP848-050	1	10 42 41.4	−24 16 05	0.205	015.4	1	...	...	...	...	17.68	15.34	12.09	16.55	14.57	12.47	2/	10.28	9.67	9.34
WT1827	2	10 43 02.8	−09 12 41	1.959	280.0	29	.08099	.00242	1	29	16.00J	13.80J	10.85J	15.11J	13.57J	11.59J	3/29u	9.67J	9.10J	8.73J
LTT03936	1	10 44 09.5	−26 37 44	0.287	261.2	1	...	...	...	...	13.79	11.54	10.13	...	...	...	...	9.08	8.48	8.25
LP905-056	1	10 45 16.7	−30 48 27	0.247	185.2	1	.07141	.00237	1	64	12.54	10.08	8.65	11.22	10.21	9.03	/34	7.82	7.22	6.99
LP849-006	1	10 45 51.8	−23 09 01	0.297	237.6	1	...	...	...	...	16.27	13.95	11.43	...	...	...	...	10.04	9.49	9.18
LP905-017	1	10 47 11.2	−32 15 06	0.198	264.6	1	...	...	...	...	13.66	11.41	10.30	...	...	...	...	9.17	8.51	8.26
LHS2310	1	10 47 38.7	−79 27 46	0.496	242.1	1	...	...	...	...	14.64	12.71	10.69	13.45	12.19	10.60	3/	9.05	8.49	8.14
L037-012	1	10 48 01.0	−76 34 16	0.237	293.4	1	...	...	...	...	15.31	13.45	11.95	...	...	...	...	9.98	9.43	9.14
DEN1048-3956	1	10 48 12.6	−39 56 07	1.530	229.2	29	.24853	.00118	3	10,12,29	18.75	15.93	12.10	17.37	14.98	12.47	4/29u	9.54	8.91	8.45
LHS0292	1	10 48 14.6	−11 20 10	1.598	159.3	1	.22030	.00360	2	16,63	16.83	14.17	10.40	15.78	13.63	11.25	/16	8.86	8.26	7.93
LHS5179	1	10 53 02.2	−15 05 03	0.482	272.5	1	...	...	...	...	15.11	12.99	11.32	13.94	12.80	11.31	/44	9.87	9.29	8.99
2MA1054-8505	1	10 54 11.0	−85 05 02	0.465	296.2	15	...	...	...	...	21.40	19.13	15.99	20.59	18.12	15.64	1/	12.70	12.07	11.65
LTT04004	1	10 54 42.0	−07 18 33	0.424	203.1	1	...	...	...	...	14.09	11.98	9.89	13.26	12.03	10.42	1/	8.88	8.25	7.97
LHS2328	1	10 55 34.5	−09 21 26	0.500	331.0	1	.05384	.00147	1	47	14.12	11.97	9.59	13.55	12.37	10.86	/47	9.42	8.87	8.61
LHS2329	1	10 55 40.1	−52 10 15	0.617	280.6	36	...	...	...	...	13.47	11.31	9.88	...	...	...	...	9.13	8.52	8.22
LP731-028	1	10 56 38.9	−15 52 54	0.450	167.0	37	...	...	...	...	12.97	10.77	9.09	11.82	10.74	9.39	2/	8.07	7.47	7.23
LTT04030	1	10 58 34.2	−05 54 09	0.249	169.4	1	...	...	...	...	14.08	11.95	10.08	...	...	...	...	9.20	8.60	8.33

Table 1—Continued

Name	# comp.	RA	DEC	μ ($''$yr^{-1})	P.A. (deg)	ref	π ($''$)	π error ($''$)	# π	ref	B_J (mags)	R_{59F} (mags)	I_{IVN} (mags)	V_J (mags)	R_{KC} (mags)	I_{KC} (mags)	# nts/ref	J (mags)	H (mags)	K_s (mags)
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)
LHS2335	1	10 58 35.1	−31 08 38	0.551	259.8	1	.05055	.00155	1	47	12.62	10.32	9.29	11.93	10.90	9.63	/47	8.36	7.76	7.47
LP791-023	1	11 04 25.2	−17 48 09	0.441	130.0	1	...	...	...	...	16.89	14.67	12.34	...	...	...	...	10.83	10.19	9.87
UPM1104-6232	1	11 04 33.8	−62 32 35	0.243	254.8	1	...	...	...	...	16.42	14.09	11.48	15.20	13.77	11.96	1/	10.26	9.68	9.36
L066-047	2(1)	11 04 33.5	−72 57 10	0.256	108.1	1	...	...	...	...	11.95	10.21	9.34	...	...	...	...	8.47	7.85[c]	7.61
LP849-051	1	11 05 06.9	−22 12 52	0.348	189.3	1	...	...	...	...	17.25	15.04	12.32	...	...	...	...	10.70	10.14	9.82
LP731-047	1	11 06 56.9	−12 44 03	0.320	267.5	1	...	...	...	...	19.70	16.91	13.37	...	...	...	...	11.79	11.19	10.79
L754-040	1	11 07 27.7	−19 17 30	0.220	256.3	1	.05351	.00164	1	64	11.24	9.14	7.90	10.38	9.46	8.52	/34	7.45	6.85[c]	6.62
L017-069	1	11 07 58.2	−83 51 23	0.298	265.7	1	...	...	...	...	14.08	12.25	10.81	12.68	11.62	10.31	1/	9.06	8.45	8.18
GJ0413.1	1	11 09 31.3	−24 35 55	0.892	244.7	1	.09323	.00167	2	63,64	11.12	8.81	7.68	10.44	9.42	8.19	/5	6.95	6.36	6.10
LHS2360	1	11 10 00.5	−74 36 15	0.721	303.2	1	...	...	...	...	15.03	13.14	11.16	13.57	12.43	10.78	2/	9.24	8.61[c]	8.35
SCR1110-3608	1	11 10 29.0	−36 08 25	0.547	266.5	1	...	...	...	...	17.20	15.07	12.72	15.76	14.38	12.64	/71	10.93	10.34	10.00
GJ0422	1	11 16 00.2	−57 32 52	2.733	294.9	36	.07882	.00249	2	63,64	11.16	9.53	8.05	11.64	10.57	9.17	/5	7.81	7.30[c]	7.04
L611-120	1	11 16 06.8	−30 10 41	0.338	289.7	1	.04309	.00210	1	64	11.23	8.97	7.89	...	...	...	...	7.66	7.02	6.81
LP850-015	1	11 16 18.7	−25 49 22	0.265	200.6	1	...	...	...	...	16.57	14.53	12.26	...	...	...	...	10.65	10.00	9.69
GJ1144	1	11 16 22.2	−14 41 36	0.222	230.2	1	.05582	.00150	1	64	10.18	8.09	7.12	9.98	9.10	7.40	/44	7.28	6.65	6.46
LHS2386	1	11 16 36.7	−44 07 50	0.519	266.7	1	...	...	...	...	15.37	13.16	11.07	...	...	...	...	9.92	9.30	9.05
LHS2385	1	11 16 37.6	−27 57 19	0.940	210.3	1	...	...	...	...	14.81	12.57	10.33	...	...	...	...	9.36	8.91	8.62
LP732-015	1	11 17 06.5	−11 22 25	0.424	247.9	1	...	...	...	...	14.52	12.35	10.31	...	...	...	...	9.62	8.95	8.73
GJ1145	1	11 17 07.5	−27 48 49	0.234	110.0	1	.05652	.00128	1	64	10.74	8.46	7.51	9.76	8.88	8.07	/34	7.06	6.42	6.20
LP792-053	1	11 19 22.8	−19 00 30	0.214	266.5	1	...	...	...	...	15.37	12.96	11.00	...	...	...	...	9.93	9.43	9.14
L467-021	1	11 19 41.1	−36 15 20	0.455	138.4	1	...	...	...	...	14.63	12.47	10.88	...	...	...	...	9.64	9.06	8.82
LP792-014	1	11 19 48.2	−16 32 38	0.349	279.9	1	...	...	...	...	16.71	14.46	11.70	...	...	...	...	10.65	10.05	9.79
LP792-016	1	11 20 46.5	−19 39 07	0.386	243.0	1	...	...	...	...	13.83	11.61	9.88	12.87	11.78	10.40	/44	9.08	8.47[c]	8.21
LP792-017	1	11 20 59.9	−17 01 49	0.253	221.5	1	...	...	...	...	12.32	10.30	8.64	12.19	11.15	9.85	/44	8.59	7.92	7.70
LHS2397a	2	11 21 49.2	−13 13 09	0.507	264.7	16	.06898	.00112	5	7,16,17,62,63	20.71J	17.95J	14.67J	19.55J	17.27J	14.90J	/16	11.93J	11.23J	10.74J
LHS2400	1	11 22 42.5	−32 05 40	0.614	175.6	11	.04426	.00228	1	11	17.27	15.43	12.43	16.37	14.82	12.91	/11	11.04	10.52	10.17
LHS2401	1	11 23 57.3	−18 21 49	0.567	261.8	1	.05447	.00251	1	47	14.03	11.82	10.01	13.10	11.97	10.54	/47	9.17	8.59	8.32
SCR1124-3900	1	11 24 23.2	−39 00 43	0.185	168.3	1	...	...	...	...	15.67	13.65	11.37	14.29	13.05	11.47	1/	10.00	9.45	9.10
SCR1125-3834	1	11 25 37.3	−38 34 43	0.571	246.8	1	...	...	...	...	16.04	13.80	11.66	14.57	13.29	11.67	/71	10.09	9.51	9.19
LP792-060	1	11 26 50.8	−18 44 59	0.203	193.6	1	...	...	...	...	15.51	13.27	11.13	14.50	13.32	11.74	/45	10.11	9.47	9.17
LTT04244	1	11 30 06.9	−30 42 44	0.356	262.9	1	...	...	...	...	13.92	11.54	9.47	...	...	...	...	9.31	8.66	8.40
LP672-042	1	11 30 41.8	−08 05 43	0.419	306.6	1	.07575	.00422	1	64	12.41	10.31	8.44	12.06	10.90	9.46	1/	8.03	7.46	7.15
LHS0306	1	11 31 08.4	−14 57 21	1.432	163.2	29	.08902	.00166	2	29,56	15.11	12.62	10.18	14.19	12.81	11.05	4/29u	9.36	8.76	8.50
GJ0431	1	11 31 46.5	−41 02 47	0.717	290.0	63	.09639	.00234	2	63,64	12.53	9.74	8.30	11.52	10.36	8.87	/5	7.37	6.77	6.51
L540-090	1	11 32 18.4	−35 26 14	0.288	184.7	1	...	...	...	...	14.27	12.76	10.96	...	...	...	...	9.46	8.81	8.57
LP792-033	1	11 32 19.0	−16 58 07	0.270	147.1	1	.04385	.00265	1	64	11.60	9.50	8.44	11.42	10.48	9.42	/44	8.28	7.68	7.47
L324-051	1	11 32 22.0	−46 28 30	0.383	282.2	1	...	...	...	...	13.13	11.14	10.49	12.20	11.13	9.83	1/	8.55	7.95	7.70
LP850-047	1	11 33 01.9	−23 11 08	0.332	131.4	1	...	...	...	...	13.96	11.53	10.44	...	...	...	...	9.33	8.71	8.47
LHS2427	1	11 34 38.0	−23 52 15	0.683	244.2	28	.05606	.00203	2	63,64	12.38	9.75	9.33	11.17	10.22	9.21	/69	8.09	7.48	7.26
L066-086	1	11 34 59.7	−74 36 09	0.434	022.0	1	...	...	...	...	12.48	10.41	9.37	11.04	10.08	9.00	2/	7.84	7.20	7.01
GJ0433	1	11 35 27.0	−32 32 24	0.811	184.5	1	.11209	.00143	2	63,64	10.01	7.88	6.76	9.84	8.84	7.69	/5	6.47	5.86	5.62
LP851-027	2	11 36 57.1	−23 29 48	0.245	225.4	1	...	...	...	...	13.64J	11.47J	9.68J	12.90J	11.79J	10.36J	/46	9.35J	8.43J	8.27J
SCR1138-7721	1	11 38 16.8	−77 21 49	2.148	286.9	25	.12227	.00292	1	25	16.45	14.12	11.46	14.78	13.20	11.24	/71	9.40	8.89	8.52
GJ1147	1	11 38 25.0	−41 22 33	0.945	272.7	1	.06608	.00108	1	47	14.84	12.48	10.49	13.72	12.49	10.91	/47	9.44	8.86	8.54
LP673-025	1	11 40 18.0	−08 11 27	0.422	242.2	1	...	...	...	...	13.27	11.27	9.86	...	...	...	...	9.08	8.44[c]	8.20
SIP1141-3624	1	11 41 21.5	−36 24 35	0.573	058.3	1	...	...	...	...	14.23	12.19	10.11	13.10	11.79	10.10	3/	8.49	7.97	7.70
UPM1142-6440	1	11 42 29.9	−64 40 34	0.295	214.3	1	...	...	...	...	16.07	14.08	11.42	15.21	13.84	12.06	1/	10.39	9.85	9.48
GJ0438	1	11 43 19.8	−51 50 26	0.847	129.5	28	.09220	.00203	2	47,63	10.62	7.89	7.12	10.35	9.36	8.27	/47	7.14	6.58	6.32
SCR1144-4302	1	11 44 24.9	−43 02 54	0.311	293.6	1	...	...	...	...	19.60	17.50	14.39	18.82	16.61	14.41	1/	12.17	11.56	11.20

Table 1—Continued

Name	# comp.	RA	DEC	μ ($''$yr^{-1})	P.A. (deg)	ref	π ($''$)	π error ($''$)	# π	ref	B_J (mags)	R_{59F} (mags)	I_{IVN} (mags)	V_J (mags)	R_{KC} (mags)	I_{KC} (mags)	# nts/ref	J (mags)	H (mags)	K_s (mags)
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)
LP793-033	2(1)	11 45 34.5	−20 21 12	0.202	072.7	1	.05192	.00335	1	64	12.64	10.57	9.38	11.78	10.76	9.53	1/	8.31	7.71	7.44
SIP1145-4055	1	11 45 35.4	−40 55 59	0.307	244.5	1	...	...	...	...	15.41	13.13	10.75	...	...	...	...	9.70	9.10	8.79
GJ0443	1	11 46 42.9	−14 00 52	1.111	137.8	1	.05133	.00304	2	63,64	12.06	9.84	8.45	11.69	10.64	9.28	/5	7.97	7.28	7.07
SCR1147-5504	1	11 47 52.5	−55 04 12	0.192	011.4	1	...	...	...	...	14.96	12.23	10.25	13.72	12.54	11.06	/71	9.67	9.08	8.81
LHS2460	1	11 48 19.4	−11 17 14	0.754	268.1	1	...	...	...	...	13.80	11.92	9.84	12.99	11.89	10.47	/44	9.03	8.43[c]	8.17
LP613-062	1	11 51 55.3	−01 31 32	0.252	136.8	1	...	...	...	...	16.57	14.19	11.59	15.64	14.23	12.39	/45	10.54	9.99	9.64
LTT04404	1	11 51 55.4	−27 29 10	0.362	198.2	1	...	...	...	...	12.37	10.23	8.77	...	...	...	...	8.50	7.88[c]	7.67
LP961-051	1	11 52 35.6	−35 09 43	0.298	284.9	1	...	...	...	...	13.89	11.72	10.17	...	...	...	...	9.39	8.69	8.50
LHS0317	1	11 53 12.4	−31 23 56	1.100	262.8	1	...	...	...	...	14.65	12.55	10.25	13.65	12.42	10.80	1/	9.31	8.78	8.56
GJ0452	1	11 53 16.1	−07 22 28	0.538	198.0	63	.05278	.00348	2	63,64	12.38	10.84	8.75	11.86	10.83	9.55	/5	8.30	7.70	7.45
LP961-053	1	11 54 18.4	−37 33 10	0.314	121.2	1	...	...	...	...	12.48	10.31	9.19	...	...	...	...	8.48	7.88	7.62
LP851-346	1	11 55 42.9	−22 24 59	0.409	244.0	16	.08954	.00177	1	16	19.35	16.83	13.20	18.18	15.97	13.50	/16	10.93	10.30	9.88
LHS2476	1	11 55 44.3	−18 54 32	0.640	120.1	1	...	...	...	...	15.24	13.09	10.91	14.25	13.04	11.48	/69	9.97	9.40	9.09
GJ2086	1	11 55 49.2	−38 16 49	0.681	116.9	1	.04109	.00288	1	64	12.90	10.81	9.59	11.96	10.98	9.91	/34	8.77	8.18	7.95
SCR1157-0149	1	11 57 45.6	−01 49 03	0.453	120.1	1	...	...	...	...	17.29	15.13	12.62	15.99	14.54	12.68	/71	10.91	10.35	10.02
LP851-399	1	11 57 53.5	−23 49 01	0.254	259.3	1	...	...	...	...	15.76	13.55	11.31	14.77	13.51	11.84	/46	10.22	9.62	9.36
RXJ1159-5247	1	11 59 27.4	−52 47 19	1.110	264.8	1	...	...	...	...	21.00	17.64	13.74	19.14	16.92	14.49	3/	11.43	10.76	10.32
L325-274	1	12 00 22.9	−49 31 14	0.387	274.9	1	...	...	...	...	13.07	10.71	8.83	...	...	...	...	8.68	8.08	7.87
LHS5205	2	12 00 36.9	−13 49 36	0.483	264.4	1	...	...	...	...	13.18J	11.19J	9.28J	12.74J	11.59J	10.11J	/66	8.85	8.22	7.93
L829-010	2	12 01 40.8	−12 13 54	0.238	191.3	1	...	...	...	...	13.10J	11.16J	9.54J	12.34J	11.30J	9.96J	/66	8.69	8.10	7.87
GJ2088	2	12 02 13.2	−38 00 29	0.282	207.3	1	.04363	.00192	1	64	11.46J	9.17J	8.12J	10.52J	9.60J	8.65J	/34	7.61J	6.95J	6.78J
LP794-013	1	12 02 16.9	−16 22 04	0.303	276.9	1	...	...	...	...	14.02	11.97	10.21	...	...	...	...	9.28	8.65	8.38
LP908-010	1	12 03 28.1	−29 23 00	0.320	313.0	37	...	...	...	...	16.70	13.65	11.70	15.36	14.04	12.36	1/	10.74	10.13	9.81
SIP1203-4023	1	12 03 51.3	−40 23 42	0.332	286.9	1	...	...	...	...	16.15	14.08	11.63	...	...	...	...	10.24	9.69	9.40
LHS2506	1	12 03 58.3	−33 01 27	0.750	273.1	1	...	...	...	...	14.94	12.70	10.62	...	...	...	...	9.53	9.07	8.74
LP852-005	2(1)	12 05 12.9	−25 33 54	0.301	133.2	1	...	...	...	...	13.89	11.71	10.04	13.10	12.02	10.65	/44	9.27	8.66	8.40
L397-071	1	12 06 39.1	−44 27 54	0.388	142.6	1	...	...	...	...	13.46	11.37	9.51	...	...	...	...	8.68	8.08	7.83
SCR1206-3500	1	12 06 58.5	−35 00 52	0.403	225.7	1	...	...	...	...	15.55	13.46	11.19	14.67	13.35	11.66	/71	10.01	9.40	9.13
GJ0456	1	12 08 22.2	−00 28 58	0.965	264.7	28	.04022	.00249	2	63,64	12.34	9.92	9.37	11.28	10.38	9.50	/69	8.40	7.81	7.59
LP734-030	1	12 08 47.1	−10 16 00	0.389	230.0	1	...	...	...	...	13.39	11.39	9.63	12.65	11.60	10.27	/44	8.96	8.30	8.04
SCR1209-3815	1	12 09 23.6	−38 15 43	0.254	207.9	1	...	...	...	...	16.38	14.15	11.82	15.05	13.69	11.95	1/	10.33	9.75	9.45
LP908-025	1	12 09 54.1	−29 20 16	0.272	132.8	1	...	...	...	...	16.15	14.12	11.62	14.72	13.49	11.85	/45	10.22	9.64	9.34
LHS2520	1	12 10 05.6	−15 04 17	0.719	184.5	1	.07793	.00241	1	47	12.89	10.76	8.82	12.09	10.88	9.30	/47	7.77	7.14	6.86
LHS2521	1	12 10 11.6	−31 58 24	0.588	261.6	1	...	...	...	...	17.87	15.69	13.00	...	...	...	...	11.11	10.53	10.22
LP734-034	1	12 10 28.4	−13 10 24	0.444	145.5	1	...	...	...	...	14.66	12.52	10.46	13.83	12.52	10.85	1/	9.29	8.68	8.41
SCR1210-2213	2	12 10 42.2	−22 13 09	0.285	038.2	1	...	...	...	...	13.56J	11.41J	9.92J	13.05J	11.91J	10.43J	1/	9.03	8.66	8.37
L758-108	2(1)	12 11 11.8	−19 57 38	0.260	227.9	1	.07943	.00236	1	64	12.50	10.32	8.72	11.68	10.59	9.22	/67	7.90	7.36	7.04
LP852-057	1	12 13 32.9	−25 55 25	0.433	137.3	1	.04271	.00203	1	64	12.24	10.09	8.98	11.47	10.51	9.49	/34	8.38	7.74	7.55
SCR1214-4603	1	12 14 40.0	−46 03 14	0.750	250.8	60	...	...	...	...	16.80	14.53	11.60	15.66	14.14	12.23	/71	10.32	9.75	9.44
SCR1217-7810	1	12 17 26.9	−78 10 46	0.212	056.7	1	...	...	...	...	17.55	15.69	13.15	16.43	14.92	13.05	/71	11.20	10.64	10.36
LP674-104	1	12 18 34.9	−06 25 23	0.379	263.3	1	...	...	...	...	14.89	12.72	10.74	...	...	...	...	9.55	8.97	8.71
LP052-034	1	12 19 48.8	−23 32 05	0.198	262.6	1	...	...	...	...	16.58	14.36	11.69	...	...	...	...	10.49	9.90	9.58
LP794-053	1	12 20 05.1	−18 13 00	0.228	280.4	1	...	...	...	...	16.77	14.40	11.94	...	...	...	...	10.56	9.99	9.62
L018-022	1	12 20 33.8	−82 25 58	0.273	004.5	1	...	...	...	...	12.89	10.74	9.10	11.96	10.76	9.20	3/	7.70	7.14	6.84
L038-047	1	12 22 06.8	−78 38 27	0.397	241.8	1	...	...	...	...	13.08	10.97	9.36	12.13	11.04	9.69	1/	8.36	7.75	7.48
GJ1157	1	12 23 01.4	−46 37 09	0.848	245.3	1	.06242	.00063	1	47	14.39	12.19	9.94	13.59	12.35	10.71	/47	9.17	8.63	8.36
2MA1223-4606	2	12 23 38.6	−46 06 20	0.214	264.6	1	...	...	...	...	14.94J	12.43J	10.89J	...	...	...	...	9.53J	8.94J	8.70J
LHS0325a	1	12 23 56.2	−27 57 46	1.293	284.4	36	...	...	...	...	19.35	17.15	14.15	18.39	16.42	14.20	/24	11.98	11.40	11.07
SCR1224-5339	1	12 24 24.4	−53 39 09	0.217	257.2	1	...	...	...	...	16.52	14.04	11.50	15.31	13.95	12.19	/71	10.51	9.93	9.65

Table 1—Continued

Name	# comp.	RA	DEC	μ ($''$yr^{-1})	P.A. (deg)	ref	π ($''$)	π error ($''$)	# π	ref	B_J (mags)	R_{59F} (mags)	I_{IVN} (mags)	V_J (mags)	R_{KC} (mags)	I_{KC} (mags)	# nts/ref	J (mags)	H (mags)	K_s (mags)
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)
GJ0465	1	12 24 52.2	−12 38 36	2.553	154.4	29	.11167	.00168	3	29,63,64	12.14	9.92	8.30	11.27	10.23	8.97	2/29u	7.73	7.25	6.95
BRI1222-1222	1	12 24 52.5	−18 14 32	0.353	230.4	1	.05860	.00380	1	62	21.83	18.58	15.26	20.41	18.01	15.60	/16	12.57	11.82	11.35
LHS2557	1	12 25 32.0	−15 59 42	0.826	272.9	36	...	...	...	...	15.77	13.65	11.21	15.19	13.76	11.85	/45	9.95	9.36	9.00
LP735-048	1	12 26 44.1	−12 29 18	0.196	242.5	1	...	...	...	...	12.82	10.54	8.85	12.59	11.49	10.08	/44	8.87	8.12	7.87
LP852-050	1	12 27 02.2	−25 45 01	0.394	227.3	1	...	...	...	...	16.92	14.75	12.25	...	...	...	...	10.84	10.27	9.93
LP735-011	2	12 28 53.0	−10 39 51	0.274	267.7	1	...	...	...	...	10.88J	8.87J	7.35J	10.97J	9.93J	8.67J	1/	7.65	7.19[c]	6.79
GJ1158	1	12 29 34.5	−55 59 37	1.164	228.9	1	.07618	.00138	1	30	14.53	12.41	10.30	13.26	12.02	10.41	/30	8.89	8.35	8.07
LHS2567	2	12 29 54.2	−05 27 24	0.660	243.8	1	.04768[a]	.00129	2	47,47	12.75J	10.73J	8.72J	13.08	11.87	10.33	/47	8.82	8.27[c]	7.96
SCR1230-3411	2	12 30 01.8	−34 11 24	0.529	234.4	1	...	...	...	...	15.29J	13.18J	10.92J	14.16J	12.81J	11.07J	/71	9.34J	8.77J[c]	8.44J
L194-073	1	12 30 16.6	−57 37 20	0.228	266.0	1	...	...	...	...	14.93	12.83	11.00	...	...	...	...	9.69	9.03	8.79
L327-030	1	12 30 44.9	−46 22 43	0.400	269.8	1	...	...	...	...	12.04	9.85	8.63	...	...	...	...	8.37	7.72	7.49
LP735-016	1	12 32 44.5	−15 30 55	0.268	218.7	1	...	...	...	...	18.14	15.85	13.47	...	...	...	...	11.38	10.85	10.46
L327-121	1	12 33 33.1	−48 26 11	0.267	284.7	1	...	...	...	...	13.07	10.94	8.99	12.05	10.90	9.43	1/	8.01	7.38	7.14
LP735-019	1	12 34 44.5	−10 47 41	0.347	251.3	1	...	...	...	...	15.12	12.88	11.10	...	...	...	...	9.92	9.31	9.05
GJ0477	2	12 35 58.4	−45 56 21	0.706	188.7	28	.05465	.00293	2	63,64	11.62J	9.64J	8.01J	11.12J	10.12J	8.93J	/5	7.67J	7.03J	6.84J
LP795-038	1	12 37 21.6	−20 52 36	0.428	183.8	1	...	...	...	...	14.05	11.78	9.83	13.28	12.10	10.54	/44	8.97	8.32	8.09
LHS5221	1	12 37 21.7	−32 00 37	0.498	151.1	36	...	...	...	...	16.17	13.84	11.10	...	...	...	...	10.17	9.61	9.29
GJ0479	1	12 37 52.2	−52 00 06	1.077	270.6	1	.10419	.00224	2	63,64	11.57	9.31	7.53	10.66	9.57	8.21	2/	6.86	6.29	6.02
2MA1238-2703	1	12 38 37.1	−27 03 35	0.249	219.9	1	...	...	...	...	13.44	11.34	9.79	...	...	...	...	8.73	8.08	7.84
GJ1162	1	12 38 47.3	−04 19 17	0.765	253.7	1	.05070	.00310	1	63	14.59	11.99	10.07	13.56	12.37	10.82	/44	9.33	8.76	8.46
LHS0337	1	12 38 49.1	−38 22 54	1.464	206.4	25	.15678	.00199	1	25	13.67	11.44	9.08	12.75	11.44	9.74	/25	8.17	7.76[c]	7.39
LP735-024	1	12 38 52.2	−10 02 40	0.350	278.7	1	...	...	...	...	15.26	13.07	11.13	...	...	...	...	9.98	9.43	9.13
CE258	1	12 39 17.5	−34 27 25	0.233	251.7	1	...	...	...	...	15.83	13.67	11.87	...	...	...	...	10.30	9.75	9.48
LHS2597	1	12 39 36.4	−26 58 11	0.594	251.3	1	...	...	...	...	16.68	14.28	11.42	...	...	...	...	10.04	9.58	9.23
GJ0480.1	1	12 40 46.3	−43 33 59	1.048	312.0	63	.12557	.00383	2	63,64	13.10	10.57	8.79	12.24	11.06	9.58	2/	8.22	7.70	7.41
SCR1240-8116	1	12 40 56.0	−81 16 31	0.476	279.3	1	...	...	...	...	15.15	13.12	11.25	14.11	12.89	11.28	/71	9.73	9.16	8.89
SCR1241-4655	1	12 41 03.3	−46 55 23	0.260	259.3	1	...	...	...	...	12.84	10.44	9.07	12.14	11.12	9.89	1/	8.68	8.09[c]	7.81
LHS5224	1	12 41 26.6	−56 42 00	0.499	270.6	36	...	...	...	...	13.22	11.37	9.87	...	...	...	...	8.97	8.27	8.02
LHS2608	1	12 42 19.7	−71 38 20	0.706	269.2	36	...	...	...	...	14.03	12.42	10.50	...	...	...	...	9.17	8.54[c]	8.22
LP796-001	1	12 43 58.9	−16 14 35	0.428	280.0	1	...	...	...	...	15.85	13.66	11.23	...	...	...	...	9.78	9.20	8.90
LHS5226	1	12 44 00.7	−11 10 30	0.501	250.8	1	...	...	...	...	15.40	13.22	10.94	14.19	12.85	11.13	1/	9.52	8.97	8.67
LP736-031	1	12 44 31.0	−11 42 15	0.281	227.9	1	...	...	...	...	15.33	13.31	11.19	...	...	...	...	9.93	9.38	9.07
LTT04866	1	12 44 37.6	−41 55 38	0.374	261.0	1	...	...	...	...	12.19	9.89	8.94	...	...	...	...	8.45	7.88	7.67
SCR1245-5506	1	12 45 52.5	−55 06 50	0.413	107.0	1	...	...	...	...	14.84	12.82	10.34	13.66	12.32	10.61	/71	8.99	8.43	8.12
LP796-006	1	12 46 59.8	−19 02 30	0.261	207.4	1	...	...	...	...	13.08	10.94	9.60	...	...	...	...	8.73	8.05	7.81
LHS2634	1	12 47 09.8	−03 34 18	0.499	264.4	1	...	...	...	...	13.36	11.02	9.60	12.60	11.51	10.11	3/	8.77	8.16	7.89
LP853-034	1	12 47 10.0	−22 22 37	0.272	259.0	1	...	...	...	...	13.30	10.97	9.53	12.29	11.25	9.99	/44	8.69	8.10	7.84
SCR1247-0525	1	12 47 14.7	−05 25 13	0.725	320.9	1	...	...	...	...	15.90	13.38	10.92	14.78	13.45	11.73	3/71u	10.13	9.62	9.29
LHS5228	1	12 47 46.9	−08 36 17	0.498	225.6	36	...	...	...	...	12.98	10.78	9.73	...	...	...	...	8.85	8.22	8.00
GJ0488	1	12 50 43.6	−00 46 05	0.420	170.5	1	.09430	.00081	2	63,64	9.24	7.40	6.26	8.47	7.59	6.75	/33	5.75	5.22[c]	4.88
DEN1250-2121	1	12 50 52.7	−21 21 14	0.526	128.6	1	.05777	.00172	1	16	19.40	16.95	13.34	18.36	16.15	13.78	/16	11.16	10.55	10.13
LP909-045	1	12 52 16.8	−32 27 08	0.293	214.9	1	...	...	...	...	12.88	10.92	9.71	...	...	...	...	8.87	8.18	8.02
LTT04925	1	12 53 19.4	−05 19 53	0.389	240.0	37	...	...	...	...	13.71	11.52	9.94	...	...	...	...	8.92	8.37	8.12
L256-005	1	12 53 47.8	−50 49 35	0.385	281.2	1	...	...	...	...	13.57	11.85	10.22	...	...	...	...	9.19	8.57	8.35
LP736-015	1	12 56 02.1	−12 57 22	0.335	235.7	1	...	...	...	...	18.86	16.35	12.56	...	...	...	...	11.02	10.47	10.04
LP854-003	1	12 56 13.3	−22 04 59	0.364	224.3	1	...	...	...	...	13.04	10.79	9.28	12.54	11.47	10.16	/44	8.87	8.33	8.05
SIP1259-4336	1	12 59 04.8	−43 36 25	1.133	104.0	14	...	...	...	...	19.02	16.71	12.80	18.01	15.74	13.29	3/	10.53	9.95	9.52
LHS5231	1	12 59 18.2	−00 10 33	0.482	162.4	36	...	...	...	...	13.81	11.84	9.87	12.93	11.77	10.24	1/	8.79	8.23[c]	7.92
LP854-057	1	12 59 41.7	−26 50 16	0.184	264.8	1	...	...	...	...	14.85	12.69	10.78	...	...	...	...	9.64	9.07	8.78

Table 1—Continued

Name	# comp.	RA	DEC	μ ($''$yr^{-1})	P.A. (deg)	ref	π ($''$)	π error ($''$)	# π	ref	B_J (mags)	R_{59F} (mags)	I_{IVN} (mags)	V_J (mags)	R_{KC} (mags)	I_{KC} (mags)	# nts/ref	J (mags)	H (mags)	K_s (mags)
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)
LTT04969	1	13 00 04.0	−05 37 48	0.341	275.4	1	...	...	...	...	13.42	11.07	9.62	12.57	11.45	10.01	/44	8.66	8.04	7.78
L256-025	1	13 00 43.3	−52 09 41	0.185	128.7	1	...	...	...	...	13.03	11.02	9.64	...	...	...	...	8.77	8.13	7.94
LHS2668	1	13 01 19.7	−63 11 42	0.595	225.5	1	.05819	.00237	2	63,64	11.90	9.90	8.68	10.93	9.96	8.90	/34	7.76	7.15	6.93
LP910-013	1	13 06 12.2	−29 56 35	0.443	273.3	1	...	...	...	...	14.27	12.63	10.47	...	...	...	...	9.54	8.98	8.66
LTT05031	1	13 08 51.2	−01 31 08	0.403	271.0	37	...	...	...	...	13.56	11.56	9.68	12.77	11.67	10.28	/44	8.92	8.34	8.08
LHS0346	1	13 09 20.4	−40 09 27	1.224	141.9	1	.06175	.00112	1	29	13.34	11.08	9.20	12.86	11.73	10.24	/29	8.79	8.24	7.99
CE303	1	13 09 21.9	−23 30 36	0.378	177.4	1	.06933	.00133	1	16	20.41	17.91	14.51	19.37	17.00	14.58	/16	11.79	11.08	10.67
SCR1311-4619	1	13 11 49.3	−46 19 17	0.276	234.4	1	...	...	...	...	15.12	12.97	10.74	14.35	13.14	11.58	1/	10.06	9.41	9.15
LTT05056	1	13 12 31.7	−27 02 23	0.217	223.9	1	...	...	...	...	13.98	11.88	10.06	...	...	...	...	9.31	8.65	8.54
WT0392	1	13 13 09.3	−41 30 40	1.028	271.7	29	.08358	.00158	1	29	13.53	11.26	9.13	12.90	11.60	9.95	2/29u	8.29	7.68	7.41
LP617-021	1	13 15 18.5	−02 49 52	0.268	136.0	1	...	...	...	...	15.43	13.41	11.30	...	...	...	...	9.82	9.27	9.00
LHS2707	1	13 16 04.2	−55 16 42	0.556	253.3	1	...	...	...	...	13.24	11.03	9.83	...	...	...	...	9.07	8.47[c]	8.21
LHS2704	1	13 16 16.5	−73 08 35	0.500	250.0	38	...	...	...	...	13.87	11.95	10.11	13.11	11.99	10.58	/40	9.25	8.64	8.40
LP737-014	1	13 16 45.4	−12 20 20	0.300	261.4	1	...	...	...	...	14.52	12.23	10.33	...	...	...	...	9.49	8.91	8.64
LTT05105	1	13 18 19.0	−46 47 30	0.305	257.2	1	...	...	...	...	14.17	11.90	10.10	...	...	...	...	9.36	8.77[c]	8.54
LP617-030	1	13 19 29.1	−03 21 40	0.254	243.0	1	...	...	...	...	14.45	12.48	10.92	...	...	...	...	9.66	9.03	8.79
L401-070	1	13 19 32.6	−42 45 30	0.331	239.0	38	...	...	...	...	13.12	10.86	9.32	...	...	...	...	8.62	8.02[c]	7.76
LHS2718	1	13 20 03.9	−35 24 44	0.962	241.1	47	.07304	.00079	1	47	14.02	11.84	10.04	12.84	11.70	10.24	/47	8.83	8.25	7.98
L977-016	2(1)	13 20 24.9	−01 39 27	0.290	150.0	1	.04642	.00324	1	64	12.54	10.20	9.15	11.57	10.61	9.51	2/	8.39	7.79	7.53
LP737-051	1	13 21 54.1	−14 24 10	0.218	287.1	1	...	...	...	...	15.00	12.81	10.53	...	...	...	...	9.82	9.29	8.99
L257-129	1	13 22 04.7	−55 00 59	0.279	239.5	1	...	...	...	...	14.78	12.47	10.49	...	...	...	...	9.30	8.68	8.43
LHS2729	1	13 23 38.0	−25 54 45	0.643	244.8	1	.07148	.00153	1	47	13.85	11.59	9.45	12.89	11.68	10.14	/49	8.66	8.07[c]	7.78
G014-052	1	13 24 46.5	−05 04 20	0.328	166.7	1	...	...	...	...	15.10	13.10	11.04	13.88	12.62	10.98	1/	9.47	8.86	8.56
GJ0510	1	13 25 48.9	−28 22 26	0.444	260.9	1	.05981	.00236	2	63,64	11.96	9.89	8.12	11.00	10.01	8.86	/5	7.72	7.13	6.88
LHS2739	2	13 27 19.6	−31 10 40	0.587	254.5	1	.05010	.00250	1	55	14.66J	12.41J	10.38J	13.58J	12.38J	16.35J	/44	9.33J	8.77J[c]	8.52J
LP855-014	1	13 27 54.0	−26 57 01	0.212	241.0	1	.04743	.00281	1	64	13.02	11.12	9.37	11.78	10.78	8.60	/34	8.38	7.76[c]	7.54
GJ0512	2(1)	13 28 21.1	−02 21 37	0.520	167.4	1	.07284	.00270	2	63,64	11.68	9.62	7.94	11.35	10.27	8.89	1/	7.52	6.91[c]	6.61
LP677-097	1	13 28 24.2	−03 59 13	0.183	267.5	1	...	...	...	...	13.29	11.34	10.15	...	...	...	...	8.98	8.31	8.10
2MA1328-3654	1	13 28 32.9	−36 54 23	0.202	266.7	1	...	...	...	...	15.36	13.07	11.11	...	...	...	...	9.83	9.26	9.03
LHS2743	1	13 30 25.8	−52 02 40	0.653	237.5	1	...	...	...	...	13.82	11.90	10.05	...	...	...	...	9.15	8.57	8.31
LEP1330-2039	1	13 30 40.9	−20 39 03	0.599	149.7	1	...	...	...	...	12.64	10.41	8.62	12.46	11.27	9.75	2/	8.28	7.65	7.39
LP855-025	1	13 31 27.4	−23 04 57	0.263	198.5	1	...	...	...	...	13.61	11.63	10.00	...	...	...	...	9.16	8.52	8.30
LP911-026	1	13 32 55.8	−29 16 20	0.224	259.7	1	...	...	...	...	17.23	15.03	12.15	...	...	...	...	10.57	10.02	9.68
LHS2758	1	13 34 23.6	−26 22 12	0.775	242.3	1	...	...	...	...	15.13	13.00	10.92	...	...	...	...	9.58	9.02	8.75
L330-100	1	13 35 11.5	−48 21 26	0.395	112.2	1	...	...	...	...	11.91	9.41	8.82	...	...	...	...	8.12	7.52	7.30
LP330-008	1	13 36 23.1	−45 56 16	0.460	239.0	38	...	...	...	...	12.40	10.16	9.73	...	...	...	...	8.22	7.57	7.33
2MA1338-2516	2	13 38 25.6	−25 16 47	0.322	256.0	1	...	...	...	...	13.02J	11.06J	9.62J	...	...	...	...	8.66J	8.03J	7.78J
LTT05282	1	13 38 53.4	−02 15 47	0.313	258.5	1	...	...	...	...	13.09	10.34	9.78	12.12	11.08	9.81	/70	8.60	8.01	7.75
L906-011	1	13 38 58.7	−06 14 13	0.207	157.9	1	.04243	.00221	1	64	11.60	9.53	8.57	10.72	9.82	8.93	/34	7.89	7.27	7.06
LP678-016	1	13 38 59.7	−06 44 36	0.415	229.0	1	...	...	...	...	15.31	13.13	11.23	...	...	...	...	10.02	9.41	9.14
GJ0521.1	1	13 40 07.1	−04 11 10	0.641	324.0	1	.06774	.00116	2	63,64	10.41	8.13	7.51	9.63	8.76	7.92	/5	6.90	6.25[c]	6.04
LTT05298	1	13 40 45.5	−31 10 15	0.304	229.6	1	...	...	...	...	13.91	11.59	10.30	...	...	...	...	9.15	8.46	8.22
LHS2783	1	13 42 09.9	−16 00 23	0.510	268.5	36	...	...	...	...	13.57	11.55	9.59	13.42	12.14	10.52	2/	8.97	8.39	8.09
SCR1343-4002	1	13 43 41.5	−40 02 29	0.242	117.8	1	...	...	...	...	16.44	14.05	11.37	15.07	13.69	11.89	1/	10.14	9.61	9.25
LP855-060	1	13 44 20.9	−26 18 35	0.364	237.1	1	...	...	...	...	14.51	12.48	10.42	...	...	...	...	9.15	8.61[c]	8.29
LP798-029	1	13 44 37.1	−19 54 44	0.389	244.2	1	...	...	...	...	14.72	12.71	10.71	...	...	...	...	9.56	8.97	8.72
GJ0524	1	13 44 48.8	−54 07 18	0.452	213.7	1	...	...	...	...	13.72	11.15	9.11	12.46	11.40	10.12	/5	8.86	8.30	8.07
LHS2794	1	13 45 50.7	−17 58 06	0.595	206.2	1	.09762	.00503	1	64	13.02	10.43	8.88	11.86	10.69	9.19	/69	7.75	7.19	6.90
LP911-056	1	13 46 46.0	−31 49 26	0.366	294.9	1	...	...	...	...	18.78	16.52	13.17	...	...	...	...	10.98	10.44	10.04

Table 1—Continued

Name	# comp.	RA	DEC	μ ($''$yr^{-1})	P.A. (deg)	ref	π ($''$)	π error ($''$)	# π	ref	B_J (mags)	R_{59F} (mags)	I_{IVN} (mags)	V_J (mags)	R_{KC} (mags)	I_{KC} (mags)	# nts/ref	J (mags)	H (mags)	K_s (mags)
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)
LHS2804	1	13 48 40.8	−05 17 08	0.526	152.6	1	...	...	...	...	15.89	13.67	11.53	...	...	...	...	10.33	9.70	9.40
UPM1349-4228	1	13 49 01.0	−42 31 10	0.183	242.4	21	...	...	...	...	14.73	13.76	13.35	13.27	12.16	10.78	1/	9.45	8.86	8.62
L039-039	1	13 49 02.5	−79 25 54	0.375	280.4	1	...	...	...	...	12.48	10.24	8.79	11.70	10.70	9.52	1/	8.34	7.69[c]	7.39
L691-021	2(1)	13 50 23.8	−21 37 20	0.368	176.1	1	...	...	...	...	14.83	12.80	10.68	13.61	12.41	10.90	/67	9.46	8.86	8.63
LHS2813	1	13 51 21.8	−53 32 46	0.568	137.6	1	...	...	...	...	14.28	12.00	10.00	12.84	11.73	10.32	1/	8.93	8.38	8.12
LP798-049	1	13 51 57.1	−17 58 49	0.222	263.2	1	...	...	...	...	17.11	15.14	12.82	...	...	...	...	10.82	10.21	9.93
LP798-051	1	13 52 53.5	−18 20 17	0.290	242.3	1	.04293	.00325	1	64	12.76	10.67	9.31	11.80	10.80	9.65	/44	8.46	7.87	7.61
LHS2822	1	13 53 55.6	−20 14 43	0.545	057.1	1	...	...	...	...	13.65	11.45	9.80	...	...	...	...	9.03	8.46	8.21
2MA1354-7121	1	13 54 53.9	−71 21 48	0.212	231.2	20	...	...	...	...	12.60	10.67	8.75	12.28	11.19	9.86	1/	8.55	7.92	7.67
GJ1181	2	13 55 02.6	−29 05 26	0.277	253.9	1	.05793	.00148	1	64	10.72J	8.65J	7.49J	9.52J	8.60J	7.64J	/34	6.52J	5.84J	5.64J
L070-053	1	13 55 28.0	−73 29 41	0.377	294.2	1	...	...	...	...	11.98	10.27	9.17	11.36	10.40	9.30	1/	8.18	7.58	7.35
LTT05425	1	13 55 35.1	−07 23 17	0.273	113.0	1	...	...	...	...	13.31	11.23	9.61	...	...	...	...	8.81	8.23	7.95
LHS2826	1	13 56 20.6	−28 03 50	0.472	256.0	1	...	...	...	...	16.26	14.23	12.03	15.26	13.87	12.14	/11	10.48	9.88	9.57
LP475-052	2(1)	13 57 14.0	−38 32 28	0.267	228.0	38	...	...	...	...	13.39	11.24	9.80	...	...	...	...	9.18	8.52	8.27
SSS1358-3938	1	13 58 05.4	−39 37 55	1.952	117.1	54	...	...	...	...	15.14	12.63	10.27	14.04	12.80	11.20	2/	9.72	9.23	8.95
LP739-002	1	13 58 16.2	−12 02 59	0.345	275.3	1	...	...	...	...	14.94	12.78	10.48	14.46	13.10	11.39	2/	9.73	9.17	8.89
LP739-003	1	13 58 19.6	−13 16 25	0.364	102.5	1	...	...	...	...	14.64	12.39	10.23	13.96	12.71	11.08	/44	9.49	8.93	8.65
LHS2836	1	13 59 10.4	−19 50 04	0.589	247.3	1	.09286	.00089	1	47	13.98	11.69	9.52	12.88	11.60	9.90	/49	8.33	7.76[c]	7.45
SIP1400-4109	1	14 00 49.7	−41 09 54	0.251	214.8	1	...	...	...	...	16.24	13.96	11.44	...	...	...	...	10.29	9.71	9.45
GJ0536	1	14 01 03.2	−02 39 18	1.046	303.3	1	.09973	.00151	2	63,64	10.06	7.95	6.29	9.68	8.73	7.65	/5	6.52	5.94	5.68
LHS2848	1	14 02 28.9	−21 00 37	0.639	127.0	1	...	...	...	...	14.32	12.21	10.33	13.19	12.04	10.56	/69	9.16	8.60	8.25
LHS2852	1	14 02 46.7	−24 31 50	0.506	315.6	1	...	...	...	...	13.32	10.53	9.55	12.13	11.08	9.85	2/	8.64	8.10	7.84
LP912-046	1	14 04 03.2	−30 00 47	0.250	167.0	1	...	...	...	...	14.53	12.60	10.80	...	...	...	...	9.46	8.83	8.62
L106-015	1	14 04 08.2	−66 14 38	0.470	076.0	38	...	...	...	...	14.01	11.98	10.61	11.59	10.51	9.14	2/	7.78	7.15	6.92
LP912-048	1	14 05 36.9	−32 08 39	0.227	156.8	1	...	...	...	...	16.88	14.68	12.45	...	...	...	...	10.70	10.02	9.80
LP679-084	1	14 06 39.3	−05 43 29	0.198	271.1	1	...	...	...	...	14.80	12.72	10.50	...	...	...	...	9.57	8.96	8.68
LP912-052	1	14 08 41.0	−28 01 04	0.397	236.8	1	...	...	...	...	16.76	14.63	12.50	...	...	...	...	10.78	10.19	9.87
LTT05526	1	14 09 36.5	−41 22 28	0.393	244.7	1	...	...	...	...	15.12	13.08	11.09	...	...	...	...	9.83	9.26	8.99
L548-010	1	14 10 57.5	−31 17 25	0.322	305.6	1	.05958	.00206	1	64	12.06	9.93	8.43	10.83	9.85	8.73	/34	7.55	6.94	6.69
WT0460	2	14 11 59.9	−41 32 21	0.693	265.4	1	.10741	.00152	1	25	16.85J	13.97J	11.59J	15.65J	13.91J	11.80J	5/25u	9.67J	9.04J	8.62J
LHS2875	2(1)	14 12 11.0	−00 35 04	0.746	290.8	1	.04020	.00340	1	63	13.31	11.33	9.61	13.04	11.96	10.62	/6	9.35	8.79	8.55
GJ0540.2	1	14 13 04.9	−12 01 27	0.669	235.0	1	...	...	...	...	14.89	12.61	10.45	13.89	12.52	10.79	3/	9.04	8.45	8.16
GJ2106	1	14 13 12.9	−56 44 32	0.353	068.7	1	.08562	.00194	1	64	11.47	9.36	8.91	10.19	9.21	8.11	/34	6.95	6.39	6.14
LP739-036	1	14 15 46.4	−13 29 34	0.430	251.6	1	...	...	...	...	13.13	10.98	9.47	...	...	...	...	8.96	8.34	8.11
L404-216	1	14 16 47.5	−44 53 21	0.409	286.7	1	...	...	...	...	12.63	10.34	8.37	...	...	...	...	8.33	7.71	7.45
L404-010	1	14 17 25.9	−40 18 15	0.381	273.3	1	...	...	...	...	13.48	11.30	9.71	...	...	...	...	8.63	8.09	7.81
LP619-064	1	14 17 59.1	−00 31 29	0.382	226.0	37	...	...	...	...	13.86	11.99	10.23	...	...	...	...	9.04	8.50	8.28
GJ0543	1	14 19 11.0	−07 18 12	1.355	235.5	36	.05190	.00440	1	63	14.01	11.53	9.82	13.48	12.39	10.99	/5	9.67	9.23	8.92
GJ0545	1	14 20 07.4	−09 37 13	1.023	217.7	1	.07140	.00130	3	29,57,63	13.94	11.48	9.94	12.84	11.69	10.15	/29	8.74	8.19	7.98
SCR1420-7516	1	14 20 36.8	−75 16 06	0.194	243.8	1	...	...	...	...	14.23	12.68	10.45	13.78	12.55	10.95	/71	9.44	8.91	8.63
LHS2899	1	14 21 15.1	−01 07 20	0.670	162.5	1	.07466	.00215	1	47	14.30	12.20	10.20	13.12	11.92	10.39	/47	8.95	8.39	8.09
LP913-013	1	14 21 49.0	−31 54 35	0.329	206.2	1	...	...	...	...	14.31	12.12	10.26	12.85	11.79	10.47	/44	9.14	8.58	8.31
GJ2107	1	14 23 06.4	−68 22 58	0.241	163.8	1	.04261	.00147	1	64	11.20	8.98	8.82	10.21	9.33	8.46	1/	7.42	6.82	6.56
LHS2906	1	14 23 07.8	−22 17 09	0.531	208.8	1	...	...	...	...	16.13	14.13	12.00	14.98	13.70	12.03	1/	10.40	9.79	9.50
LP800-058	1	14 25 13.3	−16 24 56	0.371	276.0	1	...	...	...	...	18.46	16.06	13.13	...	...	...	...	11.48	10.90	10.49
LP740-010	1	14 25 34.1	−11 48 52	0.335	272.1	1	...	...	...	...	14.41	12.22	10.48	...	...	...	...	9.35	8.70	8.39
LP620-012	1	14 26 36.8	−01 15 23	0.205	238.8	1	...	...	...	...	14.97	12.92	11.17	...	...	...	...	9.84	9.27	9.01
GJ1183	2(1)	14 27 56.1	−00 22 31	0.340	281.4	1	.06170	.00320	1	63	15.32	12.93	11.22	13.95	12.65	10.93	/67	9.31	8.70	8.40
GJ0550.3	1	14 29 18.6	−46 27 50	0.199	195.9	1	.04249	.00207	2	63,64	11.20	8.76	8.06	10.35	9.49	8.61	/5	7.64	7.01[c]	6.79

Table 1—Continued

Name	# comp.	RA	DEC	μ ($''$yr^{-1})	P.A. (deg)	ref	π ($''$)	π error ($''$)	# π	ref	B_J (mags)	R_{59F} (mags)	I_{IVN} (mags)	V_J (mags)	R_{KC} (mags)	I_{KC} (mags)	# nts/ref	J (mags)	H (mags)	K_s (mags)
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)
LP913-027	1	14 29 49.2	−29 32 14	0.249	246.7	1	...	...	...	...	13.27	11.12	9.67	...	...	...	...	8.94	8.34[c]	8.10
GJ0553	1	14 30 47.7	−08 38 47	1.292	259.3	28	.05946	.00140	2	63,64	10.03	7.58	6.98	9.38	8.51	7.67	/5	6.62	6.01	5.77
GJ0552.1	1	14 30 58.9	−54 06 05	0.308	217.1	1	...	...	...	...	12.80	10.78	9.68	11.66	10.63	9.36	/5	8.60	7.43	7.27
GJ0553.1	1	14 31 01.2	−12 17 46	0.580	234.6	1	.09178	.00370	2	63,64	12.58	9.89	8.66	11.95	10.79	9.30	/5	7.80	7.26	6.96
LP740-020	1	14 31 15.6	−13 18 25	0.345	232.1	1	...	...	...	...	17.52	15.14	12.52	...	...	...	...	11.10	10.47	10.10
LHS0375	1	14 31 38.3	−25 25 33	1.386	268.6	36	.04170	.00100	1	63	16.79	14.83	13.07	15.64	14.56	13.35	2/	12.15	11.67	11.51
SIP1432-3326	2	14 32 04.8	−33 26 26	0.188	119.4	1	...	...	...	...	16.47J	14.33J	12.12J	...	...	...	...	10.37J	9.85J	9.53J
LP913-077	1	14 32 18.0	−33 20 59	0.197	119.1	1	...	...	...	...	15.25	13.13	11.08	...	...	...	...	9.69	9.11	8.81
LP857-051	1	14 33 12.2	−22 12 31	0.384	151.8	1	...	...	...	...	14.56	12.31	10.71	...	...	...	...	9.68	9.05	8.80
LHS5273	1	14 34 04.9	−18 24 11	0.512	248.5	1	...	...	...	...	15.39	13.05	10.67	...	...	...	...	9.58	9.03	8.71
GJ0555	1	14 34 16.8	−12 31 10	0.691	330.3	29	.16078	.00198	3	29,63,64	12.43	10.16	8.23	11.34	10.06	8.44	3/29u	6.84	6.26	5.94
LP913-046	1	14 36 18.1	−30 57 33	0.311	212.2	1	...	...	...	...	14.22	12.08	10.48	...	...	...	...	9.54	8.93	8.69
LP620-047	1	14 38 39.4	−02 57 24	0.213	260.7	1	...	...	...	...	15.01	12.88	11.05	...	...	...	...	9.86	9.30	9.03
L333-199	1	14 40 20.8	−48 36 59	0.394	137.2	1	...	...	...	...	12.88	10.55	9.38	...	...	...	...	8.33	7.71	7.47
LP914-006	1	14 40 22.1	−27 52 42	0.267	213.0	1	...	...	...	...	14.72	12.55	10.66	13.58	12.44	10.97	/44	9.57	9.03	8.75
LTT05828	1	14 41 09.9	−08 59 20	0.267	281.6	1	...	...	...	...	14.72	12.60	10.75	...	...	...	...	9.35	8.76	8.51
SCR1441-7338	1	14 41 14.4	−73 38 41	0.206	029.1	1	...	...	...	...	18.28	16.15	13.05	17.05	15.31	13.25	/71	11.20	10.61	10.27
LP680-049	1	14 41 15.3	−06 59 09	0.194	104.1	1	...	...	...	...	14.48	12.44	10.84	...	...	...	...	9.48	8.94	8.68
LTT05831	3	14 41 35.8	−09 46 39	0.210	263.0	1	...	...	...	...	13.53J	11.44J	10.02J	...	...	...	...	8.67J	8.05J	7.82J
SCR1444-3426	1	14 44 06.6	−34 26 47	0.451	187.7	1	...	...	...	...	15.01	12.49	10.47	14.17	12.89	11.26	/71	9.74	9.18	8.88
LP858-020	1	14 44 15.0	−27 17 26	0.258	257.5	1	...	...	...	...	17.08	14.95	12.64	...	...	...	...	10.89	10.32	10.04
SSS1444-2019	1	14 44 20.3	−20 19 26	3.507	236.0	52	.06160	.00196	2	19,52	21.16	18.47	14.95	20.25	17.62	14.95	3/	12.55	12.14	11.93
GJ1185	1	14 47 55.2	−03 09 36	0.639	306.0	1	.05080	.00360	1	63	14.39	12.28	10.70	13.33	12.28	10.99	/69	9.78	9.28	9.06
GJ0563.2	2(1)	14 49 33.2	−26 06 20	1.396	275.6	28	.05091[a] [b]	.0784	3	63,64,64	13.13	11.04	10.13	11.68	10.70	9.62	/5	8.44	7.86	7.64
SIP1452-3458	1	14 52 52.9	−34 58 47	0.392	203.3	1	...	...	...	...	17.72	15.21	12.26	...	...	...	...	11.05	10.48	10.16
LP801-025	1	14 54 10.4	−20 41 29	0.300	199.1	1	...	...	...	...	16.34	14.04	11.43	...	...	...	...	10.26	9.67	9.35
LTT05930	1	14 54 58.3	−11 23 21	0.433	170.6	1	...	...	...	...	13.85	11.87	10.02	...	...	...	...	9.07	8.37	8.18
SCR1456-7239	1	14 56 02.3	−72 39 41	0.207	225.0	1	...	...	...	...	16.50	14.22	11.99	15.36	13.99	12.28	/71	10.62	10.06	9.74
LP406-203	1	14 56 37.7	−44 56 28	0.241	237.3	1	...	...	...	...	14.12	11.82	9.72	...	...	...	...	9.38	8.74	8.49
LHS3003	1	14 56 38.3	−28 09 49	0.975	209.8	10	.15249	.00202	3	10,62,63	18.37	16.07	11.99	16.95	14.90	12.50	/16	9.97	9.32	8.93
LP681-091	1	14 57 33.3	−06 19 49	0.234	164.9	1	.04081	.00460	1	64	11.83	10.12	8.73	11.47	10.59	9.73	/68	8.65	8.00	7.84
SCR1459-4210	1	14 59 57.4	−42 10 09	0.192	200.1	1	...	...	...	...	16.34	14.54	12.31	15.39	14.07	12.37	1/	10.68	10.12	9.87
L072-010	1	15 02 07.7	−71 18 01	0.337	225.1	1	...	...	...	...	13.82	12.04	9.75	13.11	11.91	10.34	2/	8.84	8.20	7.96
LP914-041	1	15 03 13.2	−28 40 14	0.241	206.7	1	...	...	...	...	18.52	16.25	13.38	...	...	...	...	11.51	10.98	10.64
L406-116	1	15 03 42.2	−42 38 51	0.353	222.5	1	...	...	...	...	13.55	11.39	9.66	...	...	...	...	9.14	8.47	8.23
LP859-001	1	15 04 16.2	−23 55 57	0.342	254.1	1	...	...	...	...	20.26	17.92	14.65	...	...	...	...	12.01	11.38	11.03
LP859-011	1	15 08 23.4	−23 51 38	0.336	225.5	1	...	...	...	...	12.76	10.52	9.14	11.90	10.89	9.69	/44	8.49	7.88	7.63
TVLM868-110639	1	15 10 16.8	−02 41 08	0.383	277.0	1	.06120	.00470	1	61	21.72	18.81	15.58	20.51	18.04	15.66	/11	12.61	11.84	11.35
LTT06043	1	15 10 35.7	−42 58 37	0.421	229.3	1	.04104	.00228	2	63,64	11.25	9.42	7.86	...	...	...	...	7.96	7.29	7.15
SCR1511-3403	1	15 11 38.6	−34 03 17	0.553	199.8	1	...	...	...	...	16.04	14.05	12.09	14.45	13.22	11.60	/71	10.05	9.42	9.13
LHS0392	1	15 11 50.6	−10 14 18	1.005	257.6	36	.06740	.00310	1	63	15.02	12.77	10.63	14.26	12.95	11.28	/69	9.65	9.13	8.87
LP682-018	1	15 15 43.7	−07 25 21	0.329	219.6	1	...	...	...	...	13.70	11.55	9.41	12.90	11.66	10.07	1/	8.57	8.02	7.71
LEHPM2-0027	1	15 16 53.1	−28 32 16	0.896	248.3	1	...	...	...	...	16.37	14.37	12.03	...	...	...	...	10.52	9.91	9.61
LTT06063	1	15 17 21.7	−80 28 23	0.428	257.8	1	...	...	...	...	13.81	12.03	10.40	...	...	...	...	9.09	8.47	8.20
LHS3056	1	15 19 11.7	−12 45 07	0.724	253.5	36	...	...	...	...	13.65	11.72	9.64	12.87	11.63	10.04	2/	8.51	7.86	7.58
GJ0581	1	15 19 26.8	−07 43 20	1.224	265.6	65	.16012	.00133	3	63,64,65	11.76	9.53	7.78	10.56	9.44	8.03	3/29u	6.71	6.10	5.84
LTT06128	1	15 21 34.3	−02 16 58	0.298	171.1	1	...	...	...	...	11.78	9.97	8.46	...	...	...	...	8.15	7.52	7.26
GJ2112	2	15 22 13.0	−27 49 43	0.764	042.6	1	...	...	...	...	14.11J	12.23J	10.30J	...	...	...	...	9.09J	8.56J	8.27J
G151-064	1	15 29 01.4	−06 12 46	0.354	226.8	1	...	...	...	...	14.55	12.46	10.39	...	...	...	...	9.67	9.10	8.78

Table 1—Continued

Name	# comp.	RA	DEC	μ ($''$yr^{-1})	P.A. (deg)	ref	π ($''$)	π error ($''$)	# π	ref	B_J (mags)	R_{59F} (mags)	I_{IVN} (mags)	V_J (mags)	R_{KC} (mags)	I_{KC} (mags)	# nts/ref	J (mags)	H (mags)	K_s (mags)
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)
LP802-069	1	15 29 07.2	−17 22 55	0.184	272.3	1	.04017	.00254	1	64	11.08	9.04	7.98	...	...	...	...	7.64	6.97	6.80
L480-094	1	15 29 40.7	−38 32 28	0.278	216.5	1	...	...	...	...	15.91	13.83	11.95	...	...	...	...	10.18	9.66	9.38
L108-087	1	15 30 52.0	−68 01 18	0.213	091.4	1	...	...	...	...	14.76	12.39	10.01	13.52	12.28	10.63	2/	9.08	8.50	8.23
LHS3079	1	15 31 38.3	−26 54 07	0.575	219.8	36	...	...	...	...	14.52	13.17	11.31	13.64	12.51	11.03	1/	9.62	8.98	8.75
LP915-041	1	15 31 39.9	−29 16 29	0.480	197.3	1	...	...	...	...	12.32	10.47	9.55	11.36	10.43	9.45	/44	8.40	7.73	7.54
GJ0588	1	15 32 13.0	−41 16 32	1.563	228.7	28	.16852	.00127	2	63,64	11.06	9.20	6.99	9.31	8.25	6.93	/5	5.65	5.03	4.76
LEHPM2-0455	1	15 32 18.9	−25 51 03	0.359	165.3	1	...	...	...	...	14.70	12.98	11.45	...	...	...	...	9.79	9.25	9.01
2MA1534-1418	1	15 34 56.9	−14 18 49	1.000	251.0	53	...	...	...	...	20.29	17.79	14.20	19.15	16.71	14.16	3/	11.38	10.73	10.31
GJ0590	1	15 36 34.5	−37 54 23	0.898	198.9	1	...	...	...	...	14.25	12.34	10.41	12.79	11.55	9.93	2/	8.44	7.90	7.67
GJ0592	1	15 36 58.6	−14 08 02	0.756	214.7	1	.07490	.00380	1	63	13.28	10.87	8.84	12.70	11.49	9.93	/5	8.43	7.87	7.57
LP623-020	1	15 38 14.1	−01 54 55	0.262	217.4	1	...	...	...	...	15.21	13.19	11.21	...	...	...	...	9.79	9.21	8.91
SIP1540-2613	1	15 40 29.6	−26 13 43	1.653	226.0	1	...	...	...	...	20.11	17.93	14.60	19.21	16.57	14.11	1/	11.65	11.15	10.73
GJ0595	1	15 42 06.5	−19 28 18	2.283	242.9	28	.09942	.00346	2	63,64	13.04	10.95	9.12	11.84	10.73	9.29	3/	7.92	7.42	7.17
GJ2116	1	15 43 18.3	−20 15 33	1.173	195.3	1	.04673	.00117	1	30	14.31	12.32	10.78	13.06	12.07	10.93	/30	9.78	9.23	9.02
LHS3109	1	15 43 19.6	−30 55 51	0.503	220.1	1	...	...	...	...	13.98	12.19	10.53	13.15	12.08	10.71	/44	9.39	8.80	8.57
L408-123	2	15 45 41.6	−43 30 29	0.467	215.1	1	...	...	...	...	14.34J	11.72J	9.74J	13.06J	11.90J	10.40J	3/	8.94J	8.34J	8.08J
LHS3112	1	15 45 54.5	−04 48 23	0.593	241.5	1	...	...	...	...	17.93	16.07	13.52	...	...	...	...	11.34	10.75	10.43
LHS3114	1	15 46 31.9	−47 14 01	0.573	224.2	28	.04114	.00316	2	63,64	10.30	8.68	7.81	...	...	...	...	7.92	7.26	7.09
SCR1546-5534	1	15 46 41.8	−55 34 47	0.436	225.1	1	...	...	...	...	18.99	17.22	14.03	17.58	15.40	12.98	3/	10.21	9.55	9.11
LHS3117	2	15 47 24.6	−10 53 47	0.521	225.7	1	.06621	.00318	1	64	12.59J	10.56J	9.19J	11.28J	10.21J	8.91J	/34	7.58J	7.04J	6.74J
LP803-037	1	15 50 09.8	−20 29 11	0.368	208.4	1	...	...	...	...	16.82	14.82	12.73	...	...	...	...	10.90	10.31	10.00
SCR1551-3554	1	15 51 12.2	−35 54 48	0.192	205.1	1	...	...	...	...	15.94	14.26	12.39	14.48	13.24	11.66	1/	10.12	9.49	9.19
LHS5303	1	15 52 44.6	−26 23 14	0.525	152.9	1	.09463	.00070	1	16	17.59	15.48	12.31	16.53	14.66	12.49	/16	10.26	9.68	9.32
LP860-046	1	15 53 57.1	−23 11 53	0.314	203.3	1	...	...	...	...	18.25	16.19	13.59	...	...	...	...	11.55	10.95	10.62
LP409-071	1	15 54 00.8	−43 03 10	0.235	200.6	1	...	...	...	...	12.42	9.76	9.15	...	...	...	...	8.75	8.05	7.86
LP683-049	1	15 54 50.4	−05 21 47	0.203	138.3	1	...	...	...	...	16.05	14.02	11.83	...	...	...	...	10.33	9.71	9.38
LTT06368	1	15 58 27.8	−06 51 45	0.256	215.2	1	...	...	...	...	12.96	10.62	9.17	...	...	...	...	8.68	8.12	7.81
GJ0606	1	15 59 53.4	−08 15 11	0.230	098.1	1	.07258	.00186	2	63,64	11.01	8.81	7.51	10.49	9.51	8.39	/5	7.19	6.60	6.34
SCR1601-3421	1	16 01 55.7	−34 21 57	0.683	118.3	1	...	...	...	...	17.05	15.75	13.28	16.18	14.71	12.86	/71	10.96	10.33	9.98
LHS3149	1	16 04 20.0	−06 16 46	0.884	185.8	1	...	...	...	...	16.50	14.41	11.68	...	...	...	...	10.45	9.88	9.55
LP917-019	2(1)	16 04 23.2	−33 03 40	0.256	261.3	1	.04367	.00214	1	64	11.32	9.03	8.89	10.08	9.22	8.41	/34	7.38	6.75	6.56
2MA1607-0442	1	16 07 31.2	−04 42 10	0.462	176.5	1	.06390	.00147	1	16	20.98	18.24	14.87	19.49	17.19	14.78	/16	11.90	11.19	10.72
GJ1198	1	16 08 15.0	−10 26 14	1.354	195.1	36	.04710	.00270	1	63	15.57	13.72	11.38	14.69	13.43	11.78	1/	10.26	9.75	9.53
SCR1608-2913	2	16 08 45.5	−29 13 06	0.540	231.0	1	...	...	...	...	13.61J	11.65J	9.91J	13.66J	12.49J	11.02J	1/	9.68J[c]	9.15J[c]	8.51
LP481-066	1	16 09 13.0	−38 04 33	0.428	227.0	38	...	...	...	...	14.51	12.96	11.84	...	...	...	...	9.45	8.81	8.52
SCR1609-3431	1	16 09 46.2	−34 31 07	0.249	198.5	1	...	...	...	...	18.48	16.61	13.99	17.20	15.59	13.56	1/	11.58	10.99	10.67
LP684-033	1	16 10 58.4	−06 31 33	0.228	196.5	1	...	...	...	...	18.33	16.13	12.95	...	...	...	...	11.35	10.75	10.37
LHS3165	1	16 12 07.1	−40 48 45	0.532	212.0	1	...	...	...	...	13.81	12.07	11.17	...	...	...	...	9.22	8.60	8.38
LP804-027	1	16 12 41.8	−18 52 32	0.236	172.1	1	.06946	.00312	1	64	12.13	10.77	8.87	11.37	10.29	8.92	/34	7.56	6.86	6.59
LHS3167	1	16 13 05.9	−70 09 08	0.607	202.1	47	.06025	.00095	1	47	14.58	12.44	10.10	13.71	12.45	10.82	/47	9.26	8.74[c]	8.39
LHS3169	1	16 14 21.9	−28 30 37	0.521	228.9	1	.05343	.00146	1	47	14.01	12.01	10.30	12.95	11.80	10.29	/47	8.92	8.36	8.11
GJ0618	2	16 20 03.5	−37 31 45	1.269	323.3	1	.12053	.00244	2	63,64	11.51J	10.05J	9.71J	10.62	9.46	8.11	1/	6.79	6.22	5.95
LP917-025	1	16 20 37.6	−30 39 41	0.213	356.4	1	...	...	...	...	12.89	10.88	9.80	11.96	10.98	9.81	/46	8.61	8.01	7.80
LP805-001	1	16 20 41.9	−20 05 14	0.180	229.8	1	...	...	...	...	15.02	13.56	12.04	13.68	12.44	10.84	1/	9.36	8.75	8.42
LP625-004	2(1)	16 21 26.3	−01 47 02	0.328	193.9	1	...	...	...	...	14.56	12.54	10.87	...	...	...	...	9.71	9.10	8.89
GJ0618.4	1	16 22 41.0	−48 39 20	0.729	230.7	1	.04214	.00335	2	63,64	12.89	10.94	9.18	11.84	10.85	9.70	/5	8.48	7.87	7.64
LEP1623-6905	1	16 23 02.8	−69 05 37	1.594	219.1	35	...	...	...	...	17.72	14.82	12.70	16.78	15.14	13.13	2/	11.38	10.86	10.54
GJ0620	1	16 23 07.6	−24 42 35	0.760	207.1	28	.06066	.00205	2	63,64	11.47	10.62	9.90	10.22	9.30	8.34	/5	7.26	6.59	6.39
LTT06556	1	16 25 01.5	−12 15 26	0.270	223.8	1	...	...	...	...	13.48	11.61	9.94	12.87	11.82	10.50	/44	9.19	8.51	8.30

Table 1—Continued

Name	# comp.	RA	DEC	μ ($''$yr^{-1})	P.A. (deg)	ref	π ($''$)	π error ($''$)	# π	ref	B_J (mags)	R_{59F} (mags)	I_{IVN} (mags)	V_J (mags)	R_{KC} (mags)	I_{KC} (mags)	# nts/ref	J (mags)	H (mags)	K_s (mags)
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)
GJ0622	1	16 25 13.0	−21 56 14	0.664	239.2	28	.05536	.00225	2	63,64	11.73	9.80	9.15	10.41	9.50	8.63	/5	7.55	6.92	6.73
LHS3197	1	16 26 48.1	−17 23 34	0.511	217.5	1	.05503	.00136	1	47	14.91	12.74	10.22	14.30	12.93	11.16	/47	9.55	9.00	8.68
SCR1626-3812	1	16 26 51.7	−38 12 33	0.397	229.8	1	...	...	...	...	17.46	15.82	13.15	15.75	14.23	12.29	2/	10.37	9.80	9.44
GJ2120	1	16 27 33.2	−10 00 29	0.397	214.5	1	.04372	.00313	1	64	11.30	9.11	8.40	10.85	9.89	8.84	/34	7.69	7.04	6.83
GJ2121	1	16 30 13.1	−14 39 50	0.540	247.6	1	.04458	.00536	1	64	12.37	10.60	9.02	12.35	11.25	9.83	/69	8.42	7.92	7.60
GJ0628	1	16 30 18.1	−12 39 45	1.188	184.3	28	.23438	.00150	2	63,64	10.07	8.04	5.99	10.07	8.89	7.37	3/	5.95	5.37	5.08
SCR1630-3633	2	16 30 27.2	−36 33 56	0.369	262.2	1	...	...	...	...	15.94J	14.39J	11.88J	14.95J	13.47J	11.59J	/71	10.04J	9.50J	9.03J
2MA1632-0631	1	16 32 58.8	−06 31 48	0.367	175.4	1	.05331	.00148	1	16	21.71	19.50	15.88	20.23	18.01	15.58	/16	12.74	12.05	11.62
L339-020	1	16 34 43.8	−46 01 31	0.261	173.8	1	...	...	...	...	12.05	10.08	9.20	...	...	...	...	8.38	7.69	7.51
L483-080	1	16 34 59.0	−38 34 34	0.377	200.8	1	...	...	...	...	14.22	12.55	11.45	...	...	...	...	9.37	8.70	8.46
LHS3218	1	16 35 24.6	−27 18 55	0.889	180.7	47	.05388	.00077	1	47	15.64	13.79	11.79	14.18	12.93	11.28	/47	9.78	9.27	9.00
UPM1635-5202	1	16 35 37.2	−52 02 01	0.203	299.6	1	...	...	...	...	16.73	14.73	12.22	15.58	14.09	12.18	1/	10.41	9.80	9.56
LHS0423	1	16 35 40.4	−30 51 20	1.158	223.6	29	.05139	.00294	1	29	13.14	11.35	10.00	12.66	11.58	10.16	2/29u	8.89	8.36	8.08
LP685-036	1	16 36 06.0	−04 40 13	0.390	255.3	1	...	...	...	...	17.27	15.27	12.96	...	...	...	...	11.05	10.51	10.18
SCR1636-4041	1	16 36 57.6	−40 41 09	0.284	192.6	1	...	...	...	...	14.69	12.89	10.93	13.47	12.26	10.70	1/	9.20	8.57	8.31
L555-115	1	16 36 58.4	−33 46 51	0.324	132.8	1	...	...	...	...	13.96	12.09	10.49	...	...	...	...	9.12	8.48[c]	8.25
SCR1639-4652	1	16 39 25.8	−46 53 00	0.301	195.5	1	...	...	...	...	14.46	12.44	10.46	13.28	12.12	10.67	1/	9.30	8.69	8.43
GJ0633	1	16 40 45.3	−45 59 59	0.520	139.6	1	.05980	.00119	2	47,63	13.90	11.28	9.85	12.67	11.56	10.20	/47	8.89	8.31	8.05
GJ0634	1	16 41 28.3	−43 59 11	0.591	215.1	1	.05740	.00660	1	63	12.56	10.28	9.08	11.58	10.57	9.38	/5	8.14	7.62	7.33
LP686-002	1	16 43 55.9	−07 26 10	0.226	220.4	1	...	...	...	...	12.05	9.97	9.40	...	...	...	...	8.54	7.98[c]	7.71
2MA1643-7530	1	16 43 57.7	−75 30 21	0.183	213.3	1	...	...	...	...	12.14	10.54	9.54	...	...	...	...	8.43	7.81	7.57
2MA1645-1319	1	16 45 22.1	−13 19 52	0.895	203.5	1	...	...	...	...	...	18.80	15.97	20.30	17.95	15.67	2/	12.45	11.69	11.15
LP806-004	2(1)	16 47 35.6	−19 44 27	0.205	251.8	1	...	...	...	...	12.92	10.97	9.65	12.04	11.04	9.87	/44	8.64	8.04[c]	7.79
LP154-205	1	16 47 55.2	−65 09 12	0.330	115.0	38	...	...	...	...	15.11	12.73	10.70	13.98	12.73	11.16	2/	9.70	9.17	8.88
GJ0637	1	16 48 24.5	−72 58 34	0.709	219.5	1	.06305	.00195	2	63,64	12.20	10.33	9.49	11.35	10.37	9.26	/5	8.04	7.48	7.22
LP806-008	1	16 48 46.0	−15 44 20	0.212	176.1	1	.05486	.00218	1	64	11.66	10.30	8.55	10.94	9.97	8.84	/66	7.66	7.00	6.77
LHS3246	1	16 50 53.8	−04 50 35	0.763	249.2	1	...	...	...	...	14.22	12.20	10.43	13.45	12.30	10.81	/69	9.47	8.92[c]	8.68
GJ0644	5(3)	16 55 28.8	−08 20 11	1.206	222.2	28	.15496[a]	.00052	5	10,58,6,63,64	9.61J	8.51J	5.49J	9.03J	7.94J	6.57J	/5	5.27J	4.78J	4.40J
LTT06745	1	16 55 38.0	−32 04 04	0.360	165.9	1	.05478	.00116	1	64	10.94	9.10	8.52	9.57	8.70	7.90	/34	6.92	6.25	6.05
SCR1656-2046	1	16 56 33.6	−20 46 37	0.275	224.0	1	...	...	...	...	18.65	16.39	13.66	17.36	15.58	13.42	1/	11.30	10.71	10.37
GJ0645	1	16 56 45.1	−37 03 39	0.469	198.0	38	.05830	.00900	1	63	12.94	11.53	10.73	11.44	10.46	9.34	/5	8.17	7.57	7.34
SCR1656-4238	1	16 56 49.8	−42 38 48	0.220	191.9	1	...	...	...	...	14.42	11.96	10.32	13.33	12.23	10.82	1/	9.52	8.86	8.61
GJ1207	1	16 57 05.7	−04 20 56	0.612	129.0	1	.11526	.00150	2	25,63	13.66	10.08	9.70	12.25	11.00	9.43	/49	7.97	7.44[c]	7.12
SCR1659-6958	1	16 59 28.1	−69 58 18	0.721	207.0	1	...	...	...	...	15.93	14.30	11.63	15.36	13.93	12.15	3/	10.54	10.00	9.70
LP746-041	1	17 00 42.2	−09 25 35	0.371	221.0	1	...	...	...	...	16.61	15.46	12.15	...	...	...	...	10.79	10.20	9.87
LEHPM2-1755	1	17 06 50.0	−82 11 42	0.290	214.9	1	...	...	...	...	15.47	13.30	11.34	...	...	...	...	10.13	9.56	9.28
BD-06 04552	1	17 07 34.8	−06 27 26	0.282	173.4	1	...	...	...	...	14.22	12.71	11.28	...	...	...	...	9.57	8.90	8.71
NLTT44215	1	17 08 23.8	−18 27 58	0.278	250.2	1	...	...	...	...	15.07	12.88	12.35	...	...	...	...	9.88	9.24	9.16
UPM1710-5300	2	17 10 44.3	−53 00 25	0.207	184.3	1	...	...	...	...	12.47J	10.03J	7.99J	11.73J	10.63J	9.29J	1/	8.00J	7.41J	7.16J
L268-067	1	17 10 59.2	−52 30 56	0.280	304.9	28	.08017	.00184	1	64	10.38	8.15	6.51	10.02	9.06	8.00	/34	6.87	6.23	6.03
GJ0660	2	17 11 52.3	−01 51 06	0.549	235.0	63	.08523	.00247	2	58,63	11.86J	10.42J	8.37J	11.37J	10.25J	8.82J	/5	7.46J	6.92J	6.66J
LP919-015	1	17 12 01.2	−27 46 02	0.240	242.8	1	...	...	...	...	15.15	13.52	12.30	13.40	12.29	10.85	1/	9.51	8.91	8.66
SIP1712-0323	1	17 12 04.3	−03 23 30	0.434	242.6	1	...	...	...	...	19.10	17.29	14.48	18.02	16.21	13.99	1/	11.61	10.99	10.64
GJ0660.1	2	17 12 51.3	−05 07 32	0.717	163.5	1	.04999	.00339	2	63,64	12.58J	10.44J	9.87J	11.61J	10.70J	9.75J	/5	8.66	8.07	7.94
LP413-057	1	17 13 09.6	−41 28 28	0.325	186.8	1	...	...	...	...	13.60	11.48	10.32	...	...	...	...	9.03	8.43[c]	8.17
GJ1212	2	17 13 40.5	−08 25 15	0.591	227.0	1	.05468	.00443	2	63,64	13.07J	10.69J	9.65J	12.03J	10.93J	9.53J	/34	8.12J	7.51J	7.25J
LTT06876	1	17 15 54.9	−02 50 10	0.303	165.0	37	...	...	...	...	12.49	10.59	10.25	...	...	...	...	8.79	8.13	7.97
LP687-017	1	17 16 20.7	−05 23 51	0.233	127.6	1	...	...	...	...	13.70	12.28	10.76	12.49	11.39	10.02	1/	8.70	8.09	7.83
L845-016	2(1)	17 17 45.3	−11 48 54	0.298	180.9	1	...	...	...	...	14.14	12.53	10.23	12.92	11.81	10.38	/67	8.82	8.11	7.83

Table 1—Continued

Name	# comp.	RA	DEC	μ ($''$yr^{-1})	P.A. (deg)	ref	π ($''$)	π error ($''$)	# π	ref	B_J (mags)	R_{59F} (mags)	I_{IVN} (mags)	V_J (mags)	R_{KC} (mags)	I_{KC} (mags)	# nts/ref	J (mags)	H (mags)	K_s (mags)
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)
LP687-045	1	17 18 29.1	−07 39 15	0.313	239.7	1	...	...	...	...	15.13	13.56	12.13	...	...	...	...	9.89	9.37	9.05
OUT1720-1725	1	17 20 52.4	−17 25 40	0.358	250.0	1	...	...	...	...	14.69	13.33	11.63	14.20	12.97	11.38	1/	9.79	9.19	8.92
GJ0672.1	1	17 23 49.2	−32 15 16	0.596	198.0	63	.04238	.00392	2	63,64	13.43	11.12	9.92	11.64	10.67	9.55	/5	8.38	7.82	7.52
L989-038	1	17 24 16.9	−04 21 52	0.262	239.1	1	...	...	...	...	13.30	11.86	10.80	12.13	11.08	9.77	2/	8.52	7.91	7.66
SCR1726-8433	1	17 26 22.9	−84 33 08	0.513	134.9	1	...	...	...	...	15.42	13.31	11.16	14.25	13.00	11.41	/71	9.87	9.33	9.02
GJ1218	1	17 28 07.3	−62 27 14	0.959	197.4	29	.06132	.00110	2	10.29	13.97	11.93	9.84	12.74	11.54	9.96	3/29u	8.42	7.85[c]	7.57
SCR1728-0143	1	17 28 11.1	−01 43 57	0.206	148.7	1	...	...	...	...	15.61	13.93	11.99	14.42	13.15	11.51	2/	9.89	9.32	9.01
GJ0674	1	17 28 39.9	−46 53 43	1.060	153.8	1	.22011	.00139	2	63,64	9.43	7.02	4.90	9.37	8.28	6.97	2/	5.71	5.15	4.86
LHS3295	1	17 29 27.3	−80 08 57	0.670	317.9	1	.07995	.00182	1	47	13.49	11.39	9.64	12.18	11.02	9.53	/47	8.09	7.52	7.30
GJ0676	2(1)	17 30 11.2	−51 38 13	0.321	228.4	1	.06132	.00160	2	63,64	10.96	9.26	8.63	9.59	8.68	7.76	/34	6.71	6.08	5.83
SCR1731-2452	1	17 31 03.8	−24 52 44	0.198	217.6	1	...	...	...	...	14.76	13.40	13.00	13.23	12.08	10.64	1/	9.27	8.61	8.38
LP920-019	1	17 31 20.9	−27 39 20	0.190	204.2	1	...	...	...	...	13.18	11.91	11.95	...	...	...	...	9.08	8.45	8.30
SIP1731-7851	1	17 31 44.9	−78 51 26	0.362	189.2	1	...	...	...	...	18.83	16.78	14.17	...	...	...	...	11.61	11.01	10.68
UPM1732-4736	1	17 32 21.9	−47 36 58	0.253	235.8	1	...	...	...	...	14.88	12.77	11.00	13.98	12.72	11.12	1/	9.59	8.98	8.68
LP688-003	1	17 34 08.7	−08 49 52	0.355	207.3	1	...	...	...	...	17.13	15.43	13.24	...	...	...	...	10.91	10.40	10.06
HD320012	1	17 34 15.4	−35 19 54	0.204	217.7	1	...	...	...	...	16.63	15.28	14.42	...	...	...	...	11.76	10.45[c]	9.83[c]
GJ0680	1	17 35 13.6	−48 40 51	0.456	006.2	28	.10215	.00270	2	63,64	11.32	9.36	7.95	10.17	9.13	7.89	/5	6.67	6.08	5.83
L112-088	1	17 36 14.6	−67 56 06	0.268	183.1	1	...	...	...	...	15.38	13.26	11.17	...	...	...	...	10.04	9.45	9.17
GJ0682	1	17 37 03.7	−44 19 09	1.177	217.1	28	.19809	.00206	2	63,64	11.19	8.99	7.47	10.99	9.75	8.15	2/	6.54	5.92	5.61
LP920-069	2(1)	17 38 03.6	−30 00 57	0.199	203.2	1	...	...	...	...	12.44	10.18	9.33	...	...	...	...	8.12	7.46	7.27
L204-148	1	17 38 32.5	−58 32 34	0.305	169.2	1	...	...	...	...	13.69	11.32	9.15	12.52	11.38	9.91	2/	8.48	7.93	7.67
SCR1738-5942	1	17 38 41.0	−59 42 24	0.280	148.3	1	...	...	...	...	16.57	14.21	11.93	14.95	13.65	11.96	/71	10.38	9.83	9.58
LHS3315	1	17 42 10.8	−08 49 00	0.972	237.9	1	.04290	.00320	1	63	14.72	13.41	12.02	...	...	...	...	9.81	9.32	9.07
GJ0690.1	1	17 42 32.3	−16 38 25	0.656	191.4	36	.05150	.00520	1	63	14.02	14.25	10.81	13.00	11.96	10.68	/5	9.44	8.93	8.68
LP921-012	1	17 44 17.4	−29 15 48	0.224	197.8	1	...	...	...	...	13.77	11.96	11.31	...	...	...	...	9.86	9.12	8.63
LTT07069	1	17 45 07.4	−08 00 45	0.338	217.0	37	...	...	...	...	12.45	10.79	9.73	...	...	...	...	8.57	7.92	7.76
L270-064	1	17 45 43.7	−52 47 38	0.194	101.2	1	...	...	...	...	14.66	12.48	10.69	...	...	...	...	9.71	9.12	8.89
GJ2130	3(1)	17 46 12.8	−32 06 09	0.278	196.2	25	.07060[a]	.00159	3	18,25,2	...	..	...	10.50	9.49	8.34	/25	7.11	6.53	6.25
G154-016	1	17 46 23.3	−18 07 09	0.281	198.9	1	...	...	...	...	15.44	13.66	12.53	...	...	...	...	9.94	9.27	9.02
LTT07077	1	17 46 29.4	−08 42 37	0.453	183.4	1	...	...	...	...	13.68	12.18	9.92	12.72	11.44	9.78	2/	8.20	7.69	7.35
GJ0693	1	17 46 34.2	−57 19 09	1.711	218.0	1	.17110	.00222	2	63,64	11.70	9.43	8.37	10.77	9.62	8.20	2/	6.86	6.30	6.02
SCR1746-3214	1	17 46 40.7	−32 14 04	0.240	062.2	1	...	...	...	...	17.94	15.89	12.71	16.15	14.47	12.40	2/	10.35	9.74	9.38
G020-014	1	17 47 10.2	−01 29 55	0.318	189.6	1	...	...	...	...	14.83	12.93	11.18	...	...	...	...	9.62	9.03	8.76
L415-082	1	17 57 14.2	−41 59 29	0.353	188.5	1	...	...	...	...	11.24	8.96	7.89	11.28	10.30	9.17	3/	7.96	7.37	7.14
L271-081	1	17 57 22.6	−52 29 07	0.273	149.1	1	...	...	...	...	14.55	12.10	10.62	...	...	...	...	9.44	8.93[c]	8.61
LP749-016	1	17 59 58.7	−13 23 44	0.199	147.7	28	...	...	...	...	13.37	11.82	11.07	...	...	...	...	9.27	8.64	8.49
G154-043	1	18 03 36.1	−18 58 51	0.395	141.8	1	...	...	...	...	15.98	13.80	11.95	14.13	12.72	10.90	2/	9.13	8.53	8.28
GJ0701	1	18 05 07.6	−03 01 53	0.662	120.3	28	.12872	.00136	2	63,64	10.68	8.18	9.56	9.37	8.38	7.30	/5	6.16	5.57	5.31
SCR1805-2042	1	18 05 15.1	−20 42 28	0.272	232.3	1	...	...	...	...	16.84	15.08	12.96	15.21	13.85	12.21	1/	10.58	9.95	9.62
GJ1224	1	18 07 32.9	−15 57 47	0.702	241.0	49	.12699	.00101	2	49,63	15.41	13.07	10.98	13.48	12.08	10.31	/49	8.64	8.09	7.83
LEP1809-0219	1	18 09 43.7	−02 19 35	0.502	176.9	1	...	...	...	...	16.63	15.95	12.94	15.10	13.72	11.95	2/	10.12	9.61	9.27
G154-048	1	18 10 11.0	−15 25 48	0.238	143.5	1	...	...	...	...	16.10	14.59	12.95	...	...	...	...	10.49	9.95	9.66
L043-072	2	18 11 15.3	−78 59 23	0.279	020.0	38	...	...	...	...	13.74J	11.29J	9.64J	12.57J	11.23J	9.50J	2/	7.84J	7.33J	6.96J
LP629-020	1	18 11 23.4	−02 17 50	0.234	339.5	1	...	...	...	...	15.07	13.75	14.01	...	...	...	...	10.23	9.72	9.50
LHS3370	1	18 13 52.9	−77 08 21	0.775	195.9	1	.04285	.00425	1	11	16.49	14.40	12.40	15.38	14.11	12.55	/11	11.13	10.62	10.35
LTT07246	1	18 15 12.4	−19 24 07	0.430	168.8	1	...	...	...	...	11.93	10.15	7.48	10.88	9.88	8.73	2/	7.32	6.72	6.45
LHS3378	1	18 19 17.0	−77 02 50	0.601	197.9	1	...	...	...	...	15.11	13.17	11.42	...	...	...	...	9.81	9.35	9.06
LP690-011	1	18 19 59.6	−06 17 32	0.238	120.0	37	...	...	...	...	15.11	13.98	12.78	...	...	...	...	10.15	9.54	9.31
WT0562	1	18 26 19.8	−65 47 41	0.640	177.5	1	.05843	.00090	1	47	16.82	14.49	11.97	15.36	13.93	12.13	/47	10.35	9.81	9.45

Table 1—Continued

Name	# comp.	RA	DEC	μ ($''$yr^{-1})	P.A. (deg)	ref	π ($''$)	π error ($''$)	# π	ref	B_J (mags)	R_{59F} (mags)	I_{IVN} (mags)	V_J (mags)	R_{KC} (mags)	I_{KC} (mags)	# nts/ref	J (mags)	H (mags)	K_s (mags)
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)
SCR1826-6542	1	18 26 46.8	−65 42 40	0.311	179.0	1	...	...	...	...	18.68	16.44	12.91	17.35	15.28	12.96	/71	10.57	9.96	9.55
GJ0714	1	18 30 12.0	−58 16 28	0.476	176.9	1	...	...	...	...	10.91	8.30	7.45	9.81	8.89	7.93	2/	6.87	6.24	5.96
L489-068	1	18 38 30.3	−39 04 31	0.239	075.3	1	...	...	...	...	14.57	12.17	10.37	...	...	...	...	9.54	8.96	8.69
GJ2138	2	18 38 44.8	−14 29 26	0.582	168.8	28	.07760	.00279	1	64	12.66J	10.84J	8.87J	11.22J	10.18J	8.93J	/34	7.66J	7.06J	6.85J
GJ0723	1	18 40 17.8	−10 27 55	0.552	198.0	28	.04612	.00581	2	63,64	12.53	9.50	8.42	11.47	10.46	9.38	/5	8.26	7.69	7.46
Wolf1467	1	18 40 50.2	−08 04 59	0.230	195.0	72	...	...	...	...	14.78	12.83	11.51	...	...	...	...	9.56	9.05	8.74
GJ0724	1	18 40 57.3	−13 22 47	0.677	187.9	28	.06056	.00199	2	63,64	12.14	10.21	9.21	10.62	9.63	8.56	/5	7.40	6.73[c]	6.55
SCR1841-4347	1	18 41 09.8	−43 47 33	0.854	265.4	1	...	...	...	...	17.65	15.19	12.32	16.46	14.72	12.59	/71	10.48	9.94	9.60
LHS5341	1	18 43 07.0	−54 36 48	0.499	197.0	36	...	...	...	...	13.89	11.91	9.91	12.97	11.68	10.03	3/	8.42	7.79	7.49
LTT07419	2(1)	18 43 12.5	−33 22 46	0.394	203.3	11	.06551	.00251	1	11	10.34	8.34	7.32	10.25	9.30	8.28	2/	7.19	6.54	6.33
SCR1845-6357	2	18 45 05.3	−63 57 48	2.664	076.6	25	.25950	.00111	2	14,25	...	16.33J	12.53J	17.40J	15.00J	12.46J	/71	9.54J	8.97J	8.51J
LTT07434	2	18 45 57.5	−28 55 53	0.424	130.7	1	...	...	...	...	14.84J	13.47J	12.31J	12.68J	11.49J	9.94J	3/	8.41J	7.90J	7.60J
SCR1847-1922	1	18 47 16.7	−19 22 21	0.650	227.6	1	...	...	...	...	15.36	13.08	10.94	14.35	13.11	11.48	/71	9.91	9.38	9.09
LTT07452	1	18 48 01.3	−14 34 51	0.350	222.8	1	...	...	...	...	13.55	11.93	10.04	12.08	11.00	9.67	2/	8.38	7.83	7.56
SCR1848-6855	2	18 48 21.0	−68 55 34	1.281	195.7	31	.04063	.00072	1	31	17.99J	16.07J	13.97J	16.86J	15.68J	13.83J	/31	11.89J	11.40J	11.10J
LHS3411	1	18 48 38.7	−61 35 26	0.544	196.7	36	...	...	...	...	13.80	11.79	10.01	...	...	...	...	9.05	8.45	8.17
L345-091	2	18 48 41.4	−46 47 08	0.243	057.1	1	...	...	...	...	12.54J	10.82J	9.29J	11.60J	10.50J	9.12J	3/	7.83J	7.24J	6.99J
SIP1848-8214	1	18 48 51.1	−82 14 42	0.274	189.6	1	...	...	...	...	19.69	17.54	14.37	18.55	16.33	14.00	2/	11.48	10.92	10.50
LP691-015	1	18 49 06.4	−03 15 18	0.254	090.8	1	...	...	...	...	15.80	14.40	11.85	14.23	12.91	11.22	2/	9.61	8.98	8.70
GJ0729	1	18 49 49.4	−23 50 11	0.643	107.8	1	.33722	.00197	2	63,64	11.55	10.70	8.15	10.50	9.26	7.68	3/	6.22	5.66	5.37
LHS3413	1	18 49 51.2	−57 26 49	0.634	257.0	1	.08221	.00201	1	47	13.75	11.44	9.04	12.68	11.44	9.88	/47	8.32	7.70	7.46
2MA1849-0134	1	18 49 55.4	−01 34 09	0.216	166.6	1	...	...	...	...	14.29	12.76	11.38	...	...	...	...	9.78	9.11	8.84
LHS3418	1	18 52 00.2	−60 46 11	0.698	298.9	36	...	...	...	...	14.47	12.21	10.20	...	...	...	...	9.31	8.72	8.46
L489-043	1	18 52 25.3	−37 30 36	0.471	102.0	1	...	...	...	...	13.05	10.95	8.75	12.71	11.49	9.86	2/	8.38	7.86	7.56
GJ0732	2(1)	18 53 39.9	−38 36 45	1.011	161.1	36	...	...	...	...	12.90	11.07	9.41	12.66	11.45	9.87	2/	8.40	7.82	7.59
L077-046	1	18 55 14.7	−71 15 03	0.260	187.3	1	...	...	...	...	15.76	13.77	11.26	...	...	...	...	10.08	9.47	9.22
SCR1855-6914	1	18 55 47.9	−69 14 15	0.885	146.1	1	...	...	...	...	18.01	15.63	12.20	16.61	14.79	12.66	/71	10.47	9.88	9.51
SCR1856-4704	2	18 56 38.4	−47 04 58	0.248	134.4	1	...	...	...	...	16.29J	13.93J	11.65J	14.85J	13.55J	11.87J	/71	10.29J	9.75J	9.45J
SCR1856-4011	3(2)	18 57 01.1	−40 11 51	0.219	171.0	1	...	...	...	...	14.67J	12.98J	10.56J	14.44J	13.07J	11.31J	1/	9.86	9.74[c]	9.08
GJ0737	2	18 57 30.6	−55 59 30	0.450	180.4	28	.08084	.00189	2	63,64	10.10J	7.75J	6.51J	8.84J	7.90J	6.92J	/34	5.87J	5.25J[c]	5.03J
GJ0739	1	18 59 07.5	−48 16 28	0.516	163.5	28	.07048	.00240	3	63,63,64	11.92	9.93	8.81	11.14	10.10	8.80	/34	7.52	6.93	6.70
L159-126	1	18 59 40.7	−63 27 22	0.222	031.0	1	...	...	...	...	13.97	11.83	9.68	...	...	...	...	8.89	8.42	8.08
SCR1901-0737	1	19 01 32.4	−07 37 24	0.189	227.1	1	...	...	...	...	16.53	14.44	12.12	15.63	14.19	12.38	1/	10.57	10.00	9.70
SCR1901-3106	1	19 01 59.2	−31 06 45	0.211	122.4	1	...	...	...	...	13.97	11.90	10.93	14.19	12.99	11.54	1/	9.61	9.01	8.77
GJ0741	1	19 03 16.7	−13 34 05	0.780	226.0	63	.05240	.00380	1	63	14.62	14.01	11.43	14.78	13.63	12.08	/5	10.38	9.80	9.54
SCR1904-2406	1	19 04 21.8	−24 06 16	0.213	289.9	1	...	...	...	...	15.63	13.53	11.59	14.53	13.27	11.64	1/	10.12	9.55	9.27
L274-159	1	19 05 20.3	−54 34 43	0.228	159.9	1	...	...	...	...	14.42	12.46	10.73	...	...	...	...	9.41	8.71	8.55
L490-020	1	19 08 22.1	−37 05 28	0.258	131.8	1	...	...	...	...	14.75	12.79	10.92	...	...	...	...	9.76	9.19	8.93
SIP1910-4132	3(1)	19 10 34.6	−41 33 45	0.738	174.7	14	...	...	...	...	15.17	12.93	11.00	...	...	...	...	9.85	9.25	9.03
L346-096	1	19 11 04.1	−47 39 14	0.212	165.8	1	...	...	...	...	15.90	13.77	11.35	...	...	...	...	10.11	9.51	9.23
GJ0747.4	1	19 12 25.3	−55 52 08	0.302	240.6	1	.04666	.00319	2	63,64	12.21	10.12	9.07	11.30	10.34	9.35	/5	8.22	7.61	7.38
WIS1912-3615	1	19 12 39.3	−36 14 57	2.091	158.1	23	...	...	...	...	14.44	12.16	10.09	13.91	12.64	11.00	3/	9.52	9.01[c]	8.77
SCR1913-2312	1	19 13 06.1	−23 12 05	0.446	157.3	1	...	...	...	...	17.89	15.81	13.40	17.01	15.43	13.43	1/	11.43	10.87	10.52
LHS3443	1	19 13 08.0	−39 01 54	0.506	120.1	1	.04857	.00114	1	47	13.30	11.68	9.70	12.39	11.27	9.85	/47	8.47	7.92	7.66
LP868-019	1	19 16 35.6	−25 38 42	0.323	172.1	1	...	...	...	...	14.75	12.67	10.83	...	...	...	...	9.70	9.10	8.85
GJ0750	2	19 16 42.9	−45 53 22	0.450	154.0	63	.06450	.00186	2	58,63	10.29J	7.95J	7.13J	9.36J	8.43J	7.48J	/34	6.45J	5.77J	5.57J
SCR1918-4554	1	19 18 29.5	−45 54 30	0.700	220.4	1	...	...	...	...	17.89	15.29	12.57	16.58	15.03	13.07	1/	11.21	10.65	10.30
L160-005	1	19 19 41.2	−59 55 20	0.354	228.1	1	...	...	...	...	14.90	12.61	10.29	...	...	...	...	9.45	8.89	8.61
GJ0754	1	19 20 48.0	−45 33 30	2.961	167.5	29	.16917	.00153	2	29,63	13.12	10.96	8.83	12.25	10.94	9.25	3/29u	7.66	7.13	6.85

Table 1—Continued

Name	# comp.	RA	DEC	μ ($''$yr^{-1})	P.A. (deg)	ref	π ($''$)	π error ($''$)	# π	ref	B_J (mags)	R_{59F} (mags)	I_{IVN} (mags)	V_J (mags)	R_{KC} (mags)	I_{KC} (mags)	# nts/ref	J (mags)	H (mags)	K_s (mags)
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)
LHS0475	1	19 20 54.3	−82 33 16	1.269	164.8	1	.08304	.00093	1	30	13.74	11.83	10.14	12.69	11.51	10.00	/30	8.56	8.00	7.69
SCR1922-3503	1	19 22 05.6	−35 03 45	0.258	142.0	1	...	...	...	...	15.82	13.26	11.28	14.90	13.59	11.91	1/	10.29	9.78	9.47
SCR1924-0931	1	19 24 11.0	−09 31 34	0.240	165.6	1	...	...	...	...	14.76	12.72	10.81	13.89	12.73	11.21	1/	9.83	9.20	8.93
SCR1927-0409	1	19 27 13.0	−04 09 49	0.269	164.6	1	...	...	...	...	16.47	14.77	12.47	15.38	14.01	12.23	1/	10.56	9.94	9.68
LHS5348	2	19 27 52.7	−28 11 15	0.509	170.5	1	...	...	...	...	15.79J	13.55J	11.01J	14.85J	13.36J	11.46J	2/	9.69J	9.11J	8.79J
L045-006	1	19 29 38.3	−74 44 42	0.312	086.1	1	...	...	...	...	12.91	10.73	9.96	11.80	10.78	9.53	1/	8.29	7.73	7.45
L078-093	1	19 31 01.4	−73 37 06	0.290	116.0	38	...	...	...	...	13.52	12.20	10.71	...	...	...	...	9.18	8.51	8.24
SCR1931-0306	1	19 31 04.6	−03 06 18	0.505	023.4	1	...	...	...	...	17.67	15.77	12.93	16.81	15.11	13.11	/71	11.15	10.56	10.23
L348-141	1	19 31 53.2	−48 33 54	0.437	169.0	1	...	...	...	...	16.50	14.34	11.76	...	...	...	...	10.63	10.02	9.72
SCR1932-5005	1	19 32 48.6	−50 05 39	0.257	157.6	1	...	...	...	...	16.87	14.51	11.99	15.47	14.14	12.42	/71	10.75	10.11	9.85
L275-026	1	19 34 03.9	−52 25 14	0.273	169.5	1	...	...	...	...	13.92	11.56	9.38	12.83	11.68	10.19	2/	8.77	8.16	7.92
LP869-042	1	19 39 36.2	−26 45 07	0.440	132.6	1	.04307	.00192	1	64	11.58	9.64	8.69	10.48	9.56	8.58	/34	7.50	6.83	6.65
LP869-019	1	19 42 00.7	−21 04 06	0.306	164.4	1	...	...	...	...	14.01	12.08	9.93	13.22	11.93	10.28	3/	8.69	8.08	7.82
L420-142	1	19 42 53.3	−44 06 28	0.261	130.5	1	...	...	...	...	14.32	12.14	10.14	...	...	...	...	9.43	8.85	8.59
2MA1943-3722	1	19 43 24.7	−37 22 11	0.261	135.5	1	...	...	...	...	14.43	12.28	10.17	...	...	...	...	9.20	8.49	8.25
LP925-037	1	19 43 51.8	−32 24 04	0.409	179.0	1	...	...	...	...	12.38	10.53	9.23	11.87	10.87	9.65	1/	8.12	7.53	7.29
LP869-026	2	19 44 53.8	−23 37 59	0.410	115.8	1	...	...	...	...	15.24J	13.19J	10.71J	14.09J	12.65J	10.85J	3/	9.17J	8.57J	8.27J
LHS3484	1	19 47 04.5	−71 05 33	0.682	169.9	1	...	...	...	...	14.86	12.74	10.75	13.88	12.70	11.19	/47	9.79	9.22	8.98
SCR1947-7646	1	19 47 14.7	−76 46 55	0.235	133.8	1	...	...	...	...	17.58	15.78	13.35	16.80	15.25	13.31	1/	11.39	10.78	10.49
WT2180	1	19 48 22.7	−08 22 52	0.546	228.3	1	...	...	...	...	17.91	15.70	12.93	...	...	...	...	11.12	10.54	10.19
2MA1951-3510	2	19 51 35.9	−35 10 38	0.373	078.4	1	...	...	...	...	13.97J	11.57J	9.49J	13.06J	11.75J	10.08J	3/	8.58J	8.04J	7.74J
2MA1951-4025	1	19 51 36.0	−40 25 21	0.204	160.2	1	...	...	...	...	14.49	12.38	10.27	...	...	...	...	9.58	8.98	8.71
LP870-054	1	19 52 41.6	−24 46 02	0.344	182.6	1	...	...	...	...	14.16	12.27	10.86	...	...	...	...	9.51	8.93	8.69
L160-159	1	19 54 04.1	−64 38 10	0.297	142.7	1	...	...	...	...	15.21	13.16	11.18	...	...	...	...	9.96	9.34	9.09
LP926-055	1	19 54 24.9	−31 47 60	0.475	255.0	1	...	...	...	...	14.28	12.15	10.38	...	...	...	...	9.10	8.57	8.32
LEHPM2-4639	1	19 56 06.6	−54 42 54	0.193	139.8	1	...	...	...	...	13.80	11.73	9.37	...	...	...	...	9.16	8.48	8.34
LP754-008	1	19 57 52.0	−10 53 05	0.462	230.7	1	...	...	...	...	15.06	13.29	10.98	14.35	13.06	11.38	/45	9.73	9.17	8.84
SCR1959-3631	1	19 59 21.0	−36 31 04	0.436	158.1	1	...	...	...	...	11.58	9.44	8.40	11.07	10.19	9.31	/71	8.24	7.62	7.41
SCR1959-6236	1	19 59 33.6	−62 36 13	0.189	288.8	1	...	...	...	...	17.48	15.36	12.68	16.27	14.82	12.96	/71	11.07	10.49	10.23
DEN2002-5425	1	20 02 13.4	−54 25 56	0.370	172.4	1	...	...	...	...	19.39	17.21	13.86	...	...	...	...	11.62	11.04	10.64
LHS3514	1	20 03 58.9	−08 07 47	0.551	243.5	1	...	...	...	...	14.73	12.70	10.76	13.54	12.31	10.71	1/	9.18	8.58[c]	8.29
GJ0774	2(1)	20 04 04.7	−65 36 01	0.856	170.9	1	.07612	.00636	2	18,63	12.35	...	...	11.35	10.34	9.06	/5	7.80	7.28	7.06
LHS3516	1	20 04 06.8	−31 41 48	0.858	155.8	1	...	...	...	...	15.43	13.60	11.26	...	...	...	...	9.91	9.31	9.03
LP870-065	1	20 04 30.8	−23 42 02	0.377	155.9	1	...	...	...	...	13.97	12.02	10.00	13.02	11.75	10.09	3/	8.56	8.01	7.70
GJ0781.1	2(1)	20 07 45.0	−31 45 14	0.796	159.0	63	.06420	.00456	2	63,64	13.54	11.37	9.39	12.22	11.12	9.73	/5	8.27	7.68	7.40
LEHPM2-0064	1	20 07 55.2	−42 05 15	0.732	175.3	43	...	...	...	...	15.70	13.39	10.75	14.30	12.96	11.20	1/	9.52	8.96[c]	8.61
LTT07959	1	20 07 57.6	−01 32 28	0.435	124.1	1	...	...	...	...	14.32	12.36	10.56	...	...	...	...	9.59	8.99	8.75
LHS3525	1	20 08 07.5	−52 44 25	0.501	163.3	36	...	...	...	...	14.36	12.28	10.43	...	...	...	...	9.46	8.76	8.57
WT0682	1	20 08 23.8	−55 21 26	0.217	139.7	1	...	...	...	...	15.46	13.90	12.11	...	...	...	...	10.24	9.67	9.38
2MA2009-0113	1	20 09 18.2	−01 13 38	0.395	185.8	1	.09595	.00154	1	49	15.36	13.09	10.62	14.47	12.98	11.16	/49	9.40	8.83	8.51
L349-063	1	20 09 51.6	−47 31 34	0.369	173.0	1	...	...	...	...	15.53	13.36	11.12	...	...	...	...	9.93	9.31	9.01
LTT07991	1	20 11 06.7	−02 30 10	0.315	078.7	1	...	...	...	...	14.73	12.96	11.17	...	...	...	...	9.62	9.01	8.80
GJ0784	1	20 13 53.4	−45 09 51	0.760	094.1	1	.16135	.00099	2	63,64	8.82	6.21	5.21	7.95	7.04	6.13	/5	5.12	4.53[c]	4.28
LP754-031	1	20 13 59.5	−11 14 55	0.235	106.3	1	...	...	...	...	13.11	11.22	9.72	...	...	...	...	9.07	8.48	8.22
LHS3534	1	20 14 15.3	−54 49 15	0.544	137.5	1	...	...	...	...	14.76	12.69	10.78	...	...	...	...	9.75	9.18	8.92
L209-071	1	20 15 22.7	−56 45 54	0.353	185.3	1	...	...	...	...	13.83	11.68	9.52	12.85	11.68	10.15	2/	8.68	8.03	7.77
SCR2016-7531	1	20 16 11.3	−75 31 05	0.253	081.3	1	...	...	...	...	17.07	14.75	12.25	15.84	14.28	12.35	/71	10.47	9.86	9.51
SCR2018-3635	1	20 18 06.5	−36 35 28	0.237	125.0	1	...	...	...	...	16.31	14.07	11.47	14.63	13.38	11.75	/71	10.21	9.67	9.44
LP814-065	1	20 18 14.6	−20 12 48	0.377	115.7	1	...	...	...	...	14.32	12.18	10.27	...	...	...	...	9.46	8.84	8.58

Table 1—Continued

Name	# comp.	RA	DEC	μ ($''$yr^{-1})	P.A. (deg)	ref	π ($''$)	π error ($''$)	# π	ref	B_J (mags)	R_{59F} (mags)	I_{IVN} (mags)	V_J (mags)	R_{KC} (mags)	I_{KC} (mags)	# nts/ref	J (mags)	H (mags)	K_s (mags)
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)
LEHPM2-0783	1	20 19 49.8	−58 16 43	0.347	181.9	1	.06193	.00102	1	49	18.64	16.35	12.87	17.17	15.28	13.03	/49	10.66	10.10	9.72
LP927-008	1	20 20 43.6	−28 06 07	0.198	280.8	1	...	...	...	...	14.65	12.48	10.48	13.96	12.73	11.15	2/	9.63	8.97	8.72
2MA2022-3653	1	20 22 01.8	−36 53 02	0.218	160.7	1	...	...	...	...	16.98	14.84	12.49	...	...	...	...	10.71	10.14	9.86
GJ0788.1	1	20 22 41.9	−58 17 09	0.862	122.4	1	.05151	.00188	2	63,64	11.67	9.66	8.52	10.57	9.67	8.81	/5	7.82	7.18	6.97
SCR2025-1534	1	20 25 08.6	−15 34 16	0.190	179.3	1	...	...	...	...	13.33	11.23	9.29	12.70	11.62	10.25	2/	8.92	8.30	8.05
SCR2025-2259	1	20 25 18.9	−22 59 06	0.191	219.5	1	...	...	...	...	15.26	13.26	11.40	14.22	13.03	11.48	/71	10.00	9.48	9.16
SCR2025-3545	1	20 25 30.0	−35 45 46	0.242	268.7	1	...	...	...	...	15.93	13.55	11.32	14.37	13.11	11.53	2/	9.98	9.39	9.04
SCR2025-4207	1	20 25 41.3	−42 07 31	0.205	221.9	1	...	...	...	...	13.86	11.73	9.63	13.16	12.08	10.72	1/	9.41	8.73	8.51
LP927-017	1	20 25 51.6	−26 57 19	0.266	191.3	1	...	...	...	...	14.24	12.07	10.61	...	...	...	...	9.49	8.83	8.63
LEHPM2-0285	1	20 27 07.1	−44 21 29	0.470	163.7	1	...	...	...	...	15.38	13.25	11.00	...	...	...	...	10.08	9.48	9.16
L210-011	1	20 27 37.3	−54 52 59	0.312	307.6	1	...	...	...	...	13.82	11.64	9.86	...	...	...	...	8.77	8.16	7.92
GJ0791	1	20 27 41.7	−27 44 52	0.925	193.8	1	.06825	.00288	2	63,64	12.02	10.03	8.21	11.47	10.40	9.04	/5	7.71	7.08	6.86
GJ1252	1	20 27 42.1	−56 27 25	1.299	161.3	29	.05053	.00214	1	29	13.01	11.07	9.49	12.20	11.19	9.93	/29	8.70	8.16	7.92
GJ1251	1	20 28 03.7	−76 40 16	1.427	149.6	29	.07902	.00225	1	29	14.90	12.93	10.73	13.88	12.58	10.91	2/29u	9.36	8.88	8.60
L755-019	1	20 28 43.6	−11 28 31	0.186	117.6	1	.05318	.00167	1	49	13.22	10.97	8.28	12.47	11.31	9.81	/49	8.39	7.76	7.50
L080-175	1	20 29 06.9	−74 21 12	0.213	144.6	1	...	...	...	...	13.68	11.73	10.26	...	...	...	...	9.40	8.69	8.44
LEHPM2-1265	1	20 33 01.9	−49 03 11	0.261	150.4	1	...	...	...	...	16.57	14.17	11.34	15.33	13.84	11.98	3/71u	10.11	9.52	9.19
LP755-027	1	20 33 32.3	−09 59 05	0.207	175.1	1	...	...	...	...	14.82	12.67	10.98	...	...	...	...	9.88	9.25	8.96
LP567-063	1	20 34 31.1	−32 31 00	0.211	168.9	1	...	...	...	...	13.40	11.42	9.77	12.17	11.08	9.71	2/	8.37	7.74	7.51
L162-190	1	20 34 52.9	−63 47 46	0.370	147.0	38	...	...	...	...	14.34	12.03	10.15	...	...	...	...	9.37	8.76	8.51
LHS3566	1	20 39 23.8	−29 26 35	0.808	155.6	1	.05726	.00268	1	10	18.95	16.50	13.68	17.62	15.67	13.64	/10	11.36	10.74	10.37
SCR2040-5501	1	20 40 12.4	−55 01 26	0.537	125.1	1	...	...	...	...	16.61	14.39	12.15	15.22	13.91	12.22	/71	10.56	10.02	9.69
L567-074	1	20 42 43.4	−32 55 18	0.420	115.5	1	...	...	...	...	11.79	9.76	8.29	...	...	...	...	8.23	7.56	7.33
LP695-372	1	20 42 45.2	−05 00 19	0.261	065.3	1	...	...	...	...	18.87	16.60	13.35	...	...	...	...	11.45	10.87	10.54
GJ0800	1	20 42 57.2	−18 55 06	1.016	146.1	36	.05662	.00229	2	63,64	11.72	9.77	8.02	10.80	9.86	8.76	/5	7.56	6.95	6.74
GJ0803	3(1)	20 45 09.5	−31 20 27	0.451	130.9	1	.10097[a]	.00100	4	63,63,6,64	9.82	7.68	5.96	8.65	7.68	6.61	3/	5.44	4.83	4.53
LHS3580	1	20 45 45.4	−29 27 29	0.510	214.7	1	...	...	...	...	14.54	12.38	10.38	...	...	...	...	9.38	8.75	8.51
LHS3583	1	20 46 37.1	−81 43 14	0.732	137.0	1	.09472	.00238	1	47	12.58	10.06	8.71	11.50	10.39	9.02	/47	7.69	7.12	6.83
LP756-003	1	20 46 43.6	−11 48 13	0.360	098.8	1	.05350	.00130	1	55	14.61	12.41	10.20	13.80	12.52	10.88	2/	9.35	8.73	8.44
LHS3585	1	20 47 22.6	−25 47 07	0.537	171.4	36	...	...	...	...	14.59	12.38	10.64	...	...	...	...	9.65	9.05	8.78
SIP2049-1716	1	20 49 52.7	−17 16 08	0.328	109.4	1	...	...	...	...	18.72	17.26	14.00	...	...	...	...	11.81	11.21	10.81
LEP2050-3424	1	20 50 16.2	−34 24 43	0.533	137.5	35	...	...	...	...	14.34	12.13	9.54	13.74	12.31	10.55	2/	8.82	8.27	8.00
GJ0808	1	20 51 41.6	−79 18 40	1.234	142.4	1	.05712	.00209	2	30,63	13.06	10.81	9.43	11.81	10.82	9.64	/30	8.46	7.91	7.66
LP816-060	1	20 52 33.0	−16 58 29	0.308	275.7	28	.17503	.00340	1	64	12.42	9.62	7.56	11.50	10.25	8.64	3/	7.09	6.52	6.20
2MA2053-0133	1	20 53 09.1	−01 33 04	0.416	121.6	39	.05500	.00200	1	55	...	...	11.29	15.80	14.34	12.45	1/	10.66	10.11	9.79
LP636-019	1	20 53 14.7	−02 21 22	0.231	097.9	1	...	...	...	...	13.75	11.23	9.23	...	...	...	...	9.33	8.71	8.45
LEHPM1-3996	1	20 53 28.0	−73 08 10	0.200	151.6	1	...	...	...	...	13.84	11.67	10.02	...	...	...	...	9.13	8.58	8.35
LEHPM2-5514	1	20 54 15.0	−53 29 56	0.191	192.6	1	...	...	...	...	13.14	10.92	9.69	...	...	...	...	8.86	8.22	8.05
GJ0810	3(2)	20 55 37.8	−14 02 08	1.298	108.2	29	.07765[a]	.00085	3	30,30,6	13.56J	11.65J	9.55J	12.48J	11.23J	9.62J	/30	8.12J	7.64J	7.37J
LP636-060	1	20 56 04.1	−02 12 20	0.276	135.0	1	...	...	...	...	14.57	12.48	10.68	...	...	...	...	9.59	9.03	8.74
LP872-027	1	20 56 27.2	−24 00 13	0.402	112.4	1	...	...	...	...	16.33	14.15	11.60	15.16	13.79	12.00	/45	10.25	9.69	9.38
GJ0811.1	1	20 56 46.6	−10 26 55	1.131	182.1	28	.06300	.00295	2	63,64	12.10	9.85	7.98	11.50	10.44	9.11	/5	7.77	7.14	6.88
L424-030	1	21 00 54.9	−41 31 44	0.432	123.0	1	...	...	...	...	14.95	12.57	10.25	...	...	...	...	9.49	8.84	8.60
APM2101-4125	1	21 01 03.8	−41 14 33	0.433	125.9	1	...	...	...	...	15.64	13.34	11.03	...	...	...	...	9.97	9.38	9.09
WT0766	1	21 01 07.4	−49 07 25	0.372	233.2	1	...	...	...	...	14.21	11.78	9.80	...	...	...	...	9.12	8.48	8.19
GJ0816	1	21 01 58.6	−06 19 08	0.482	205.0	1	.06964	.00258	2	63,64	11.03	8.97	6.80	11.24	10.18	8.86	/5	7.56	6.95	6.69
L163-023	1	21 02 25.0	−60 31 36	0.227	133.9	1	...	...	...	...	13.52	12.08	10.27	11.96	10.97	9.79	3/	8.64	7.92	7.71
LTT08345	1	21 02 40.7	−18 31 17	0.360	108.8	1	...	...	...	...	11.91	9.40	8.43	...	...	...	...	8.22	7.63	7.41
GJ2151	1	21 03 13.9	−56 57 48	0.466	316.1	1	.07503	.00560	2	63,64	14.05	11.75	9.98	12.80	11.63	10.17	/34	8.73	8.18	7.90

Table 1—Continued

Name	# comp.	RA	DEC	μ ($''$yr^{-1})	P.A. (deg)	ref	π ($''$)	π error ($''$)	# π	ref	B_J (mags)	R_{59F} (mags)	I_{IVN} (mags)	V_J (mags)	R_{KC} (mags)	I_{KC} (mags)	# nts/ref	J (mags)	H (mags)	K_s (mags)
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)
LHS3615	1	21 03 21.7	−50 22 52	0.495	142.0	1	...	...	...	...	13.84	11.60	9.71	13.10	11.96	10.48	3/	9.11	8.46	8.19
GJ0817	1	21 04 53.4	−16 57 32	2.234	204.2	28	.05580	.00253	2	63,64	12.45	10.41	8.99	11.45	10.50	9.42	/5	8.29	7.74	7.55
L281-046	1	21 04 53.9	−52 48 34	0.326	182.7	1	...	...	...	...	14.72	12.75	10.94	13.66	12.52	11.08	/71	9.72	9.10	8.83
LEHPM2-0801	1	21 05 13.8	−55 03 56	0.334	171.0	1	...	...	...	...	15.01	12.96	10.76	13.97	12.69	11.05	/71	9.59	8.92	8.64
L280-056	1	21 06 26.9	−51 42 37	0.385	237.2	1	...	...	...	...	13.37	11.12	9.58	...	...	...	...	8.96	8.30	8.08
APM2109-4003	1	21 08 31.3	−40 03 49	0.622	133.4	1	...	...	...	...	15.17	13.00	10.97	14.11	12.95	11.41	1/	9.93	9.39	9.11
GJ0821	1	21 09 17.4	−13 18 09	2.118	160.3	28	.08197	.00190	2	63,64	11.95	9.79	8.42	10.87	9.91	8.83	/5	7.69	7.12	6.91
LP873-009	1	21 11 13.7	−22 48 18	0.358	181.7	1	...	...	...	...	16.00	13.68	11.14	14.67	13.39	11.69	/45	9.99	9.44	9.12
LP757-092	1	21 11 24.2	−09 40 33	0.379	189.5	1	...	...	...	...	17.36	15.30	12.69	16.56	14.92	12.96	/46	10.94	10.28	9.95
LHS3639	1	21 11 49.6	−43 36 49	0.741	161.7	1	.06334	.00341	2	63,64	12.63	10.56	8.88	12.00	10.96	9.73	/34	8.48	7.92	7.67
WT2203	1	21 14 14.0	−07 02 50	0.326	184.2	1	...	...	...	...	15.58	13.49	11.20	...	...	...	...	9.96	9.34	9.06
GJ0825	1	21 17 15.3	−38 52 03	3.453	250.5	36	.25344	.00080	2	63,64	7.60	5.54	4.27	6.67	5.77	4.91	/5	4.05[c]	3.26[c]	3.10[c]
L117-123	1	21 20 09.8	−67 39 06	0.455	280.9	1	.04807	.00213	3	63,63,64	12.23	10.05	8.64	10.90	9.93	8.86	/34	7.72	7.07	6.83
SCR2122-4314	1	21 22 16.9	−43 14 05	0.262	184.7	1	...	...	...	...	14.26	12.06	10.01	13.39	12.17	10.61	/71	9.13	8.53	8.21
GJ0826.2	1	21 24 18.4	−46 41 35	0.739	094.0	28	.04075	.00440	2	63,64	13.41	11.11	9.47	12.47	11.43	10.21	/5	8.97	8.41	8.14
APM2127-3844	1	21 27 04.6	−38 44 51	0.927	142.6	1	.04925	.00138	1	47	15.75	13.46	11.41	14.60	13.31	11.66	/47	10.03	9.56	9.28
GJ0828.2	1	21 27 16.9	−06 50 39	0.417	174.7	1	.06092	.00235	2	63,64	11.67	9.07	8.08	11.10	10.15	9.15	/5	8.05	7.46[c]	7.17
HB2124-4228	1	21 27 26.1	−42 15 18	0.191	132.5	1	.04230	.00360	1	63	21.58	19.19	16.03	...	18.52	16.12	/40	13.32	12.67	12.19
LTT08524	1	21 27 58.5	−00 39 50	0.373	211.0	37	...	...	...	...	12.48	10.47	9.23	...	...	...	...	8.78	8.17[c]	7.91
L714-046	1	21 28 18.3	−22 18 32	0.343	218.3	1	...	...	...	...	12.78	10.51	9.07	12.17	11.11	9.81	2/	8.50	7.92	7.63
LP817-050	1	21 28 41.1	−14 31 04	0.271	146.1	1	...	...	...	...	12.92	10.76	9.31	...	...	...	...	8.94	8.33	8.09
LP817-054	1	21 29 23.4	−18 55 08	0.205	188.1	1	...	...	...	...	18.14	15.69	12.80	...	...	...	...	11.26	10.64	10.30
SCR2130-7710	1	21 30 07.0	−77 10 38	0.589	118.0	59	...	...	...	...	18.24	15.63	13.48	17.01	15.33	13.31	/71	11.29	10.67	10.37
LHS0510	1	21 30 47.7	−40 42 30	1.759	143.4	1	.08360	.00252	1	29	14.10	12.05	10.04	13.12	11.92	10.35	2/29u	8.87	8.42	8.13
GJ0831	2	21 31 18.6	−09 47 26	1.194	091.0	63	.12512	.00215	2	63,64	12.63J	10.81J	8.38J	12.02J	10.70J	9.00J	3/	7.32J	6.70J	6.38J
LP698-002	1	21 32 29.8	−05 11 59	0.373	160.3	1	...	...	...	...	18.38	15.78	12.96	...	...	...	...	11.42	10.73	10.38
GJ0832	1	21 33 34.0	−49 00 33	0.800	183.9	36	.20203	.00100	2	63,64	9.18	6.58	5.71	8.66	7.66	6.48	/5	5.35	4.77[c]	4.50
LHS3689	1	21 33 48.9	−06 51 10	0.519	167.7	36	...	...	...	...	14.76	12.31	10.20	...	...	...	...	9.56	8.94[c]	8.66
L164-131	1	21 34 03.8	−63 11 07	0.299	122.9	1	...	...	...	...	14.90	12.77	10.88	...	...	...	...	9.80	9.22	8.95
WT0792	1	21 34 22.3	−43 16 11	0.827	168.6	1	...	...	...	...	17.39	15.06	12.28	16.38	14.74	12.76	1/	10.69	10.04	9.69
L164-124	1	21 34 52.2	−63 01 08	0.205	142.5	1	...	...	...	...	14.62	12.69	10.46	...	...	...	...	9.68	9.02	8.74
SIP2135-3855	1	21 35 16.2	−38 55 48	0.291	157.5	1	...	...	...	...	15.89	13.61	11.38	14.81	13.53	11.92	1/	10.35	9.75	9.46
SCR2135-5325	1	21 35 39.6	−53 25 32	0.191	332.4	1	...	...	...	...	17.43	15.07	12.30	15.88	14.39	12.54	/71	10.80	10.25	9.92
WT0795	1	21 36 25.3	−44 01 00	0.827	144.4	47	.06953	.00070	1	47	15.16	12.80	10.66	14.15	12.80	11.08	/47	9.46	8.83	8.53
HIP106803	1	21 37 55.7	−63 42 43	0.190	245.0	1	.04706	.00255	1	64	11.70	9.65	8.37	10.62	9.67	8.62	/34	7.51	6.82	6.64
LHS0512	1	21 38 43.7	−33 39 55	1.160	117.4	1	.08202	.00210	1	29	13.40	11.60	9.29	12.55	11.37	9.88	2/29u	8.44	7.84	7.57
GJ0836	1	21 39 00.9	−24 09 29	1.257	126.2	1	...	...	...	...	14.33	12.25	10.39	13.45	12.27	10.70	/5	9.19	8.61	8.36
L081-009	1	21 41 03.8	−69 45 35	0.420	258.9	1	...	...	...	...	14.51	12.40	10.58	...	...	...	...	9.55	8.99	8.67
LTT08678	1	21 45 00.8	−05 47 13	0.457	200.0	1	...	...	...	...	13.29	11.11	9.35	...	...	...	...	9.03	8.46	8.19
LP874-061	1	21 45 26.7	−21 33 58	0.315	128.2	1	...	...	...	...	13.03	10.87	9.73	...	...	...	...	8.91	8.32	8.05
L002-077	1	21 46 40.4	−85 43 05	0.308	129.0	1	...	...	...	...	13.87	11.12	9.71	13.39	12.13	10.44	2/	8.84	8.28	7.99
GJ1263	2(1)	21 46 42.7	−00 10 24	0.944	121.8	1	.08350	.00390	1	63	13.68	11.57	9.49	12.64	11.43	9.87	/69	8.36	7.83	7.49
LP874-062	1	21 46 45.5	−21 17 47	0.300	100.1	1	...	...	...	...	14.71	12.52	10.45	13.66	12.43	10.82	/45	9.29	8.71	8.38
LP698-042	1	21 47 17.5	−04 44 41	0.273	089.9	1	...	...	...	...	14.88	12.35	10.05	...	...	...	...	9.42	8.84	8.50
LP818-034	1	21 48 53.0	−19 47 27	0.318	096.1	1	...	...	...	...	16.09	13.77	11.40	14.85	13.55	11.82	/45	10.13	9.51	9.21
GJ1264	2	21 49 05.9	−72 06 08	0.459	127.4	1	.06129	.00154	1	64	10.74J	8.62J	7.38J	9.62J	8.68J	7.64J	/34	6.54J	5.84J	5.65J
L427-034	2	21 49 11.4	−41 33 30	0.365	124.0	1	...	...	...	...	12.19J	9.94J	8.20J	11.55J	10.39J	9.02J	2/	7.75J	7.17J	6.88J
LHS3719	1	21 49 25.9	−63 06 52	0.558	038.3	1	.06028	.00137	1	47	13.32	11.41	9.69	12.56	11.45	10.08	/47	8.74	8.12	7.89
WT0818	1	21 49 44.8	−41 38 33	0.185	107.6	1	...	...	...	...	14.58	12.36	10.29	13.56	12.36	10.85	1/	9.39	8.87	8.54

Table 1—Continued

Name	# comp.	RA	DEC	μ ($''$yr^{-1})	P.A. (deg)	ref	π ($''$)	π error ($''$)	# π	ref	B_J (mags)	R_{59F} (mags)	I_{IVN} (mags)	V_J (mags)	R_{KC} (mags)	I_{KC} (mags)	# nts/ref	J (mags)	H (mags)	K_s (mags)
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)
LP638-050	1	21 51 27.0	−01 27 14	0.223	084.0	37	...	...	...	...	18.15	15.93	13.09	...	...	...	...	11.28	10.74	10.39
SCR2154-4754	1	21 54 02.5	−47 54 02	0.190	069.3	1	...	...	...	...	16.46	14.32	12.00	15.43	14.07	12.37	1/	10.71	10.13	9.84
LP818-054	1	21 55 02.2	−20 14 27	0.243	061.1	1	...	...	...	...	15.34	13.10	11.07	...	...	...	...	9.98	9.44	9.10
LP983-034	1	21 55 48.4	−33 13 15	0.225	161.7	1	...	...	...	...	13.30	11.25	9.40	...	...	...	...	8.60	7.98	7.70
LP758-062	1	21 56 19.8	−10 20 17	0.411	227.2	1	...	...	...	...	15.67	13.66	11.33	14.59	13.27	11.52	/45	9.93	9.39	9.09
LHS0516	1	21 56 55.3	−01 54 09	1.417	064.9	1	.07480	.00320	1	63	15.28	13.36	11.08	14.65	13.29	11.52	/69	9.88	9.32	9.03
LP759-006	1	21 57 12.7	−09 03 27	0.224	126.0	1	...	...	...	...	16.34	14.24	11.88	15.11	13.73	11.94	/45	10.14	9.51	9.24
LHS3735	1	21 57 39.3	−09 28 13	0.534	251.3	36	...	...	...	...	16.19	14.12	12.02	14.84	13.60	11.98	/69	10.45	9.82	9.54
LHS3739	3(1)	21 58 50.2	−32 28 18	0.542	223.7	1	.05092[a]	.00077	2	47,47	15.67	13.38	11.07	14.72	13.45	11.88	/47	10.39	9.83	9.56
GJ0842	1	21 59 34.7	−59 45 10	0.895	097.9	28	.08328	.00174	2	63,64	10.57	8.56	7.02	9.74	8.78	7.75	/5	6.61	5.99	5.76
GJ0843	1	22 02 00.8	−19 28 59	0.923	086.6	1	...	...	...	...	12.82	10.23	8.84	12.03	10.89	9.45	/5	8.05	7.50[c]	7.19
LP759-017	1	22 02 11.3	−11 09 46	0.234	145.3	1	...	...	...	...	20.11	17.87	14.88	...	...	...	...	12.36	11.71	11.37
LHS3746	1	22 02 29.4	−37 04 51	0.843	101.3	1	.13429	.00131	1	25	12.42	10.35	8.20	11.76	10.56	9.04	/25	7.60	7.02	6.72
LTT18559	1	22 02 31.3	−00 17 10	0.527	115.4	1	...	...	...	...	15.24	13.15	10.82	...	...	...	...	10.02	9.40	9.11
LP875-009	1	22 03 20.0	−25 21 52	0.355	230.4	1	...	...	...	...	13.72	11.16	9.86	...	...	...	...	9.03	8.49	8.25
LHS3748	1	22 03 27.1	−50 38 38	0.589	142.7	1	.05015	.00427	1	18	13.44	11.27	9.64	12.10	11.08	9.86	/34	8.63	8.04	7.81
LP759-025	1	22 05 35.7	−11 04 29	0.320	236.8	1	...	...	...	...	18.93	16.53	13.76	...	...	...	...	11.66	11.05	10.72
LTT08848	2(1)	22 05 51.3	−11 54 51	0.340	236.6	1	.04500	.00268	1	64	11.32	9.11	7.95	10.15	9.25	8.33	/66	7.22	6.60	6.40
LHS3756	1	22 05 54.4	−38 16 06	0.783	133.7	1	...	...	...	...	13.18	10.98	9.27	...	...	...	...	8.80	8.26	8.04
LP699-032	1	22 06 09.6	−07 23 36	0.294	141.0	1	...	...	...	...	17.45	15.17	12.49	...	...	...	...	10.67	10.06	9.76
WT0870	1	22 06 40.7	−44 58 07	0.753	216.9	1	.05651	.00113	1	47	15.66	13.36	10.95	14.43	13.10	11.40	/47	9.76	9.18	8.89
L283-001	1	22 06 57.2	−49 49 42	0.385	084.4	1	...	...	...	...	14.42	12.33	10.48	...	...	...	...	9.34	8.72	8.45
LP983-102	1	22 07 53.9	−37 04 24	0.269	249.7	1	...	...	...	...	13.96	11.71	9.97	...	...	...	...	9.27	8.69	8.43
LP1032-066	1	22 08 16.2	−42 42 59	0.468	156.4	1	...	...	...	...	13.71	11.60	10.11	12.68	11.62	10.32	/45	9.05	8.47	8.19
LTT08875	1	22 08 32.4	−08 24 52	0.353	146.2	1	...	...	...	...	14.15	11.96	10.41	...	...	...	...	9.23	8.57	8.37
L024-098	1	22 08 38.6	−83 03 29	0.309	089.6	1	...	...	...	...	13.41	11.47	10.15	...	...	...	...	9.04	8.47	8.22
GJ0849	1	22 09 40.3	−04 38 27	1.083	090.9	1	.11145	.00175	2	63,64	11.64	9.21	7.55	10.38	9.27	7.87	3/	6.51	5.90	5.59
LEHPM1-4416	1	22 10 13.2	−71 46 07	0.560	091.4	42	...	...	...	...	15.90	13.68	11.32	14.53	13.20	11.54	1/	9.98	9.42	9.11
LTT08900	1	22 11 13.5	−02 32 37	0.434	102.3	1	...	...	...	...	13.38	11.36	10.10	...	...	...	...	8.69	8.14[c]	7.82
LTT08905	1	22 11 56.9	−07 42 57	0.441	072.5	1	...	...	...	...	13.77	11.66	10.24	...	...	...	...	9.24	8.58	8.36
LTT08914	2(1)	22 13 28.8	−14 44 54	0.412	225.5	1	...	...	...	...	14.21	12.49	10.60	13.34	12.22	10.79	/70	9.45	8.82[c]	8.53
GJ1265	1	22 13 42.9	−17 41 09	0.928	110.9	1	.09600	.00390	1	63	14.57	12.40	9.96	13.57	12.27	10.58	/69	8.96	8.42	8.12
WT0887	1	22 13 50.5	−63 42 10	0.201	038.4	1	...	...	...	...	18.28	15.79	12.59	...	...	...	...	10.92	10.30	9.94
LP875-068	1	22 14 38.4	−21 41 53	0.274	035.2	1	...	...	...	...	11.37	8.65	8.05	10.38	9.50	8.61	1/	7.54	6.90	6.72
LP984-001	1	22 17 19.0	−34 44 03	0.496	165.9	1	...	...	...	...	16.75	14.16	11.67	15.48	13.94	12.02	1/	10.15	9.53	9.17
GJ0852	3(1)	22 17 19.2	−08 48 13	0.569	237.4	1	.09960	.00330	1	63	13.25	10.94	8.96	13.48	12.18	10.54	/5	9.02	8.49[c]	8.17
LHS3789	1	22 17 53.3	−36 11 20	0.558	166.3	1	...	...	...	...	15.38	13.07	11.09	...	...	...	...	9.93	9.36	9.09
LHS3793	1	22 19 23.7	−28 23 21	0.871	111.7	1	...	...	...	...	15.79	13.64	11.40	...	...	...	...	10.17	9.64	9.36
LP931-042	1	22 20 24.7	−27 05 52	0.438	099.6	1	...	...	...	...	13.63	11.49	10.49	...	...	...	...	9.25	8.58	8.44
LHS5384	1	22 21 49.7	−42 09 03	0.535	195.8	1	...	...	...	...	15.94	13.74	11.56	14.74	13.46	11.81	/45	10.21	9.64	9.35
LP931-048	1	22 21 53.4	−31 31 23	0.296	110.8	1	...	...	...	...	14.56	12.46	10.58	...	...	...	...	9.48	8.89	8.60
LEHPM1-4635	1	22 22 43.5	−72 15 44	0.320	134.2	1	...	...	...	...	16.17	13.99	11.64	...	...	...	...	10.38	9.79	9.51
LHS3799	1	22 23 07.0	−17 36 26	0.787	157.0	1	.13769	.00175	2	49,63	14.23	11.76	9.27	13.30	11.87	10.04	/49	8.24	7.64	7.32
LP931-053	1	22 23 14.0	−27 23 58	0.441	221.0	37	...	...	...	...	14.15	12.00	10.57	...	...	...	...	9.13	8.60	8.33
GJ0855	1	22 23 33.3	−57 13 14	0.721	122.0	1	.05245	.00211	2	63,64	11.65	9.39	7.97	10.72	9.77	8.72	/5	7.60	6.96	6.73
LP931-057	2	22 23 46.3	−28 06 50	0.183	067.6	1	...	...	...	...	14.70J	12.69J	10.66J	...	...	...	...	9.65J	9.05J	8.83J
LP1033-011	1	22 24 56.7	−38 31 10	0.303	163.2	1	...	...	...	...	12.95	11.04	9.64	...	...	...	...	9.00	8.33	8.13
LHS3804	1	22 25 05.1	−47 52 47	0.838	134.1	1	...	...	...	...	13.16	11.20	9.07	12.51	11.31	9.82	/46	8.34	7.73	7.43
LEHPM1-4728	1	22 27 27.1	−35 00 51	0.240	197.3	1	...	...	...	...	14.81	12.67	10.77	...	...	...	...	9.77	9.16	8.88

Table 1—Continued

Name	# comp.	RA	DEC	μ ($''$yr^{-1})	P.A. (deg)	ref	π ($''$)	π error ($''$)	# π	ref	B_J (mags)	R_{59F} (mags)	I_{IVN} (mags)	V_J (mags)	R_{KC} (mags)	I_{KC} (mags)	# nts/ref	J (mags)	H (mags)	K_s (mags)
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)
LP876-026	2	22 28 23.4	−25 54 08	0.329	173.7	1	.04900	.00647	1	64	13.02J	10.85J	9.00J	12.08J	10.93J	9.46J	/34	8.34[c]	7.58	7.45[c]
LHS0523	1	22 28 54.4	−13 25 19	1.083	196.5	36	.08880	.00490	1	63	18.19	15.78	12.64	16.90	14.90	12.56	/6	10.77	10.22	9.84
LEHPM1-4771	1	22 30 09.5	−53 44 56	0.745	185.2	1	...	...	...	...	15.81	13.57	11.20	14.47	13.09	11.30	3/	9.54	8.96	8.63
SCR2230-5244	1	22 30 28.0	−52 44 29	0.333	123.3	1	...	...	...	...	19.02	16.34	14.13	17.37	15.91	13.88	/71	11.85	11.24	10.91
LP876-034	1	22 34 00.5	−25 14 33	0.325	198.8	1	.06220	.00307	1	64	12.64	10.44	8.84	11.29	10.23	8.98	2/	7.73	7.14	6.88
L166-044	1	22 34 04.6	−61 07 41	0.241	092.2	1	...	...	...	...	16.18	14.01	11.73	...	...	...	...	10.14	9.60	9.34
LHS0526	1	22 34 53.7	−01 04 58	1.136	078.8	1	.04250	.00370	1	63	15.96	13.78	10.90	14.83	13.56	11.91	/69	10.39	9.78	9.52
LTT09084	1	22 35 04.9	−42 17 48	0.307	120.1	1	...	...	...	...	14.40	12.30	10.34	13.34	12.12	10.56	1/	9.10	8.47	8.21
GJ0864	1	22 36 09.7	−00 50 30	0.628	174.6	28	.05871	.00174	2	63,64	10.15	8.10	6.88	9.99	9.09	8.12	/5	7.04	6.37	6.16
L645-074	2(1)	22 38 24.7	−29 21 14	0.260	183.0	37	...	...	...	...	11.71	8.52	7.55	10.93	9.89	8.64	3/	7.41	6.81	6.57
GJ0865	2	22 38 29.8	−65 22 42	0.815	101.5	1	.07834	.00524	2	63,64	12.12J	10.25J	8.01J	11.48J	10.30J	8.77J	/5	7.27J	6.72J	6.43J
GJ0866	3	22 38 33.6	−15 17 59	3.254	046.8	36	.28950	.00440	1	63	13.01J	10.60J	7.19J	12.37J	10.70J	8.64J	/6	6.55J	5.95J	5.54J
GJ0867	4(2)	22 38 45.6	−20 37 16	0.456	100.0	28	.11501	.00130	2	63,64	10.36J	...	...	9.09J	8.08J	6.88J	/5	5.67J	5.11J	4.80J
L083-030	1	22 40 42.9	−71 31 11	0.410	245.6	1	...	...	...	...	11.96	10.09	8.96	...	...	...	...	8.18	7.55[c]	7.36
LHS3844	1	22 41 58.1	−69 10 08	0.785	157.1	36	...	...	...	...	16.38	14.14	11.62	...	...	...	...	10.05	9.48	9.15
LEHPM1-5031	1	22 41 59.4	−75 00 33	0.227	341.5	1	...	...	...	...	17.27	14.77	12.07	...	...	...	...	10.43	9.90	9.60
L166-003	1	22 42 00.1	−59 15 13	0.334	091.5	1	...	...	...	...	15.34	13.44	11.25	...	...	...	...	9.83	9.28	9.01
LP820-060	1	22 43 02.0	−20 07 18	0.320	098.0	1	...	...	...	...	14.96	12.81	11.08	...	...	...	...	9.70	9.12	8.86
LP876-008	1	22 43 23.1	−24 24 52	0.327	139.4	1	...	...	...	...	16.28	14.12	11.77	...	...	...	...	10.25	9.67	9.41
GJ0871.1	2(1)	22 44 58.0	−33 15 02	0.230	123.1	1	.04382	.00231	2	55,64	12.50	10.48	8.13	12.11	10.91	9.32	3/	7.79	7.15	6.93
G156-046	1	22 45 06.1	−12 23 43	0.193	048.5	1	...	...	...	...	14.68	12.59	10.21	...	...	...	...	9.68	9.05	8.79
LP821-016	1	22 46 23.8	−16 56 53	0.228	189.1	1	...	...	...	...	13.15	11.10	9.18	12.61	11.58	10.30	/45	9.06	8.49[c]	8.21
LHS3850	1	22 46 26.4	−06 39 26	0.865	128.0	36	.05330	.00460	1	63	16.92	14.49	11.77	...	...	...	...	10.79	10.19	9.85
GJ0874	1	22 48 17.4	−36 47 23	0.804	109.0	1	...	...	...	...	12.35	10.42	8.81	11.90	10.89	9.68	/5	8.48	7.87	7.63
LP932-081	1	22 48 38.4	−31 08 41	0.457	102.5	1	...	...	...	...	13.12	10.88	9.27	12.33	11.21	9.79	1/	8.41	7.82	7.49
LP932-083	1	22 49 08.4	−28 51 20	0.292	213.3	1	...	...	...	...	14.68	12.59	10.57	13.94	12.67	10.98	3/	9.34	8.78[c]	8.47
LP985-032	1	22 51 23.7	−34 19 36	0.312	125.6	1	...	...	...	...	11.89	9.75	8.32	11.52	10.55	9.47	/45	8.36	7.75	7.49
LP821-027	1	22 52 05.2	−15 32 51	0.316	083.9	1	...	...	...	...	15.77	13.37	10.90	15.08	13.74	11.96	/45	10.24	9.69	9.37
SCR2252-6905	1	22 52 19.2	−69 05 48	0.262	102.1	1	...	...	...	...	16.83	14.83	12.39	15.72	14.38	12.65	1/	10.93	10.31	10.02
SCR2252-2220	1	22 52 25.8	−22 20 07	0.299	187.6	1	...	...	...	...	14.95	12.82	10.85	13.71	12.56	11.10	/71	9.70	9.11	8.86
LHS5394	1	22 52 48.1	−28 47 43	0.461	229.7	1	.05099	.00284	1	64	13.04	10.42	9.43	11.87	10.85	9.65	/34	8.41	7.82[c]	7.58
GJ0876	1	22 53 16.8	−14 15 49	1.172	125.0	28	.21447	.00057	3	3,63,64	11.15	8.68	7.23	10.18	8.97	7.40	3/	5.93	5.35	5.01
SCR2253-1238	1	22 53 42.8	−12 38 43	0.184	099.3	1	...	...	...	...	13.49	10.90	9.78	12.58	11.55	10.31	1/	9.02	8.40	8.17
LEHPM1-5263	1	22 53 50.9	−71 28 07	0.318	120.8	1	...	...	...	...	17.38	15.29	12.67	...	...	...	...	10.85	10.30	9.96
LHS3872	1	22 54 46.5	−05 28 26	0.675	055.4	1	.04242	.00452	2	57,63	14.60	12.34	10.43	13.89	12.67	11.12	2/	9.65	9.09	8.81
HIP113201	1	22 55 27.2	−52 18 10	0.185	132.8	1	.04034	.00284	1	64	12.49	10.36	8.99	11.51	10.53	9.44	/34	8.32	7.66[c]	7.42
GJ0877	1	22 55 45.5	−75 27 31	1.420	225.6	36	.11613	.00118	2	63,64	11.56	9.39	7.47	10.38	9.31	7.95	/5	6.62	6.08	5.81
GJ1277	1	22 56 24.7	−60 03 49	1.082	210.4	30	.09748	.00117	1	30	15.40	13.19	10.65	14.00	12.59	10.79	/30	8.98	8.36	8.11
LP761-006	1	22 56 26.2	−11 09 39	0.463	055.3	1	...	...	...	...	16.27	14.17	12.29	...	...	...	...	10.50	9.92	9.63
L718-071	2(1)	23 00 33.4	−23 57 10	0.382	150.5	1	.04910[a]	.00238	2	64,64	12.81	10.31	9.24	11.55	10.55	9.43	1/	8.25	7.67	7.41
LP877-045	1	23 00 36.7	−26 04 56	0.334	084.5	1	...	...	...	...	14.52	12.17	10.83	...	...	...	...	9.54	9.00	8.75
LP933-037	1	23 01 23.9	−26 49 47	0.265	085.1	1	...	...	...	...	16.73	14.58	12.35	...	...	...	...	10.74	10.16	9.88
L215-016	1	23 01 32.5	−55 30 18	0.338	052.8	1	...	...	...	...	14.06	12.24	10.25	12.65	11.57	10.25	/71	8.98	8.36	8.13
LP701-056	1	23 01 46.2	−06 14 23	0.199	114.4	1	...	...	...	...	14.28	12.12	10.12	...	...	...	...	9.49	8.90	8.65
L286-074	1	23 01 49.5	−53 17 08	0.269	144.1	1	...	...	...	...	14.46	12.58	10.75	...	...	...	...	9.39	8.74	8.50
LP821-054	1	23 03 59.7	−16 12 07	0.354	192.5	1	...	...	...	...	15.73	13.62	11.46	14.63	13.38	11.77	/45	10.21	9.66	9.29
GJ0887	1	23 05 52.1	−35 51 11	6.907	078.9	36	.30508	.00070	2	63,64	8.00	6.91	5.28	7.34	6.37	5.32	/5	4.34[c]	3.61[c]	3.47[c]
L1007-017	1	23 06 27.8	−00 29 38	0.496	235.5	1	...	...	...	...	13.27	11.24	9.51	...	...	...	...	9.08	8.40	8.16
2MA2306-0502	1	23 06 29.4	−05 02 29	1.036	117.1	11	.08258	.00258	1	11	19.88	17.32	13.58	18.75	16.54	14.10	3/	11.35	10.72	10.30

Table 1—Continued

Name	# comp.	RA	DEC	μ ($''$yr^{-1})	P.A. (deg)	ref	π ($''$)	π error ($''$)	# π	ref	B_J (mags)	R_{59F} (mags)	I_{IVN} (mags)	V_J (mags)	R_{KC} (mags)	I_{KC} (mags)	# nts/ref	J (mags)	H (mags)	K_s (mags)
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)
SSS2307-5009	1	23 06 58.8	−50 08 59	0.437	087.4	1	.04659	.00157	1	16	22.80	19.74	16.69	20.67	19.02	16.60	/16	13.39	12.70	12.24
SCR2307-8452	1	23 07 19.7	−84 52 04	0.613	097.2	59	...	...	...	...	16.33	14.16	11.83	15.13	13.76	12.00	/71	10.36	9.81	9.47
LHS3898	1	23 07 46.8	−27 54 23	0.743	101.5	1	...	...	...	...	13.47	10.97	9.82	...	...	...	...	8.80	8.21	7.92
LTT09381	1	23 09 39.3	−01 58 24	0.449	143.0	37	...	...	...	...	13.22	11.24	9.23	...	...	...	...	8.67	8.01	7.80
GJ1279	1	23 09 40.9	−67 43 58	0.372	238.9	1	.06674	.00083	1	64	9.45	7.52	6.56	...	...	...	...	6.08	5.46	5.33
LTT09388	1	23 10 00.3	−21 11 43	0.331	089.5	1	...	...	...	...	13.67	11.52	9.82	12.77	11.66	10.22	2/	8.86	8.24	8.00
L120-181	1	23 10 20.7	−69 12 22	0.229	096.5	1	...	...	...	...	13.18	11.17	9.79	...	...	...	...	8.89	8.26	8.06
GJ1281	1	23 10 42.2	−19 13 35	1.443	177.1	1	.04114	.00231	1	29	13.45	11.39	9.92	12.45	11.42	10.19	/29	8.98	8.46	8.23
LEHPM1-5562	1	23 10 54.9	−38 02 01	0.343	105.4	1	...	...	...	...	13.93	11.71	9.97	...	...	...	...	9.38	8.71	8.51
LP822-037	1	23 11 57.8	−17 01 59	0.206	096.3	1	...	...	...	...	14.97	12.71	10.77	...	...	...	...	9.57	8.96	8.70
LHS3909	1	23 12 11.3	−14 06 12	0.755	196.3	1	.05490	.00200	1	47	13.93	11.20	9.89	12.97	11.82	10.40	/47	9.06	8.48	8.22
LTT09412	1	23 13 01.8	−05 31 10	0.240	093.6	1	...	...	...	...	12.96	10.61	9.55	...	...	...	...	8.86	8.20	7.97
GJ2154	2	23 14 16.7	−19 38 39	0.459	083.3	1	.05042	.00214	1	64	11.26J	9.01J	7.79J	10.49	9.53	8.56	1/	7.47	6.80	6.62
LEHPM1-5625	1	23 15 02.0	−35 28 25	0.325	059.0	1	...	...	...	...	14.45	12.01	9.95	...	...	...	...	9.24	8.70	8.40
LHS3918	1	23 15 43.8	−12 21 49	0.578	115.4	1	...	...	...	...	13.70	11.74	9.98	...	...	...	...	9.26	8.63[c]	8.39
LHS0539	1	23 15 51.6	−37 33 31	1.311	078.4	29	.05285	.00201	1	29	15.97	13.81	11.56	14.97	13.66	11.98	3/29u	10.40	9.87	9.59
LP702-050	1	23 15 54.5	−06 27 46	0.321	101.5	1	...	...	...	...	18.06	15.94	13.13	...	...	...	...	11.11	10.57	10.23
LHS3916	2	23 15 57.2	−81 22 21	0.502	079.2	28	.04452	.00131	1	64	11.61J	9.49J	8.24J	10.00J	9.12J	8.23J	/34	7.19J	6.58J	6.35J
LTT09448	1	23 16 36.7	−01 30 48	0.304	191.8	1	...	...	...	...	15.05	13.01	11.14	...	...	...	...	9.82	9.19	8.91
L719-021	1	23 17 00.2	−23 23 47	0.370	128.5	1	.04686	.00170	1	64	12.13	9.76	8.94	10.85	9.96	9.10	/34	8.10	7.45	7.25
LTT09461	1	23 17 21.8	−25 42 21	0.316	222.2	1	...	...	...	...	14.92	12.76	11.14	...	...	...	...	9.88	9.29	9.02
LTT09462	1	23 17 25.5	−40 26 46	0.290	114.7	1	...	...	...	...	14.09	12.26	10.25	13.06	11.96	10.56	2/	9.24	8.57	8.35
LHS3925	1	23 17 50.3	−48 18 47	0.756	157.5	47	.04685	.00117	1	47	14.83	12.50	10.53	13.61	12.44	10.92	/47	9.53	8.97[c]	8.71
G273-014	1	23 19 35.6	−08 53 17	0.274	235.2	1	...	...	...	...	16.12	14.04	12.08	...	...	...	...	10.42	9.86	9.58
LP642-048	2	23 20 57.7	−01 47 37	0.181	081.5	1	...	...	...	...	14.79J	12.84J	10.57J	13.64J	12.42J	10.84J	1/	9.36J	8.79J	8.49J
LTT09506	1	23 21 05.7	−16 51 49	0.420	163.0	37	...	...	...	...	13.85	11.69	10.03	...	...	...	...	9.17	8.60	8.34
LP934-033	1	23 22 23.6	−27 25 45	0.357	212.6	1	...	...	...	...	18.75	16.39	13.62	...	...	...	...	11.64	11.06	10.75
LTT09524	1	23 24 05.6	−05 11 14	0.349	089.0	1	...	...	...	...	14.49	12.40	10.58	...	...	...	...	9.56	8.94	8.69
LP822-073	1	23 24 16.9	−15 22 23	0.215	103.1	1	...	...	...	...	17.96	15.60	12.84	...	...	...	...	11.19	10.54	10.20
LP822-074	1	23 24 29.1	−18 31 15	0.253	200.8	1	...	...	...	...	14.50	12.45	10.36	...	...	...	...	9.54	8.97	8.69
G273-039	1	23 25 16.0	−12 52 31	0.186	100.7	1	...	...	...	...	12.35	10.39	9.53	...	...	...	...	8.82	8.11	7.98
L120-120	1	23 25 25.1	−67 40 08	0.284	123.3	1	...	...	...	...	15.60	13.32	11.09	14.38	13.11	11.48	/71	9.91	9.33	9.05
LHS3954	1	23 27 26.5	−17 41 33	0.562	175.5	1	...	...	...	...	19.38	16.95	13.71	...	...	...	...	11.75	11.20	10.84
LP986-059	1	23 27 28.7	−37 54 12	0.323	087.1	1	...	...	...	...	13.32	10.91	9.62	...	...	...	...	8.85	8.25	7.98
LP702-096	1	23 27 55.5	−05 27 01	0.201	090.0	1	...	...	...	...	14.42	12.38	10.66	...	...	...	...	9.68	9.05	8.78
GJ1284	2	23 30 13.5	−20 23 27	0.374	122.6	1	.06613	.00191	2	18,49	11.89J	9.85J	7.83J	11.14J	10.02J	8.59J	/49	7.20J	6.61J	6.33J
APM2330-4737	1	23 30 16.2	−47 36 45	1.134	208.7	1	.07271	.00333	1	11	19.17	16.75	13.19	18.08	15.87	13.68	/11	11.23	10.64	10.28
SCR2330-0838	2(1)	23 30 16.9	−08 38 37	0.194	094.1	1	...	...	...	...	15.47	13.57	11.58	14.29	13.07	11.48	1/	9.97	9.36	9.13
LEHPM2-2163	1	23 30 38.2	−84 55 19	0.249	254.8	1	...	...	...	...	15.69	13.52	11.17	...	...	...	...	9.84	9.31	9.00
DEN2331-2749	1	23 31 21.8	−27 49 50	0.781	001.4	1	.06914	.00206	1	11	20.42	17.99	14.40	19.07	16.54	14.19	/11	11.65	11.06	10.65
LTT09580	1	23 31 25.0	−16 15 58	0.369	138.0	1	...	...	...	...	13.90	11.78	9.74	13.13	11.95	10.40	3/	8.88	8.29[c]	8.00
LTT09582	1	23 32 00.2	−39 17 37	0.261	137.4	1	...	...	...	...	13.87	11.42	9.91	12.93	11.77	10.30	1/	8.90	8.26	8.02
LTT09596	1	23 33 36.7	−42 13 22	0.212	189.9	1	...	...	...	...	13.68	11.28	9.92	12.58	11.48	10.10	2/	8.68	8.07	7.80
GJ1286	1	23 35 10.5	−02 23 21	1.191	135.1	1	.13830	.00350	1	63	15.56	13.42	10.30	14.73	13.10	11.10	3/	9.15	8.51	8.18
G275-071	1	23 35 48.8	−24 19 09	0.186	140.0	1	...	...	...	...	14.68	12.74	10.83	...	...	...	...	9.65	9.07[c]	8.77
LHS0547	1	23 36 52.3	−36 28 52	1.225	087.9	1	.08623	.00203	1	29	14.85	12.76	10.54	13.76	12.46	10.79	/29	9.19	8.67	8.42
LP763-003	1	23 37 38.3	−12 50 28	0.384	145.5	1	...	...	...	...	18.61	15.93	12.92	...	...	...	...	11.46	10.83	10.45
L026-054	1	23 37 52.8	−76 45 26	0.270	087.9	42	...	...	...	...	13.06	11.77	8.97	...	...	...	...	8.58	8.01	7.68
LTT09634	1	23 38 08.2	−16 14 10	0.276	251.7	1	...	...	...	...	11.52	9.34	7.68	11.34	10.31	9.08	/66	7.81	7.21	7.00

Table 1—Continued

Name	# comp.	RA	DEC	μ	P.A.	ref	π	π error	# π	ref	B_J	R_{59F}	I_{IVN}	V_J	R_{KC}	I_{KC}	# nts/ref	J	H	K_s
				($''$yr^{-1})	(deg)		($''$)	($''$)			(mags)	(mags)	(mags)	(mags)	(mags)	(mags)		(mags)	(mags)	(mags)
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)
LTT09635	1	23 38 17.4	−41 31 04	0.301	135.9	1	.05354	.00352	1	64	12.99	10.56	9.39	11.93	10.89	9.62	/34	8.36	7.73	7.49
LEHPM1-6053	1	23 40 23.9	−40 21 47	0.312	119.9	1	...	...	...	...	14.23	12.29	10.46	...	...	...	...	9.26	8.63	8.34
G275-082	1	23 41 16.3	−26 57 21	0.332	087.5	1	...	...	...	...	13.97	11.74	9.75	...	...	...	...	9.20	8.50	8.28
LP703-042	1	23 41 39.3	−06 35 50	0.309	111.1	1	...	...	...	...	16.11	13.99	11.61	...	...	...	...	10.32	9.70	9.40
LEHPM2-1679	1	23 41 41.6	−85 56 07	0.267	153.2	1	...	...	...	...	16.59	14.36	12.21	...	...	...	...	10.60	10.02	9.69
LEHPM1-6134	1	23 44 10.9	−68 31 47	0.328	176.6	1	...	...	...	...	15.67	13.52	11.49	...	...	...	...	10.03	9.52	9.16
LEHPM1-6159	1	23 45 10.6	−38 32 24	0.211	181.9	1	...	...	...	...	15.13	12.96	10.94	...	...	...	...	9.78	9.16	8.88
LHS4009	2	23 45 31.3	−16 10 20	0.671	217.0	1	.07997	.00137	1	47	15.31J	12.72J	9.93J	14.38J	12.90J	10.99J	/47	9.21J	8.61J	8.31J
LHS4012	1	23 46 32.0	−50 43 28	0.502	203.7	36	...	...	...	...	15.75	13.37	11.16	...	...	...	...	10.05	9.51	9.26
LP987-023	1	23 46 38.2	−34 10 02	0.326	266.4	1	...	...	...	...	13.67	11.34	9.82	12.58	11.49	10.14	/45	8.85	8.25	8.04
GR0481	1	23 47 37.8	−23 16 06	0.185	113.7	1	...	...	...	...	15.05	13.21	11.13	...	...	...	...	9.80	9.14	8.93
LHS4016	2	23 48 36.1	−27 39 39	0.565	244.0	1	.04125	.00155	1	47	13.13J	10.88J	9.30J	12.34J	11.25J	9.90J	/49	8.58J	8.02J	7.74J
LHS4021	1	23 50 31.6	−09 33 33	0.753	121.5	1	.06241	.00170	1	47	14.01	11.45	9.58	13.44	12.19	10.59	/47	8.94	8.39[c]	8.04
LEHPM1-6333	2	23 51 50.5	−25 37 37	0.408	067.3	1	...	...	...	...	22.05J	18.89J	15.57J	19.98J	17.86J	15.47J	2/	12.47J	11.73J	11.27J
LEHPM1-6366	1	23 52 32.2	−34 13 07	0.199	134.0	1	...	...	...	...	17.87	15.65	13.18	...	...	...	...	11.31	10.72	10.42
L217-036	1	23 52 44.4	−57 56 03	0.320	080.6	1	...	...	...	...	14.42	12.22	10.26	...	...	...	...	9.25	8.59[c]	8.30
LTT09783	1	23 53 08.3	−42 32 04	0.223	065.2	1	...	...	...	...	13.72	11.60	9.77	...	...	...	...	9.17	8.59	8.34
L085-031	1	23 53 25.2	−70 56 41	0.292	089.4	1	...	...	...	...	14.32	11.96	9.80	13.01	11.78	10.18	3/	8.68	8.10	7.78
LP987-047	1	23 53 41.0	−35 59 06	0.299	059.3	1	...	...	...	...	14.77	12.69	10.68	...	...	...	...	9.41	8.78	8.55
L026-027	1	23 53 50.1	−75 37 57	0.452	147.1	28	.10007	.00105	1	64	10.80	8.27	6.94	10.02	8.99	7.72	/34	6.45	5.78	5.55
LHS4038	1	23 54 04.3	−41 32 31	0.550	110.6	1	...	...	...	...	14.68	12.55	10.63	...	...	...	...	9.50	8.93	8.67
L169-058	1	23 54 41.3	−61 35 10	0.356	124.0	1	...	...	...	...	14.16	11.74	9.93	...	...	...	...	9.19	8.62	8.35
LHS4046	1	23 55 26.0	−03 59 00	0.520	088.2	36	...	...	...	...	14.77	12.94	10.77	13.86	12.72	11.25	/69	9.87	9.21	8.95
GJ0912	1	23 55 39.8	−06 08 33	0.615	231.3	28	.05464	.00276	2	63,64	11.80	9.98	7.99	11.16	10.13	8.87	/5	7.60	6.96	6.72
G158-008	1	23 55 55.2	−13 21 24	0.314	089.4	1	...	...	...	...	14.24	12.11	10.36	13.43	12.26	10.72	/45	9.26	8.70	8.43
LEHPM1-6494	1	23 56 10.8	−34 26 05	0.319	163.6	1	.05237	.00171	1	16	22.21	19.31	16.15	20.83	18.36	15.91	/16	12.95	12.38	11.97
SCR2356-0429	2	23 56 20.4	−04 29 32	0.230	100.9	1	...	...	...	...	14.74J	12.75J	10.54J	13.70J	12.54J	11.04J	1/	9.64	9.04	8.78
LP987-060	1	23 57 53.6	−34 07 36	0.408	156.0	1	...	...	...	...	14.36	12.03	10.36	...	...	...	...	9.28	8.62	8.36
LP764-040	3(1)	23 58 13.7	−17 24 34	0.239	084.9	1	...	...	...	...	13.24	11.36	9.38	11.88	11.00	10.09	2/	8.31	7.70	7.44
APM2359-6246	1	23 58 42.9	−62 45 42	0.606	083.6	1	.04798	.00222	1	11	18.17	15.88	13.08	16.95	15.26	13.30	/11	11.39	10.83	10.52
LTT09828	2	23 59 44.8	−44 05 00	0.255	358.0	1	...	...	...	...	13.90J	11.79J	9.70J	12.81J	11.67J	10.23J	3/	8.88J	8.29J	8.04J
LHS4058	1	23 59 51.4	−34 06 43	0.939	132.8	47	.06314	.00202	1	47	14.07	11.89	9.81	12.84	11.64	10.08	/47	8.59	7.98	7.75
GJ1293	1	00 01 25.8	−16 56 55	0.386	132.8	1	.03113	.00221	1	64	11.48	9.08	8.46	10.73	9.88	9.04	2/	8.02	7.41	7.22
L290-032	1	00 02 27.1	−46 01 44	0.212	096.9	1	.02606	.00435	1	64	13.47	11.44	9.90	...	...	...	...	9.18	8.52	8.34
LHS0105	1	00 09 17.3	−19 42 32	1.180	059.6	1	...	...	...	...	16.88	14.88	12.53	15.52	14.18	12.46	1/	10.88	10.33	10.07
LTT00074	1	00 11 04.6	−05 47 02	0.276	089.1	1	.03878	.00209	2	63,64	11.48	9.61	8.21	10.86	9.96	9.04	/68	7.98	7.31	7.12
LTT00095	1	00 13 29.1	−36 49 44	0.349	211.6	1	.03548	.00230	1	64	12.26	9.69	8.47	...	...	...	...	7.80	7.18	6.96
LHS1048	1	00 15 33.5	−35 11 48	0.927	095.1	1	...	...	...	...	15.77	13.80	12.10	14.53	13.47	12.09	2/	10.80	10.26	10.06
SCR0015-6957	1	00 15 52.5	−69 57 21	0.301	108.5	1	...	...	...	...	14.58	12.54	10.91	13.54	12.52	11.18	1/	9.89	9.24	9.01
LHS0109	1	00 17 40.0	−10 46 17	1.051	180.0	1	.02840	.00350	1	63	15.03	12.93	12.00	13.88	12.97	12.10	2/	11.05	10.56	10.37
LEHPM1-0439	1	00 18 19.4	−82 07 15	0.880	091.3	42	...	...	...	...	16.92	14.76	12.62	15.78	14.63	13.03	1/	11.68	11.12	10.86
L086-093	1	00 18 34.6	−68 46 60	0.297	214.6	1	...	...	...	...	12.33	10.05	9.21	11.32	10.43	9.57	/46	8.58	7.97	7.72
LP644-095	1	00 19 12.4	−03 03 13	0.237	183.6	1	.03231	.00226	1	64	12.05	10.06	8.72	...	...	...	...	8.27	7.65	7.46
LHS0110	2	00 19 37.0	−28 09 46	1.388	192.2	1	.03375[a]	.00120	2	30,30	13.39J	11.37J	10.25J	13.65	12.66	11.44	/30	10.25	9.73	9.48
LEHPM1-0494	2(1)	00 21 05.9	−42 44 43	0.253	086.5	16	.03842[a]	.00144	2	16,16	18.56	16.18	13.60	17.28	15.67	13.69	/16	12.00	11.37	11.05
LTT00207	1	00 23 47.3	−36 51 41	0.187	252.2	1	.02489	.00159	1	64	11.87	9.78	9.39	...	...	...	...	8.27	7.61	7.47
LHS1094	1	00 32 15.4	−63 05 28	0.525	103.2	1	.03988	.00109	2	63,64	10.87	9.01	7.43	...	...	...	...	7.02	6.34	6.17

Table 1—Continued

Name	# comp.	RA	DEC	μ ($''$yr^{-1})	P.A. (deg)	ref	π ($''$)	π error ($''$)	# π	ref	B_J (mags)	R_{59F} (mags)	I_{IVN} (mags)	V_J (mags)	R_{KC} (mags)	I_{KC} (mags)	# nts/ref	J (mags)	H (mags)	K_s (mags)
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)
SCR0033-6317	1	00 33 02.3	−63 17 50	0.341	072.9	1	...	...	...	...	15.68	13.79	11.93	14.79	13.62	12.02	1/	10.41	9.80	9.57
LHS1106	1	00 36 00.0	−09 30 56	0.577	195.4	1	.02960	.00206	1	64	12.33	10.13	9.27	11.25	10.40	9.60	/69	8.54	7.90	7.72
SCR0052-6155	1	00 52 09.9	−61 55 23	0.220	087.0	1	...	...	...	...	14.82	12.63	10.86	13.69	12.60	11.26	1/	9.98	9.35	9.12
SIP0052-6201	1	00 52 15.3	−62 01 55	1.123	082.8	14	...	...	...	...	19.63	17.36	14.18	18.41	16.46	14.26	2/	12.15	11.74	11.37
GJ0043	1	00 55 25.4	−51 49 58	0.432	045.0	1	.03031	.00394	2	63,64	13.04	11.15	9.21	12.34	11.34	10.16	/5	8.99	8.39	8.11
LTT00525	1	00 55 49.3	−29 40 34	0.400	074.5	1	.03281	.00113	2	63,64	11.09	9.19	8.09	...	...	...	...	7.28	6.74	6.57
G270-100	1	00 56 30.2	−04 25 16	0.370	109.9	1	.03330	.00380	1	63	16.06	13.91	11.81	...	...	...	...	10.44	9.83	9.56
LTT00648	1	01 09 38.8	−07 10 50	0.430	214.3	28	.02655	.00287	1	64	12.19	9.88	8.86	11.38	10.38	9.20	/33	7.96	7.38	7.11
SCR0112-7939	1	01 12 23.5	−79 39 13	0.323	066.3	1	...	...	...	...	17.16	15.14	12.89	15.75	14.48	12.79	1/	11.18	10.62	10.34
GJ0056.2	1	01 17 59.4	−48 09 01	0.244	067.0	1	.02907	.00275	2	63,64	12.72	10.35	9.64	11.54	10.65	9.74	/5	8.68	8.00	7.84
LHS1245	1	01 24 22.1	−44 08 11	0.447	220.2	1	.02949	.00401	1	64	13.30	10.76	9.88	...	...	...	...	8.93	8.30	8.09
GJ2022	3(2)	01 24 27.7	−33 55 09	0.215	130.1	1	.03880	.00213	1	49	14.63J	12.65J	10.70J	13.56J	12.26J	10.62J	/49	9.20J	8.66J	8.24J
GJ1038	1	01 25 01.8	−32 51 04	0.241	056.4	1	.03977	.00160	1	64	11.08	8.69	8.21	...	...	...	...	7.07	6.42	6.21
L222-009	1	01 35 40.4	−50 15 42	0.230	078.2	1	.02073	.00243	1	64	11.53	9.23	8.37	...	...	...	...	7.93	7.27	7.14
LP939-103	1	01 36 36.9	−34 23 26	0.209	069.7	1	...	...	...	...	15.40	14.66	12.65	15.49	14.37	12.88	1/	11.47	10.92	10.64
SCR0138-5353	1	01 38 20.5	−53 53 26	0.297	071.1	1	...	...	...	...	15.70	13.70	11.74	14.36	13.20	11.70	/71	10.28	9.69	9.42
SCR0138-7855	2	01 38 54.0	−78 55 18	0.201	075.4	1	...	...	...	...	14.87J	12.78J	11.20J	13.54J	12.49J	11.19J	1/	9.92J	9.35J	9.11J
SCR0139-7536	1	01 39 27.9	−75 36 14	0.279	060.8	1	...	...	...	...	15.57	13.17	11.51	13.79	12.66	11.23	1/	9.87	9.24	8.97
LP708-253	1	01 40 04.8	−13 54 41	0.217	173.9	28	.02865	.00374	1	64	13.31	11.38	9.94	...	...	...	...	8.78	8.09	7.93
L367-082	1	01 41 03.6	−43 38 10	0.221	190.5	1	.02395	.00261	1	64	12.45	10.41	9.53	...	...	...	...	8.81	8.14	7.96
LHS1288	1	01 42 55.8	−42 12 13	0.685	098.3	1	.03518	.00127	2	63,64	12.45	10.38	9.16	11.19	10.27	9.27	1/	8.24	7.62[c]	7.40
SCR0143-3840	1	01 43 03.3	−38 40 08	0.188	101.2	1	...	...	...	...	12.71	10.51	9.22	11.55	10.60	9.59	2/	8.52	7.85	7.68
L367-008	1	01 45 21.4	−39 57 20	0.316	067.1	1	.03384	.00230	1	64	12.49	10.28	9.14	...	...	...	...	8.43	7.76	7.59
L173-003	1	01 51 46.2	−54 57 58	0.283	092.8	1	.02089	.00335	1	64	12.64	10.75	9.61	...	...	...	...	9.01	8.17	7.94
SCR0153-0703	1	01 53 20.6	−07 03 32	0.183	142.7	1	...	...	...	...	15.66	13.39	11.76	14.42	13.22	11.72	1/	10.31	9.71	9.44
SCR0153-5000	1	01 53 24.2	−50 00 04	0.182	025.4	1	...	...	...	...	14.78	12.45	10.95	13.41	12.38	11.11	1/	9.93	9.30	9.03
L223-102	1	01 54 39.0	−50 45 58	0.523	114.9	1	...	...	...	...	15.54	13.39	11.79	14.16	13.19	11.98	1/	10.77	10.31	10.06
LTT01021	1	01 55 32.2	−15 31 22	0.275	136.5	1	...	...	...	...	12.40	9.57	9.10	11.71	10.80	9.85	/46	8.81	8.17[c]	7.94
SCR0156-6702	2(1)	01 56 26.1	−67 02 36	0.183	057.5	1	...	...	...	...	13.55	11.37	10.22	12.72	11.77	10.61	1/	9.44	8.75	8.59
SCR0201-5739	1	02 01 38.8	−57 39 36	0.202	075.4	1	...	...	...	...	14.98	13.05	11.49	13.56	12.54	11.35	1/	10.14	9.47	9.25
L583-033	2	02 02 17.5	−26 33 52	0.336	146.0	37	...	...	...	...	14.30J	11.83J	9.80J	13.45J	12.24J	10.69J	2/	9.81[c]	9.22[c]	8.95
LP649-030	1	02 03 30.2	−04 54 41	0.210	150.4	1	.03474	.00259	1	64	11.81	9.63	8.79	11.12	10.23	9.32	/68	8.20	7.54	7.36
GJ0088	1	02 12 51.0	−17 41 12	0.548	067.0	1	.03773	.00264	2	63,64	11.30	9.29	8.25	11.08	10.16	9.24	/5	8.20	7.60[c]	7.34
LP941-016	1	02 13 37.4	−35 12 24	0.424	199.4	1	.03450	.00355	1	64	12.94	10.34	9.69	...	...	...	...	8.75	8.10	7.85
LHS1380	1	02 17 56.8	−35 37 01	0.553	057.6	1	.03494	.00275	1	64	12.42	10.08	8.88	11.63	10.67	9.62	/44	8.51	7.93	7.68
LHS1386	1	02 18 41.4	−39 37 11	0.540	082.0	1	...	...	...	...	14.22	11.98	10.27	13.33	12.27	10.93	1/	9.67	9.07	8.80
SCR0228-6248	1	02 28 13.9	−62 48 05	0.228	060.8	1	...	...	...	...	15.84	13.53	11.28	14.83	13.57	11.94	1/	10.43	9.86	9.57
SCR0232-3006	1	02 32 03.1	−30 06 41	0.240	158.8	1	...	...	...	...	15.95	13.32	11.78	14.78	13.59	12.05	1/	10.57	9.93	9.65
SCR0234-8204	1	02 34 47.1	−82 04 29	0.618	333.3	60	...	...	...	...	...	14.13	12.81	14.97	13.87	12.46	1/	11.11	10.51	10.25
LHS5058	1	02 36 32.8	−34 36 32	0.530	136.0	1	.03186	.00318	1	64	12.47	10.33	9.18	...	...	...	...	8.67	8.02	7.84
SCR0238-1420	1	02 38 07.5	−14 20 11	0.275	157.9	1	...	...	...	...	12.99	11.41	9.75	12.36	11.38	10.22	2/	9.05	8.39	8.16
L441-032	1	02 39 56.7	−38 28 00	0.388	035.5	1	.02911	.00231	1	64	12.31	10.27	9.21	...	...	...	...	8.47	7.82	7.63
LHS0158	1	02 42 02.9	−44 30 59	1.005	087.6	29	.02494	.00161	1	29	14.15	11.82	10.46	13.64	12.66	11.60	/29	10.43	9.94	9.73
LP651-009	1	02 46 12.9	−04 19 57	0.207	072.1	1	...	...	...	...	16.06	13.82	11.97	15.06	13.88	12.37	2/	10.91	10.37	10.08
LP651-011	1	02 46 48.9	−04 21 28	0.206	063.3	1	...	...	...	...	14.24	12.22	10.70	13.48	12.46	11.26	2/	10.05	9.48	9.23
SCR0247-5729	2	02 47 14.6	−57 29 22	0.211	186.6	1	...	...	...	...	16.80J	14.56J	12.43J	15.65J	14.36J	12.73J	2/	11.20J	10.62J	10.36J
LHS1459	1	02 51 43.3	−26 01 39	0.819	179.8	1	...	...	...	...	14.83	12.79	11.23	13.88	12.91	11.83	1/	10.70	10.17	9.95
LTT01393	1	02 55 23.2	−25 13 29	0.343	102.2	1	.03449	.00345	1	64	11.94	10.13	8.20	...	...	...	...	8.08	7.45	7.23
L012-040	1	03 03 26.4	−82 50 39	0.434	056.0	1	.02725	.00129	1	64	12.05	10.11	9.29	...	...	...	...	8.37	7.75	7.59

Table 1—Continued

Name	# comp.	RA	DEC	μ ($''$yr^{-1})	P.A. (deg)	ref	π ($''$)	π error ($''$)	# π	ref	B_J (mags)	R_{59F} (mags)	I_{IVN} (mags)	V_J (mags)	R_{KC} (mags)	I_{KC} (mags)	# nts/ref	J (mags)	H (mags)	K_s (mags)
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)
LTT01453	1	03 03 36.7	−25 35 33	0.251	060.3	1	.02592	.00256	1	64	11.68	9.71	8.14	11.04	10.11	9.13	/44	8.00	7.34	7.11
LTT01552	1	03 17 28.2	−01 07 27	0.308	184.5	1	...	...	...	...	13.79	11.61	10.53	12.85	11.89	10.87	2/	9.73	9.18	8.99
LP887-068	1	03 17 35.1	−27 41 47	0.329	099.8	1	.03395	.00261	1	64	12.39	10.30	9.00	...	...	...	...	8.36	7.70[c]	7.46
G077-042	1	03 17 55.4	−01 05 41	0.301	184.7	1	...	...	...	...	15.48	13.43	11.64	14.45	13.36	12.08	2/	10.81	10.26	9.97
LP888-006	1	03 20 51.1	−28 15 34	0.186	063.3	1	...	...	...	...	12.80	10.66	8.96	12.19	11.21	10.07	/44	8.94	8.29	8.04
SCR0325-0308	1	03 25 03.1	−03 08 20	0.195	087.9	1	...	...	...	...	15.22	13.17	11.39	13.88	12.79	11.41	/71	10.06	9.45	9.20
LHS1561	1	03 34 39.6	−04 50 33	0.543	129.5	1	.03420	.00172	1	47	13.63	11.43	9.47	13.07	11.84	10.30	/47	8.83	8.27	7.93
SCR0337-1056	1	03 37 38.2	−10 56 55	0.180	088.3	1	...	...	...	...	11.81	9.68	8.44	11.34	10.45	9.45	2/	8.41	7.80	7.59
GJ0155.3	1	03 53 19.7	−37 03 59	1.179	195.9	1	.03985	.00283	2	63,64	13.06	11.08	9.63	...	...	...	...	8.74	8.21	7.95
LHS1622	1	04 03 30.4	−37 53 33	0.690	051.7	1	...	...	...	...	16.01	13.86	11.99	14.73	13.51	11.96	1/	10.43	9.87	9.58
LHS0186	1	04 03 38.4	−05 08 05	1.153	168.0	1	.01940	.00430	1	63	16.24	14.31	12.76	14.87	13.86	12.73	2/	11.57	11.10	10.85
WT0135	1	04 11 27.1	−44 18 10	0.692	067.1	30	.03904	.00242	1	30	15.04	12.65	11.03	14.10	13.06	11.82	/30	10.55	10.11	9.83
LHS1656	1	04 18 51.0	−57 14 01	0.815	022.1	47	.03941	.00194	1	47	14.07	12.02	10.03	13.29	12.18	10.84	/47	9.52	8.94	8.65
L446-008	1	04 21 00.5	−35 51 21	0.246	090.0	28	.03445	.00159	1	64	11.57	8.73	8.43	10.63	9.78	8.94	2/	7.92	7.32	7.11
LHS1676	1	04 31 44.0	−21 50 44	0.852	147.2	1	...	...	...	...	17.31	15.14	12.42	16.02	14.57	12.75	2/	11.02	10.55	10.28
LHS1678	1	04 32 42.6	−39 47 12	0.997	165.9	36	...	...	...	...	13.44	10.90	9.69	12.48	11.46	10.26	3/	9.02	8.50	8.26
SCR0457-0731	1	04 57 23.8	−07 31 40	0.243	133.0	1	...	...	...	...	14.23	12.15	10.30	13.58	12.45	11.05	1/	9.68	9.07	8.82
L305-024	1	05 06 07.3	−47 12 52	0.207	319.4	1	...	...	...	...	14.07	11.96	10.32	12.63	11.65	10.46	/71	9.32	8.66[c]	8.43
LP892-040	1	05 21 15.9	−32 21 27	0.215	121.1	1	...	...	...	...	15.51	13.17	11.13	14.24	13.10	11.57	/45	10.08	9.49	9.21
SCR0525-7425	1	05 25 45.6	−74 25 26	0.417	040.2	1	...	...	...	...	14.81	12.89	11.35	13.43	12.44	11.21	1/	10.03	9.42	9.21
SCR0527-7231	1	05 27 07.0	−72 31 20	0.368	018.4	1	...	...	...	...	16.01	13.97	11.77	14.71	13.49	11.86	/71	10.34	9.76	9.47
LHS1815	1	06 04 20.4	−55 18 47	0.741	064.6	1	.03545	.00257	2	63,64	13.27	11.06	9.61	...	...	...	...	8.80	8.21	7.99
SCR0610-1832	1	06 10 08.2	−18 32 25	0.209	137.6	1	...	...	...	...	15.98	13.81	11.58	14.87	13.68	12.12	1/	10.64	10.05	9.76
LHS1837	1	06 19 50.7	−59 52 25	0.599	162.0	1	...	...	...	...	14.75	12.55	10.86	13.73	12.69	11.48	1/	10.25	9.67	9.45
SCR0629-4648	2(1)	06 29 33.6	−46 48 37	0.219	066.9	1	...	...	...	...	14.39	11.98	10.38	13.31	12.20	10.86	1/	9.59	8.98	8.72
SCR0635-6722	1	06 35 48.8	−67 22 59	0.383	340.0	1	...	...	...	...	12.21	9.84	8.67	11.54	10.62	9.64	/71	8.54	7.96	7.69
SCR0639-6939	1	06 39 08.4	−69 39 32	0.251	021.2	1	...	...	...	...	14.60	12.40	10.59	13.61	12.56	11.32	2/	10.09	9.49	9.25
SCR0639-6934	1	06 39 22.3	−69 34 13	0.258	023.6	1	...	...	...	...	13.68	11.25	10.11	12.71	11.74	10.69	2/	9.55	8.94	8.73
LP453-049	1	06 44 32.4	−38 31 59	0.273	093.5	1	...	...	...	...	15.58	13.25	11.11	14.18	13.04	11.54	/46	10.09	9.47	9.20
SCR0659-2031	1	06 59 48.7	−20 31 47	0.305	169.9	1	...	...	...	...	13.95	11.56	9.64	13.00	11.98	10.72	1/	9.51	8.93	8.68
LHS1904	1	07 11 19.7	−67 07 22	0.649	172.7	1	.03788	.00139	2	63,64	11.95	9.80	8.90	11.15	10.23	9.30	/32	8.28	7.64	7.41
SCR0714-7140	1	07 14 26.2	−71 40 38	0.194	335.7	1	...	...	...	...	17.83	15.82	13.34	16.79	15.32	13.50	1/	11.72	11.09	10.77
SCR0719-5050	1	07 19 35.4	−50 50 52	0.216	107.4	1	...	...	...	...	16.00	13.74	10.88	14.59	13.35	11.80	1/	10.33	9.74	9.48
SCR0725-8530	1	07 25 22.2	−85 30 58	0.600	193.6	1	...	...	...	...	15.44	13.03	11.26	14.30	13.21	11.84	1/	10.54	10.02	9.70
LTT02856	1	07 26 29.1	−70 49 41	0.393	323.2	1	...	...	...	...	13.73	11.30	9.70	12.59	11.52	10.30	/9	9.09	8.47	8.24
WT0214	1	07 28 40.1	−61 20 41	0.618	316.0	1	...	...	...	...	17.36	15.33	12.83	16.00	14.74	13.10	1/	11.61	11.11	10.86
GJ2061	1	07 31 04.1	−37 13 46	0.289	186.5	1	.03003	.00408	1	64	12.39	10.01	9.05	11.47	10.49	9.40	/33	8.25	7.65	7.44
SCR0743-1929	1	07 43 22.1	−19 29 04	0.226	213.0	1	...	...	...	...	15.81	13.24	10.61	14.41	13.25	11.74	1/	10.26	9.71	9.45
SCR0745-4814	2(1)	07 45 32.2	−48 14 57	0.200	174.9	1	...	...	...	...	18.00	15.80	13.14	16.62	15.16	13.32	1/	11.57	11.03	10.74
GJ1100	1	07 47 03.1	−13 56 19	0.513	166.3	28	.03623	.00259	2	63,64	12.40	9.91	8.67	11.51	10.61	9.66	/70	8.53	7.94	7.73
SCR0749-4955	1	07 49 29.4	−49 55 06	0.257	150.9	1	...	...	...	...	16.64	14.74	12.34	15.28	14.03	12.44	1/	10.93	10.25	9.96
SCR0758-4126	1	07 58 28.7	−41 26 44	0.185	261.9	1	...	...	...	...	14.59	12.28	10.11	13.44	12.36	11.01	1/	9.69	9.13	8.91
LP784-012	1	08 02 03.4	−17 10 18	0.387	294.2	1	.03331	.00316	1	64	12.00	8.91	9.08	...	...	...	...	8.18	7.60	7.35
SCR0810-4056	1	08 10 20.3	−40 56 50	0.243	169.5	1	...	...	...	...	13.35	11.14	9.83	12.44	11.48	10.41	1/	9.30	8.66	8.45
SCR0829-6203	1	08 29 24.7	−62 03 23	0.595	299.5	1	...	...	...	...	17.78	15.72	13.42	16.22	14.95	13.24	1/	11.70	11.21	10.92
L891-016	2(1)	08 31 21.6	−06 02 02	0.455	260.4	1	.03795	.00270	1	64	11.78	9.49	8.11	11.21	10.29	9.21	/67	8.00	7.37	7.18
L186-042	1	08 35 47.5	−56 45 13	0.393	128.7	1	...	...	...	...	13.23	10.01	9.58	11.78	10.88	9.99	/46	8.97	8.34	8.16
LTT03187	1	08 36 14.3	−41 33 26	0.234	293.3	1	.02567	.00203	2	63,64	11.74	9.46	7.37	...	...	...	...	8.08	7.34[c]	7.02
GJ0316	1	08 40 00.3	−06 28 33	0.213	153.1	1	.03322	.00157	2	63,64	10.87	8.92	8.23	9.97	9.11	8.25	/5	7.20	6.57	6.38

Table 1—Continued

Name	# comp.	RA	DEC	μ ($''$yr^{-1})	P.A. (deg)	ref	π ($''$)	π error ($''$)	# π	ref	B_J (mags)	R_{59F} (mags)	I_{IVN} (mags)	V_J (mags)	R_{KC} (mags)	I_{KC} (mags)	# nts/ref	J (mags)	H (mags)	K_s (mags)
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)
SCR0840-3113	1	08 40 56.6	−31 13 33	0.226	160.0	1	...	...	...	...	15.57	13.32	11.35	14.34	13.12	11.59	1/	10.06	9.54	9.27
L098-062	1	08 41 32.6	−68 25 40	0.191	327.4	1	.03244	.00145	1	64	11.87	9.80	9.40	11.05	10.18	9.29	1/	8.23	7.58[c]	7.38
SCR0843-2937	1	08 43 09.5	−29 37 31	0.514	145.1	1	...	...	...	...	16.13	13.95	11.68	14.93	13.66	12.06	1/	10.53	10.01	9.72
SCR0844-7120	1	08 44 54.6	−71 20 43	0.201	311.4	1	...	...	...	...	15.11	13.08	11.04	14.07	12.96	11.56	1/	10.25	9.57	9.30
SCR0852-3507	1	08 52 54.1	−35 07 33	0.346	272.3	1	...	...	...	...	14.89	12.79	10.17	13.79	12.64	11.17	1/	9.77	9.19	8.94
SCR0853-6123	1	08 53 03.0	−61 23 48	0.466	138.4	1	...	...	...	...	17.94	15.73	12.96	16.75	15.31	13.52	1/	11.82	11.27	10.91
LHS2072	1	08 55 04.7	−71 35 48	0.531	338.2	1	...	...	...	...	15.65	13.36	11.24	14.46	13.22	11.65	1/	10.17	9.59	9.34
LP786-022	1	08 57 14.2	−19 35 04	0.326	190.1	1	.03535	.00240	1	64	12.69	10.72	9.54	...	...	...	...	8.69	8.05	7.86
SCR0859-7517	1	08 59 52.0	−75 17 30	0.291	330.7	1	...	...	...	...	14.64	12.66	10.96	13.58	12.50	11.15	1/	9.86	9.24	9.03
SCR0904-4851	1	09 04 47.8	−48 51 24	0.184	313.7	1	...	...	...	...	17.58	15.80	13.54	16.18	14.83	13.13	1/	11.49	10.94	10.60
SCR0912-8311	1	09 12 59.6	−83 11 52	0.802	332.3	1	...	...	...	...	17.99	15.74	13.19	16.66	15.20	13.37	1/	11.56	10.98	10.69
SCR0914-7304	1	09 14 53.9	−73 04 19	0.182	319.4	1	...	...	...	...	16.00	13.84	11.87	14.68	13.49	11.95	1/	10.50	9.87	9.61
SCR0916-3431	1	09 16 07.1	−34 31 31	0.378	347.5	1	...	...	...	...	16.29	14.22	11.81	15.04	13.82	12.23	1/	10.71	10.11	9.81
SIP0933-1602	1	09 33 49.7	−16 02 55	1.357	188.3	14	...	...	...	...	20.17	18.01	15.31	19.11	17.11	14.78	2/	12.72	12.23	11.89
SCR0936-3237	1	09 36 01.5	−32 37 59	0.207	182.9	1	...	...	...	...	13.02	10.69	9.19	12.19	11.19	10.09	1/	8.95	8.34	8.12
CE089	1	09 38 53.8	−33 48 45	1.330	283.9	50	...	...	...	...	17.97	15.85	13.13	16.87	15.34	13.38	1/	11.51	11.05	10.78
SCR0943-4833	1	09 43 18.2	−48 33 50	0.215	285.5	1	...	...	...	...	15.31	13.27	11.30	14.30	13.14	11.63	1/	10.18	9.56	9.27
L462-023	1	09 44 45.4	−36 32 38	0.282	238.2	1	.02513	.00221	1	64	12.39	10.27	9.27	...	...	...	...	8.61	7.94	7.79
SCR0947-0020	1	09 47 20.1	−00 20 09	0.217	283.4	8	...	...	...	...	19.44	17.26	14.47	18.23	16.50	14.32	1/	12.26	11.63	11.35
LHS2209	1	09 54 52.5	−13 31 21	0.728	211.4	1	...	...	...	...	15.54	13.53	11.95	14.46	13.48	12.41	1/	11.25	10.69	10.47
SCR1005-4322	1	10 05 03.1	−43 22 28	0.682	294.1	1	...	...	...	...	14.76	12.51	...	13.76	12.65	11.20	1/	9.85	9.33	9.06
WT0248	1	10 05 54.9	−67 21 31	1.212	265.2	29	.03844	.00283	1	29	14.67	13.28	12.02	14.52	13.40	11.95	/29	10.56	10.10	9.87
LTT03719	1	10 10 00.0	−25 58 33	0.318	146.2	1	.02660	.00193	1	64	12.02	10.13	9.15	...	...	...	...	8.32	7.67[c]	7.50
LHS2228	1	10 11 09.2	−82 51 58	0.576	305.6	1	.03577	.00147	1	64	11.90	9.75	8.87	...	...	...	...	8.21	7.55	7.37
SCR1011-8106	1	10 11 12.4	−81 06 42	0.474	112.2	1	...	...	...	...	16.54	14.50	12.53	15.20	13.94	12.37	1/	10.82	10.24	9.93
LTT03763	1	10 15 50.1	−11 47 48	0.302	255.8	1	.02597	.00345	1	64	12.66	10.42	9.62	...	...	...	...	8.69	8.05[c]	7.81
L752-053	1	10 21 08.1	−17 43 38	0.448	281.2	1	.03018	.00239	1	64	11.58	9.39	8.13	11.25	10.32	9.36	/44	8.26	7.59	7.40
LHS2257	1	10 24 23.4	−02 34 18	0.886	273.8	36	...	...	...	...	...	...	...	14.89	14.39	13.89	1/	10.86	10.37	10.08
LHS0284	1	10 36 03.1	−14 42 29	1.165	300.5	1	.02114	.00130	1	30	17.75	15.75	13.64	16.78	15.49	13.81	/30	12.28	11.79	11.58
LP904-036	1	10 36 28.4	−28 27 15	0.191	258.0	1	.03962	.00311	1	64	13.23	11.07	9.60	12.02	10.99	9.74	1/	8.50	7.83[c]	7.58
LP904-045	1	10 40 18.5	−29 30 23	0.205	259.8	1	.02656	.00229	1	64	13.13	10.82	9.76	...	...	...	...	8.78	8.07[c]	7.89
L017-050	1	10 41 56.4	−82 59 23	0.375	090.7	1	...	...	...	...	14.78	12.41	10.95	13.21	12.12	10.77	1/	9.51	8.92	8.66
LP905-022	1	10 51 58.9	−32 01 20	0.236	282.3	1	.03086	.00268	1	64	12.91	10.63	9.49	...	...	...	...	8.42	7.78	7.60
LP849-020	1	10 52 26.4	−22 41 16	0.184	131.2	1	.03492	.00336	1	64	12.67	10.66	9.32	...	...	...	...	8.86	8.23	7.96
LTT04033	1	10 58 41.3	−42 40 09	0.252	292.5	1	.01927	.00343	2	63,64	12.64	10.76	10.28	...	...	...	...	8.89	8.26	8.16
LTT04042	1	11 00 02.8	−35 06 37	0.259	147.1	1	.02955	.00437	1	64	12.03	9.91	8.47	...	...	...	...	8.08	7.44	7.24
SCR1104-0150	1	11 04 08.4	−01 50 18	0.204	270.7	1	...	...	...	...	14.38	12.52	11.10	13.29	12.29	11.11	1/	9.87	9.30	9.04
SCR1104-8352	1	11 04 51.0	−83 52 25	0.438	256.7	1	...	...	...	...	15.50	13.47	12.23	13.89	12.92	11.67	1/	10.53	9.96	9.67
UPM1105-5825	2(1)	11 05 30.4	−58 25 19	0.184	286.3	20	...	...	...	...	14.44	...	11.60	13.95	12.88	11.57	1/	10.30	9.71	9.50
LTT04105	1	11 09 12.2	−04 36 25	0.347	251.1	1	.03506	.00235	1	64	11.76	10.13	8.55	...	...	...	...	8.20	7.60	7.33
LHS0299	1	11 11 22.7	−06 31 56	1.073	206.9	1	.01200	.00290	1	63	15.51	13.38	12.16	14.78	13.85	12.94	1/	11.92	11.37	11.14
LP792-044	3(1)	11 13 13.0	−19 06 23	0.221	292.6	1	...	...	...	...	15.98	13.97	12.11	15.05	13.92	12.43	3/	11.20	10.66	10.46
SCR1117-3202	1	11 17 29.3	−32 02 10	0.447	204.8	1	...	...	...	...	16.00	13.58	11.33	14.58	13.37	11.80	1/	10.34	9.76	9.48
SCR1118-3511	1	11 18 59.7	−35 11 39	0.199	205.6	1	...	...	...	...	17.17	14.90	12.81	15.93	14.56	12.83	1/	11.15	10.50	10.23
SCR1121-8057	1	11 21 27.9	−80 57 03	0.244	291.6	1	...	...	...	...	15.26	13.71	11.50	14.54	13.38	11.90	1/	10.48	9.84	9.60
GJ0429.2	1	11 28 00.5	−09 10 57	1.007	147.8	28	.03979	.00299	2	63,64	12.77	10.90	9.39	12.37	11.43	10.38	1/	9.29	8.74[c]	8.49
SCR1132-8446	1	11 32 22.3	−84 46 28	0.638	280.0	1	...	...	...	...	17.64	15.87	13.94	16.27	15.12	13.58	1/	12.22	11.76	11.51
USN1137-0317	1	11 37 16.6	−03 17 37	1.128	226.1	1	...	...	...	...	16.41	14.24	12.02	15.65	14.27	12.50	2/	10.87	10.36	10.09
CE440-087	1	11 47 50.7	−28 49 45	0.430	239.0	51	...	...	...	...	...	...	...	16.21	14.98	13.38	2/	12.02	11.45	11.24

Table 1—Continued

Name	# comp.	RA	DEC	μ ($''$yr^{-1})	P.A. (deg)	ref	π ($''$)	π error ($''$)	# π	ref	B_J (mags)	R_{59F} (mags)	I_{IVN} (mags)	V_J (mags)	R_{KC} (mags)	I_{KC} (mags)	# nts/ref	J (mags)	H (mags)	K_s (mags)
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)
Ruiz440-064	1	11 48 50.6	−28 33 23	0.673	261.8	10	.02511	.00149	1	10	...	...	12.84	16.24	14.79	12.92	2/	11.13	10.64	10.35
SCR1153-5430	1	11 53 22.6	−54 30 08	0.303	255.8	1	...	...	...	...	15.39	13.16	11.01	14.30	13.39	11.61	1/	10.21	9.58	9.28
SCR1159-4256	1	11 59 37.7	−42 56 39	0.607	223.0	1	...	...	...	...	14.20	11.96	10.35	13.35	12.22	10.85	1/	9.54	8.98[c]	8.72
LP907-063	1	12 03 03.9	−33 39 55	0.401	263.3	1	...	...	...	...	18.61	16.54	14.06	17.79	16.15	14.22	1/	12.39	11.83	11.50
SCR1204-4037	1	12 04 15.5	−40 37 53	0.702	151.4	1	...	...	...	...	14.70	12.61	10.72	13.47	12.34	10.92	/71	9.57	9.02	8.75
GJ2090	1	12 04 36.6	−38 16 25	0.711	108.1	1	.03634	.00276	1	64	12.96	10.71	9.56	...	...	...	...	8.60	7.99	7.73
WT1928	1	12 08 06.9	−32 06 36	0.381	258.0	74	...	...	...	...	15.61	13.77	12.05	14.04	12.96	11.62	2/	10.30	9.66	9.40
NLTT30217	1	12 17 06.8	−17 38 15	0.327	253.2	1	...	...	...	...	12.78	10.83	9.66	11.98	11.03	9.99	/44	8.86	8.23	8.03
LHS0323	1	12 17 30.2	−29 02 21	1.106	267.1	30	.02329	.00183	1	30	17.94	16.06	13.99	16.95	15.66	14.02	/30	12.54	12.05	11.78
LP470-065	2	12 17 46.8	−39 04 05	0.243	204.0	1	.03238	.00260	1	64	12.12J	9.98J	9.13J	...	...	...	...	8.55	7.87	7.70
SCR1217-3557	1	12 17 55.8	−35 57 15	0.208	274.4	1	...	...	...	...	15.05	13.06	11.02	13.94	12.78	11.35	1/	9.94	9.33	9.09
SCR1220-8302	1	12 20 03.7	−83 02 29	0.244	244.3	1	...	...	...	...	17.03	14.94	12.80	15.71	14.35	12.62	/71	10.97	10.39	10.07
LHS0326	1	12 24 26.8	−04 43 37	1.301	241.8	30	.02039	.00194	1	30	16.08	14.02	12.99	14.92	13.98	13.05	3/30u	11.93	11.43	11.23
SCR1224-8205	1	12 24 39.8	−82 05 53	0.273	183.3	1	...	...	...	...	16.42	14.37	12.22	15.25	13.96	12.27	1/	10.69	10.06	9.81
SCR1227-4039	1	12 27 03.9	−40 39 40	0.201	233.7	1	...	...	...	...	13.00	10.82	9.40	11.96	11.03	10.03	1/	8.93	8.27	8.08
LP909-006	1	12 30 19.6	−28 24 31	0.365	225.3	1	...	...	...	...	16.51	14.41	11.64	15.39	14.10	12.45	1/	10.85	10.27	9.96
LHS2573	1	12 32 32.2	−26 10 14	1.034	132.2	1	...	...	...	...	14.35	12.22	10.44	13.47	12.40	11.03	2/	9.75	9.23	9.02
LTT04828	1	12 39 55.9	−08 34 42	0.221	247.2	1	.02779	.00287	1	64	12.50	10.30	9.39	...	...	...	...	8.64	8.02	7.82
WT1962	2	12 59 51.3	−07 30 35	0.501	291.0	74	...	...	...	...	16.29J	14.15J	12.38J	15.42J	14.23J	12.68J	2/	11.19J	10.68J	10.43J
L147-045	1	13 04 43.8	−62 15 26	0.276	290.4	1	.02600	.00330	1	64	13.08	11.10	10.07	...	...	...	...	8.48	7.85[c]	7.61
LHS2698	1	13 13 29.6	−32 27 05	0.533	266.3	1	.02159	.00092	1	47	15.34	13.34	11.50	14.21	13.14	11.76	/47	10.48	9.96	9.70
LP910-061	1	13 16 21.9	−33 47 45	0.203	175.1	1	.02556	.00285	1	64	12.89	11.04	9.61	...	...	...	...	8.97	8.32	8.14
SCR1322-7254	1	13 22 27.5	−72 54 37	0.559	268.9	1	...	...	...	...	16.24	14.12	12.25	15.33	14.13	12.60	2/	11.14	10.55	10.31
SCR1328-7253	1	13 28 42.1	−72 53 47	0.808	251.0	1	...	...	...	...	17.91	15.97	13.78	16.90	15.64	13.99	2/	12.47	12.00	11.69
LHS2744	1	13 30 52.6	−32 37 49	0.695	241.4	1	.02618	.00227	1	64	12.39	10.73	9.24	...	...	...	...	8.81	8.15	8.00
SIP1338-3752	1	13 38 26.5	−37 52 50	1.278	269.6	14	...	...	...	...	17.72	15.76	13.14	16.75	15.25	13.39	2/	11.75	11.28	10.97
LTT05294	1	13 39 37.6	−01 35 43	0.375	238.5	1	.03093	.00329	1	64	12.65	9.83	9.66	...	...	...	...	8.76	8.12	7.88
SIP1343-3823	1	13 43 49.4	−38 23 50	0.264	244.1	1	...	...	...	...	17.12	14.95	12.59	15.78	14.48	12.84	1/	11.26	10.68	10.41
LTT05330	2(1)	13 44 55.1	−45 35 19	0.255	276.5	1	...	...	...	...	11.85	9.71	9.72	11.29	10.41	9.51	1/	8.47	7.86	7.66
SCR1347-7610	1	13 47 56.8	−76 10 20	0.194	089.7	1	...	...	...	...	12.40	10.27	8.88	11.49	10.57	9.66	/71	8.62	8.01	7.77
LP912-026	1	13 53 19.8	−30 46 38	0.236	279.1	1	.03005	.00371	1	64	13.20	11.14	9.85	...	...	...	...	8.90	8.26	8.05
LHS2841	1	14 00 57.0	−31 47 50	0.681	277.0	63	.02967	.00238	2	63,64	12.10	10.44	9.17	...	...	...	...	8.22	7.57[c]	7.34
GJ0539.2	2(1)	14 09 27.2	−30 55 49	0.463	245.4	1	.02537	.00331	2	63,64	13.07	10.99	9.64	11.81	10.88	9.88	/5	8.79	8.12	7.90
SCR1410-2750	1	14 10 22.6	−27 50 59	0.186	241.6	1	...	...	...	...	17.04	14.83	12.63	15.43	14.11	12.46	1/	10.89	10.31	10.05
L836-121	3(2)	14 14 21.4	−15 21 22	0.239	222.0	1	.03314	.00490	1	64	10.58J	9.13J	7.63J	10.32J	9.49J	8.58J	/67	7.43J	6.78J	6.60J
LHS5275	1	14 39 58.8	−56 54 46	0.533	126.2	1	.01770	.00880	1	63	12.66	10.05	...	...	...	...	...	8.33	7.71	7.52
SCR1450-3742	1	14 50 02.9	−37 42 10	0.445	208.9	1	...	...	...	...	14.82	12.40	10.44	14.01	12.84	11.32	/71	9.95	9.37	9.07
LHS0381	1	14 50 28.9	−08 38 37	1.560	188.4	1	.02740	.00540	1	63	16.53	14.36	13.18	15.10	14.11	13.07	2/	11.97	11.46	11.24
LHS0382	1	14 50 41.2	−16 56 31	1.429	244.0	29	.02069	.00225	1	29	16.40	14.27	12.30	15.73	14.61	13.17	2/29u	11.85	11.38	11.11
LHS0385	1	14 55 35.8	−15 33 44	1.736	209.6	36	.02040	.00580	1	63	15.47	13.39	12.23	14.61	13.67	12.78	3/	11.74	11.28	11.06
SCR1510-5141	1	15 10 56.6	−51 41 36	0.328	276.1	1	...	...	...	...	13.95	11.32	9.59	13.04	11.96	10.64	1/	9.39	8.84[c]	8.58
UPM1515-6258	1	15 15 04.9	−62 58 06	0.225	239.9	1	...	...	...	...	16.90	16.13	14.79	15.74	14.60	13.13	1/	11.74	11.13	10.85
LP915-016	2	15 17 21.1	−27 59 50	0.193	252.2	1	.03398	.00377	1	64	11.83J	9.83J	9.18J	11.05J	10.17J	9.30J	/34	8.23J	7.60J	7.42J
UPM1523-5454	1	15 23 43.7	−54 54 35	0.210	343.2	20	...	...	...	...	...	...	...	13.45	12.37	11.08	1/	9.77	9.19	8.87
LP802-068	1	15 24 45.8	−17 07 39	0.391	236.8	1	.02892	.00519	1	64	12.53	10.75	9.24	...	...	...	...	8.41	7.73	7.53
SCR1528-3807	1	15 28 50.6	−38 07 41	0.375	232.5	1	...	...	...	...	13.74	11.96	10.63	12.27	11.34	10.34	1/	9.28	8.59	8.38
LEHPM2-0016	1	15 29 14.0	−29 07 38	1.034	188.4	1	.02782	.00103	1	30	20.38	18.43	15.48	19.38	17.52	15.28	/30	13.32	12.86	12.50
SCR1532-3622	1	15 32 13.9	−36 22 31	0.438	235.4	1	...	...	...	...	15.48	13.50	11.96	14.03	12.89	11.45	/71	10.10	9.54	9.28
LP916-023	1	15 44 05.5	−32 05 22	0.345	233.0	1	...	...	...	...	14.92	12.91	11.14	13.74	12.62	11.18	/44	9.81	9.21	8.94

Table 1—Continued

Name	# comp.	RA	DEC	μ ($''$yr^{-1})	P.A. (deg)	ref	π ($''$)	π error ($''$)	# π	ref	B_J (mags)	R_{59F} (mags)	I_{IVN} (mags)	V_J (mags)	R_{KC} (mags)	I_{KC} (mags)	# nts/ref	J (mags)	H (mags)	K_s (mags)
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)
L336-071	1	15 49 38.3	−47 36 34	0.390	174.1	1	.03680	.00242	2	63,64	11.94	9.85	8.93	11.16	10.24	9.35	/33	8.30	7.68[c]	7.50
LP916-003	1	15 54 23.5	−33 08 44	0.308	220.2	1	...	...	...	...	13.61	11.62	10.34	12.02	11.07	10.02	/44	8.85	8.20	8.02
LP684-003	1	15 56 41.4	−04 14 21	0.193	310.2	28	.02449	.00365	1	64	12.41	10.35	9.40	...	...	...	...	8.68	8.09	7.83
LHS3144	1	16 00 27.8	−34 43 17	1.026	254.5	1	...	...	...	...	15.13	12.96	11.32	13.58	12.49	11.09	/46	9.75	9.26	8.98
LHS3147	1	16 02 23.6	−25 05 57	0.661	200.4	1	.03918	.00137	1	47	14.06	11.61	9.59	13.20	12.09	10.63	/47	9.28	8.69	8.41
SCR1608-4442	1	16 08 43.9	−44 42 29	0.628	193.1	60	...	...	...	...	16.59	14.95	12.94	15.40	14.12	12.46	1/	10.88	10.36	10.10
SCR1609-3730	1	16 09 05.4	−37 30 40	0.195	184.0	1	...	...	...	...	14.30	12.34	11.44	12.71	11.79	10.85	1/	9.81	9.19	8.99
LEP1610-0040	2	16 10 29.0	−00 40 54	1.425	208.7	1	...	...	...	...	21.22J	17.70J	14.90J	19.09J	17.10J	14.97J	2/	12.91J	12.30J	12.02J
GJ0618.1	1	16 20 24.8	−04 16 02	0.385	264.1	1	.02984	.00213	2	63,64	11.43	9.54	8.36	10.69	9.83	8.97	/5	7.95	7.27	7.08
LP745-070	1	16 33 41.6	−09 33 12	0.198	198.3	1	.03260	.00247	1	64	12.37	10.09	9.51	...	...	...	...	8.38	7.78[c]	7.55
SCR1637-4703	1	16 37 56.6	−47 03 44	0.493	219.2	1	...	...	...	...	16.26	13.88	11.56	14.77	13.57	12.04	/71	10.60	10.04	9.70
2MA1651-2719	1	16 51 59.8	−27 19 51	0.666	193.9	39	...	...	...	...	...	...	...	15.38	14.17	12.56	1/	10.96	10.39	10.10
CCD1702-2718	2(1)	17 02 09.1	−27 18 24	0.236	161.8	1	...	...	...	...	13.22	11.48	10.00	11.82	10.94	10.07	1/	8.88	8.25	8.02
LP806-025	1	17 07 58.3	−19 28 43	0.260	204.5	1	...	...	...	...	15.89	14.07	12.48	12.98	11.92	10.63	1/	9.35	8.78	8.55
NLTT44264	1	17 10 03.8	−21 46 56	0.255	221.4	1	...	...	...	...	15.69	13.64	12.30	12.65	11.65	10.52	2/	9.36	8.76	8.51
SCR1712-1907	1	17 12 26.1	−19 07 04	0.231	117.6	1	...	...	...	...	17.03	15.40	14.10	14.52	13.43	12.08	1/	10.72	10.16	9.90
SCR1716-2239	1	17 16 35.7	−22 39 49	0.288	183.6	1	...	...	...	...	16.49	14.75	13.38	14.80	13.63	12.12	1/	10.69	10.07	9.84
UPM1718-2245	2(1)	17 18 25.6	−22 46 29	0.213	219.3	1	...	...	...	...	16.14	14.79	13.29	14.07	13.01	11.69	1/	10.21	9.61	9.38
LHS0440	1	17 18 32.3	−43 26 38	1.083	233.3	30	.03640	.00122	1	30	13.55	10.68	10.04	12.98	11.98	10.87	3/30u	9.70	9.13	8.95
LP920-011	1	17 19 13.7	−27 45 44	0.263	217.0	1	...	...	...	...	15.76	13.82	13.50	13.81	12.71	11.36	1/	10.03	9.40	9.20
GJ1217	1	17 22 43.0	−14 57 37	0.216	193.3	1	.03717	.00280	1	64	11.92	9.81	9.17	10.93	10.08	9.26	/68	8.25	7.63	7.44
LP687-026	1	17 22 50.6	−03 29 38	0.225	218.2	1	...	...	...	...	14.92	13.77	12.54	13.81	12.75	11.48	1/	10.21	9.58	9.35
SCR1724-3727	1	17 24 07.0	−37 27 53	0.241	203.9	1	...	...	...	...	16.53	14.58	12.64	15.00	13.78	12.20	1/	10.69	10.13	9.80
SCR1733-2452	1	17 33 04.6	−24 52 57	0.251	181.9	1	...	...	...	...	15.64	14.40	14.36	14.04	13.02	11.84	1/	10.63	9.97	9.77
SCR1735-4051	1	17 35 15.5	−40 51 13	0.217	187.4	1	...	...	...	...	17.98	16.29	13.82	16.70	15.28	13.41	1/	11.61	11.04	10.70
LTT07022	1	17 39 28.3	−22 41 46	0.309	200.1	1	.02300	.00920	1	63	12.64	11.20	11.00	...	...	...	...	8.60	7.95	7.78
SCR1750-2530	1	17 50 07.6	−25 30 21	0.270	226.7	1	...	...	...	...	16.75	14.89	12.48	15.06	13.78	12.25	1/	10.65	9.95	9.68
SCR1750-0128	1	17 50 14.4	−01 28 51	0.324	199.7	1	...	...	...	...	15.43	13.93	12.21	14.56	13.38	11.84	1/	10.43	9.89	9.64
LHS0456	1	17 50 59.0	−56 36 07	1.256	238.0	63	...	...	...	...	12.95	10.91	9.93	12.08	11.12	10.09	3/	8.99	8.42	8.19
LP808-023	1	17 51 27.5	−18 59 32	0.334	165.2	1	.02271	.00292	1	64	13.43	11.46	11.15	...	...	...	...	8.87	8.22	8.06
SCR1753-7403	1	17 53 32.6	−74 03 46	0.181	194.7	1	...	...	...	...	16.28	14.04	11.80	15.05	13.76	12.09	1/	10.56	9.96	9.70
SCR1755-0455	1	17 55 30.7	−04 55 42	0.195	073.0	1	...	...	...	...	16.63	15.34	13.76	15.19	13.90	12.25	1/	10.70	10.08	9.78
SCR1800-0755	1	18 00 33.9	−07 55 03	0.197	226.1	1	...	...	...	...	14.71	13.56	12.08	13.36	12.30	10.99	1/	9.86	9.26	8.98
SCR1801-7000	1	18 01 28.9	−70 00 49	0.240	160.8	1	...	...	...	...	15.10	13.00	10.97	14.00	12.87	11.42	1/	10.01	9.41	9.16
SCR1802-1919	1	18 02 28.7	−19 19 19	0.189	156.8	1	...	...	...	...	16.14	14.51	13.76	14.18	13.13	11.85	1/	10.64	9.97	9.77
L077-206	1	18 06 55.6	−74 35 20	0.410	160.0	38	...	...	...	...	15.06	13.13	10.66	14.05	12.97	11.59	2/	10.18	9.69	9.45
LEHPM2-0088	1	18 08 00.0	−81 20 49	0.698	197.5	1	...	...	...	...	...	15.45	13.19	16.02	14.69	13.00	1/	11.36	10.79	10.52
SCR1808-0341	1	18 08 48.4	−03 41 54	0.424	197.2	60	...	...	...	...	16.74	16.07	15.40	15.37	14.32	13.01	2/	11.72	11.19	11.03
LTT07218	1	18 09 33.3	−12 02 20	0.216	162.2	28	.03519	.00253	2	63,64	11.80	10.10	9.21	...	...	...	...	7.80	7.16	6.99
LEP1809-0247	1	18 09 50.1	−02 47 43	1.022	214.7	1	...	...	...	...	17.68	17.03	15.84	16.25	14.87	13.04	1/	11.43	10.92	10.68
SCR1820-6225	1	18 20 49.4	−62 25 53	0.192	161.5	1	...	...	...	...	12.84	10.95	9.63	12.04	11.12	10.17	/71	9.14	8.49	8.30
GJ1226	2	18 20 57.2	−01 02 58	1.079	209.4	1	.03410[a]	.00400	2	29,29	13.47J	12.10J	9.79J	13.07	11.98	10.56	/29	8.75J	8.19J	7.95J
SCR1821-0700	1	18 21 54.2	−07 00 18	0.200	215.8	1	...	...	...	...	13.93	12.57	12.34	12.70	11.76	10.71	1/	9.63	8.91	8.73
G155-020	2(1)	18 31 04.4	−09 58 09	0.217	355.9	1	...	...	...	...	15.07	13.72	12.30	13.98	12.85	11.40	1/	9.99	9.36	9.12
SCR1842-2736	1	18 42 56.7	−27 36 33	0.254	160.2	1	...	...	...	...	13.43	11.80	10.95	13.04	12.13	11.13	1/	10.02	9.36	9.18
SCR1844-1310	1	18 44 59.6	−13 10 24	0.204	213.1	1	...	...	...	...	16.13	14.84	13.75	14.52	13.42	12.04	1/	10.69	10.12	9.89
G155-041	1	18 47 36.0	−17 03 16	0.218	248.0	37	...	...	...	...	15.09	13.54	12.04	13.61	12.58	11.29	/46	10.04	9.46	9.23
LHS0468	1	18 48 44.9	−02 33 46	1.083	235.5	1	.03500	.00440	1	63	15.18	13.35	12.26	13.54	12.54	11.35	1/	10.16	9.65	9.42
SCR1851-6156	1	18 51 55.4	−61 56 56	0.328	245.2	1	...	...	...	...	14.09	12.10	10.30	13.19	12.12	10.78	1/	9.50	8.88	8.69

Table 1—Continued

Name	# comp.	RA	DEC	μ ($''$yr^{-1})	P.A. (deg)	ref	π ($''$)	π error ($''$)	# π	ref	B_J (mags)	R_{59F} (mags)	I_{IVN} (mags)	V_J (mags)	R_{KC} (mags)	I_{KC} (mags)	# nts/ref	J (mags)	H (mags)	K_s (mags)
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)
LHS3421	1	18 52 52.4	−57 07 37	0.773	194.1	1	.03762	.00382	2	63,64	13.09	11.26	9.65	...	...	...	...	8.52	7.84	7.59
SCR1853-7537	1	18 53 26.6	−75 37 40	0.278	166.9	1	...	...	...	...	12.20	9.85	9.09	11.18	10.29	9.41	/71	8.34	7.73	7.50
SCR1854-2859	1	18 54 20.8	−28 59 53	0.183	178.2	1	...	...	...	...	15.30	13.86	13.03	13.42	12.44	11.22	1/	10.01	9.42	9.20
SCR1900-2547	1	19 00 47.1	−25 47 13	0.234	184.5	1	...	...	...	...	15.25	13.26	11.50	14.15	12.99	11.54	1/	10.13	9.52	9.28
SCR1907-7924	1	19 07 53.5	−79 24 03	0.271	038.6	1	...	...	...	...	15.53	13.59	11.77	14.38	13.22	11.78	1/	10.36	9.82	9.56
SCR1916-3638	1	19 16 46.6	−36 38 06	1.328	184.0	1	.01478	.00137	1	30	18.20	15.88	14.78	16.83	15.82	14.76	/30	13.66	13.12	12.95
LP347-017	1	19 19 09.0	−45 47 59	0.457	174.0	1	.02587	.00353	1	64	12.32	10.19	9.28	...	...	...	...	8.52	7.83	7.64
LHS3451	2(1)	19 19 29.3	−18 19 06	0.576	158.4	1	...	...	...	...	15.34	12.84	11.45	14.77	13.71	12.35	1/	11.02	10.52	10.33
LEHPM2-3658	2(1)	19 22 43.7	−43 19 21	0.189	142.3	1	...	...	...	...	13.79	11.54	9.84	12.88	11.78	10.53	1/	9.28	8.70	8.46
L347-073	1	19 26 30.2	−48 36 16	0.423	155.9	1	...	...	...	...	14.04	11.80	9.90	13.06	11.96	10.63	2/	9.39	8.85[c]	8.53
L347-072	1	19 27 30.9	−48 33 53	0.437	153.7	1	...	...	...	...	13.87	11.67	9.93	12.88	11.85	10.63	2/	9.43	8.87[c]	8.62
L208-005	1	19 30 13.7	−54 56 19	0.324	176.1	1	.02889	.00273	1	64	12.24	9.93	9.43	...	...	...	...	8.65	8.04	7.87
SCR1932-0652	1	19 32 46.3	−06 52 18	0.318	193.3	1	...	...	...	...	14.92	13.27	11.50	13.97	12.83	11.34	/71	9.94	9.36	9.10
GJ0762	1	19 34 36.5	−62 50 39	0.515	222.7	1	.03889	.00133	2	47,63	13.18	11.32	9.88	12.09	11.07	9.83	/47	8.59	8.00[c]	7.77
SCR1936-4816	1	19 36 33.3	−48 16 54	0.310	073.4	1	...	...	...	...	17.23	15.05	12.55	15.92	14.50	12.76	1/	11.05	10.47	10.18
LTT07786	3(1)	19 42 52.8	−45 04 53	0.239	190.1	1	.03659	.00218	2	63,64	10.68	8.73	7.59	...	...	...	...	7.30	6.66	6.45
LHS3480	1	19 44 22.0	−22 30 54	0.547	139.5	1	.01770	.00080	1	63	18.50	16.41	14.60	17.27	16.00	14.46	1/	13.05	12.53	12.25
LHS3492	1	19 51 31.3	−50 55 38	0.827	191.8	1	...	...	...	...	16.52	14.58	12.29	15.27	14.05	12.45	3/	10.97	10.49	10.19
GJ0769	1	19 54 00.1	−47 48 37	1.041	185.6	1	.03960	.00850	1	63	13.72	11.43	10.59	12.53	11.52	10.28	/5	9.08	8.54	8.29
SCR1954-7356	1	19 54 06.4	−73 56 51	0.581	147.3	1	...	...	...	...	16.85	14.89	12.96	15.78	14.64	13.17	1/	11.81	11.31	11.08
SCR1955-2856	1	19 55 16.8	−28 56 43	0.253	150.4	1	...	...	...	...	15.10	13.12	11.35	14.14	12.92	11.46	1/	10.04	9.48	9.22
SCR1959-5549	1	19 59 58.8	−55 49 30	0.438	168.0	1	...	...	...	...	16.19	13.95	11.82	14.85	13.59	11.98	1/	10.47	9.88	9.63
L277-205	1	20 03 52.4	−53 57 28	0.228	319.3	1	...	...	...	...	14.22	12.21	10.32	13.03	11.99	10.68	2/	9.42	8.77	8.59
L277-082	1	20 10 45.4	−51 19 39	0.226	163.6	1	...	...	...	...	13.43	11.35	10.34	12.56	11.65	10.73	2/	9.71	9.07	8.87
LHS3528	1	20 10 55.5	−25 35 09	0.848	166.6	36	...	...	...	...	15.97	13.99	11.20	13.11	12.06	10.76	/45	10.22	9.61	9.35
LP814-044	1	20 17 52.4	−17 17 09	0.328	183.3	1	.02851	.00228	1	64	11.84	10.15	7.99	...	...	...	...	8.37	7.69	7.55
LP815-001	1	20 20 07.1	−19 39 03	0.193	131.1	1	...	...	...	...	13.42	11.35	8.74	12.33	11.34	10.20	/45	9.01	8.44	8.21
WT0708	1	20 27 04.4	−68 41 07	0.501	114.6	73	...	...	...	...	18.66	16.34	13.74	17.26	15.75	13.86	1/	11.99	11.38	11.13
LTT08147	1	20 36 43.6	−02 41 20	0.395	087.0	37	...	...	...	...	12.77	10.48	9.98	12.13	11.18	10.10	/70	8.93	8.28	8.10
SCR2042-5737	2	20 42 46.4	−57 37 15	0.264	142.6	1	...	...	...	...	15.07J	13.22J	11.56J	14.12J	12.89J	11.33J	/71	9.97J	9.53J	9.03J
SCR2043-6501	1	20 43 10.4	−65 01 17	0.573	169.7	1	...	...	...	...	16.18	14.04	12.04	14.97	13.88	12.52	1/	11.25	10.76	10.52
LHS3582	1	20 46 18.0	−47 09 28	0.499	174.6	1	.03080	.00970	1	63	12.23	10.17	8.89	...	...	...	...	8.72	8.14	7.90
2MA2051-2458	1	20 51 09.8	−24 58 18	0.234	115.1	1	...	...	...	...	15.71	13.47	11.62	14.51	13.26	11.70	1/	10.20	9.64	9.37
LHS3600	1	20 55 59.9	−59 56 44	0.619	125.3	1	.03604	.00247	1	64	13.17	11.55	9.99	...	...	...	...	8.44	7.78	7.60
LEHPM1-4008	1	20 58 30.4	−65 01 11	0.514	149.9	1	...	...	...	...	18.14	15.90	13.78	16.61	15.22	13.48	1/	11.80	11.21	10.89
LP816-061	1	20 59 06.6	−16 05 37	0.279	202.9	1	.02962	.00255	1	64	12.28	10.26	9.16	...	...	...	...	8.60	8.03	7.80
L211-096	1	20 59 51.3	−58 45 31	0.363	158.0	1	.03314	.00320	1	64	13.31	11.69	10.25	...	...	...	...	8.66	8.06	7.82
SCR2102-3128	2(1)	21 02 15.6	−31 28 13	0.184	192.6	1	...	...	...	...	14.17	12.17	10.27	13.26	12.19	10.86	1/	9.57	8.97	8.73
LHS3620	1	21 04 25.4	−27 52 47	0.985	184.4	1	.01288	.00140	1	30	17.69	15.60	14.36	16.61	15.59	14.53	/30	13.41	12.89	12.70
LEHPM1-4021	1	21 05 11.4	−62 47 02	0.535	131.3	1	...	...	...	...	18.32	16.31	14.10	17.01	15.55	13.80	1/	12.17	11.64	11.36
SCR2105-3515	1	21 05 41.8	−35 15 00	0.237	098.8	1	...	...	...	...	15.06	12.93	10.88	14.03	12.87	11.41	1/	10.02	9.46	9.18
LHS0505	1	21 11 57.9	−31 03 16	1.060	125.0	36	...	...	...	...	22.25	15.33	...	16.25	14.93	13.20	1/	11.62	11.10	10.84
LEHPM1-4051	1	21 15 15.1	−75 41 52	1.053	144.6	30	.03296	.00128	1	30	15.47	13.37	11.13	14.48	13.25	11.66	/30	10.14	9.60	9.33
LP637-024	1	21 19 18.3	−00 33 19	0.379	220.8	28	.02473	.00366	1	64	12.22	10.18	9.03	...	...	...	...	8.72	8.06	7.87
GJ0836.4	1	21 42 07.5	−12 09 48	0.719	170.4	1	.02860	.00260	1	63	13.32	11.32	9.48	12.83	11.74	10.35	/5	8.92	8.30	8.02
L048-001	1	21 42 58.5	−74 05 56	0.210	162.1	1	...	...	...	...	14.24	12.20	10.59	13.06	12.02	10.74	/71	9.46	8.78	8.58
CD-32 16735	1	21 47 02.7	−32 24 40	0.206	071.2	1	-.00469	.00388	0		10.27	7.74	6.46	9.22	8.11	6.70	3/	5.24	4.41[c]	4.06
L282-061	1	21 51 12.3	−52 15 40	0.353	126.8	1	.03155	.00251	1	64	12.14	10.23	8.94	11.36	10.47	9.62	/33	8.61	8.00	7.82
LHS0515	1	21 55 48.0	−11 21 43	1.088	120.0	63	.01950	.00400	1	63	18.89	16.39	15.10	17.39	16.20	14.87	2/	13.64	13.19	12.91

Table 1—Continued

Name	# comp.	RA	DEC	μ ($''$yr^{-1})	P.A. (deg)	ref	π ($''$)	π error ($''$)	# π	ref	B_J (mags)	R_{59F} (mags)	I_{IVN} (mags)	V_J (mags)	R_{KC} (mags)	I_{KC} (mags)	# nts/ref	J (mags)	H (mags)	K_s (mags)
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)
LHS3740	1	21 58 53.2	−57 56 04	0.923	096.9	1	.03594	.00145	1	30	15.13	13.09	10.90	14.06	12.88	11.33	/30	9.85	9.27	9.00
LHS3754	1	22 04 40.9	−19 46 42	0.895	110.0	36	...	...	...	...	15.15	10.77	10.32	14.28	13.21	11.93	1/	10.54	10.15	9.85
LHS3775	1	22 12 56.0	−18 15 21	0.646	194.1	1	...	...	...	...	15.69	13.53	11.90	14.55	13.59	12.45	1/	11.29	10.77	10.52
LP699-075	1	22 18 13.2	−03 10 20	0.253	096.6	1	.02458	.00197	1	64	11.86	10.08	8.95	...	...	...	...	8.34	7.73	7.52
LEHPM1-4592	1	22 21 11.4	−19 58 15	1.066	125.1	1	...	...	...	...	21.09	18.84	16.07	19.96	18.16	15.98	3/	14.19	13.74	13.48
WT0918	1	22 21 37.0	−65 47 30	0.697	092.2	1	...	...	...	...	17.54	15.19	12.82	16.27	15.02	13.32	1/	11.66	11.07	10.75
LP931-054	1	22 23 18.0	−27 09 15	0.450	196.0	1	...	...	...	...	16.26	14.17	11.78	14.65	13.44	11.86	/45	10.36	9.79	9.51
SCR2224-7242	1	22 24 51.6	−72 42 00	0.190	250.2	1	...	...	...	...	15.80	13.80	11.79	14.80	13.56	11.99	1/	10.46	9.87	9.57
LEHPM1-4828	1	22 32 42.7	−60 16 34	0.513	182.4	1	...	...	...	...	16.92	14.86	12.95	15.55	14.31	12.74	1/	11.25	10.70	10.45
LHS3836	1	22 38 02.9	−65 50 09	0.694	118.9	47	.03642	.00132	1	47	15.13	13.09	11.07	14.34	13.14	11.61	/47	10.18	9.67	9.41
LP932-053	1	22 39 44.0	−32 04 18	0.244	223.1	1	.02519	.00215	1	64	11.84	9.73	9.01	...	...	...	...	8.34	7.68	7.52
SCR2241-6119	2(1)	22 41 44.4	−61 19 31	0.184	124.1	1	...	...	...	...	15.64	13.65	11.70	14.41	13.21	11.66	/71	10.21	9.61	9.35
SCR2242-5103	2	22 42 10.9	−51 03 28	0.182	225.9	1	...	...	...	...	12.78J	10.98J	9.44J	12.27J	11.33J	10.20J	1/	9.20J	8.66J	8.36J
LHS3846	1	22 44 00.2	−04 57 57	0.670	051.4	1	...	...	...	...	16.00	13.61	11.45	15.19	14.08	12.70	1/	11.40	10.89	10.63
L106-104	1	22 46 45.2	−63 18 05	0.238	122.5	1	.03990	.00304	1	64	12.14	10.33	8.84	11.41	10.46	9.41	/33	8.29	7.71	7.45
LTT09210	1	22 48 53.0	−28 50 03	0.284	215.6	1	.02491	.00219	1	64	11.44	9.35	8.47	10.67	9.81	8.96	2/	7.90	7.28	7.08
LTT09203	1	22 48 54.5	−54 18 52	0.434	143.3	1	.02981	.00265	1	64	12.67	10.36	9.52	11.24	10.33	9.43	/33	8.36	7.70	7.55
L214-072	1	22 49 26.0	−58 15 12	0.321	123.6	1	.02730	.00232	1	64	11.98	9.96	8.91	...	...	...	...	8.28	7.63[c]	7.46
SCR2250-5726	2(1)	22 50 45.0	−57 26 02	0.712	117.9	1	...	...	...	...	18.07J	16.10J	13.80J	17.76	16.34	14.54	1/	12.63J	12.00J	11.81J
LP933-024	2	22 55 43.9	−30 22 39	0.384	062.4	28	.03095	.00275	1	64	12.66J	10.16J	9.24J	...	...	...	...	8.56	7.90	7.71
LHS5396	1	23 00 23.6	−31 07 12	0.464	201.4	1	.03248	.00247	1	64	12.27	9.51	8.72	11.07	10.15	9.20	/33	8.13	7.48	7.25
L286-071	1	23 00 26.1	−53 13 40	0.255	211.2	1	.02418	.00186	1	64	11.93	10.08	9.19	...	...	...	...	8.35	7.78	7.61
SCR2312-3124	1	23 12 08.7	−31 24 04	0.200	102.3	1	...	...	...	...	17.18	14.88	12.56	15.69	14.43	12.74	1/	11.13	10.53	10.26
LHS5397	1	23 14 15.4	−56 50 52	0.440	239.8	1	.03575	.00302	1	64	13.29	11.29	9.81	...	...	...	...	8.87	8.22	8.01
L168-009	1	23 20 07.5	−60 03 55	0.332	246.3	1	.03792	.00223	1	64	11.61	9.63	8.06	11.01	10.07	9.06	/33	7.94	7.32[c]	7.08
LTT09507	1	23 21 11.3	−01 35 45	0.367	198.8	1	.03585	.00404	2	63,64	12.76	10.77	9.33	...	...	...	...	8.70	8.13	7.82
GJ0895.1	1	23 25 42.0	−45 36 35	0.490	093.6	1	.02786	.00280	2	63,64	12.02	9.63	8.82	11.26	10.32	9.34	/33	8.23	7.59	7.37
SCR2325-8057	1	23 25 52.9	−80 57 41	0.233	106.3	1	...	...	...	...	16.22	13.03	11.84	15.28	14.05	12.42	1/	10.85	10.26	9.98
L288-049	1	23 41 43.6	−51 56 37	0.257	184.5	1	.03629	.00403	1	64	12.79	10.30	9.20	...	...	...	...	8.63	8.00	7.79
LEHPM1-6094	1	23 42 02.3	−78 41 23	0.567	087.8	1	...	...	...	...	16.09	13.81	11.67	15.02	13.79	12.29	1/	10.89	10.36	10.06
WT1026	1	23 46 35.2	−52 47 02	0.716	188.2	1	...	...	...	...	15.82	13.64	12.18	14.78	13.76	12.59	1/	11.42	10.89	10.68
LP1035-064	1	23 47 56.5	−39 11 13	0.284	138.0	38	...	...	...	...	15.73	13.61	11.54	14.42	13.24	11.70	1/	10.19	9.58	9.32
LHS4025	1	23 50 52.6	−39 05 17	0.782	105.2	36	...	...	...	...	15.93	13.47	11.43	14.44	13.19	11.64	1/	10.16	9.59	9.31
SCR2352-6124	1	23 52 29.5	−61 24 23	0.869	166.6	1	...	...	...	...	17.10	14.73	12.63	15.65	14.45	12.93	1/	11.52	11.02	10.82
L361-021	1	23 57 45.6	−45 48 55	0.389	113.2	1	.02439	.00291	2	63,64	12.11	10.00	8.81	11.13	10.25	9.38	/33	8.36	7.71	7.52

Note. — A 'J' next to a photometry value indicates that the magnitude is blended due to a close companion.

Note. — A 'u' next to the photometry reference code indicates an updated value since the last publication from the RECONS group due to aquisition of more data.

Note. — References: (1) this paper; (2) Andrei et al. (2011); (3) Anglada-Escudé et al. (2012); (3) Benedict et al. (2002); (5) Bessel (1990); (6) Bessell (1991); (7) Biller & Close (2007); (8) Boyd et al. (2011a); (9) Costa & Méndez (2003); (10) Costa et al. (2005); (11) Costa et al. (2006); (12) Deacon & Hambly (2001); (13) Deacon et al. (2005a); (14) Deacon et al. (2005b); (15) Deacon & Hambly (2007); (16) Dieterich et al. (2014); (17) Dupuy & Liu (2012); (18) Fabricius & Makarov (2000); (19) Faherty et al. (2012); (20) Finch et al. (2010); (21) Finch et al. (2012); (22) Gatewood et al. (2003); (23) Gizis et al. (2011); (24) Henry et al. (2004); (25) Henry et al. (2006); (26) Henry et al. (1997); (27) Hershey & Taff (1998); (28) Høg et al. (2000); (29) Jao et al. (2005); (30) Jao et al. (2011); (31) Jao et al. (2014); (32) Kilkenny et al. (2007); (33) Koen et al. (2002); (34) Koen et al. (2010); (35) Lépine (2008); (36) Luyten (1979a); (37) Luyten (1980a); (38) Luyten (1980b); (39) Monet et al. (2003); (40) Patterson et al. (1998); (41) Phan-Bao (2011); (42) Pokorny et al. (2003); (43) Pokorny et al. (2004); (44) Reid et al. (2002); (45) Reid et al.

(2003); (46) Reid et al. (2004); (47) Riedel et al. (2010); (48) Riedel et al. (2011); (49) Riedel et al. (2014); (50) Ruiz et al. (2001); (51) Ruiz et al. (1993); (52) Schilbach et al. (2009); (53) Schmidt et al. (2007); (54) Scholz et al. (2004); (55) Shkolnik et al. (2012); (56) Smart et al. (2007); (57) Smart et al. (2010); (58) Söderhjelm (1999); (59) Subasavage et al. (2005a); (60) Subasavage et al. (2005b); (61) Tinney et al. (1995); (62) Tinney (1996); (63) van Altena et al. (1995); (64) van Leeuwen (2007); (65) von Braun et al. (2011); (66) Weis (1991a); (67) Weis (1991b); (68) Weis (1993); (69) Weis (1996); (70) Weis (1999); (71) Winters et al. (2011); (72) Wolf & Reinmuth (1925); (73) Wroblewski & Torres (1994); (74) Wroblewski & Torres (1997).

[a]The weighted mean parallax includes the parallax of both the primary and the secondary components.

[b]The HIP parallax is markedly different from that published in YPC and has an error of ∼45 mas.

[c]2MASS magnitude error greater than 0.05 mags.

Table 2. Derived Data for Southern Red Dwarf Systems

Name	RA	DEC	d_{plt} (pc)	σ_{tot} (pc)	# rel	d_{ccd} (pc)	σ_{tot} (pc)	# rel	d_{trig} (pc)	σ_{trig} (pc)	# π	d_{best} (pc)	d type
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
2MA0000-1245	00 00 28.7	−12 45 16	22.2	7.6	7	23.1	4.0	11	...	...	...	23.1	ccd
LTT09844	00 00 46.9	−35 10 06	23.5	7.4	11	...	...	...	...	...	...	23.5	plt
GJ1001	00 04 36.5	−40 44 03	11.2	3.4	11	12.5	1.9	12	12.5	0.6	2	12.5	trg
G158-025	00 04 40.3	−09 52 42	24.5	7.4	11	...	...	...	...	...	...	24.5	plt
SIP0004-2058	00 04 41.5	−20 58 30	14.9	6.8	10	18.6	3.0	11	...	...	...	18.6	ccd
GJ0001	00 05 24.4	−37 21 27	3.7	1.0	11	5.6	0.9	11	4.3	0.0	2	4.3	trg
LP644-034	00 05 34.9	−06 07 07	23.0	6.2	11	...	...	...	...	...	...	23.0	plt
LP644-039	00 06 13.1	−02 32 11	27.3	9.2	11	21.9	3.9	12	...	...	...	21.9	ccd
LHS1019	00 06 19.2	−65 50 26	16.1	4.6	11	16.6	2.6	12	16.7	0.7	1	16.7	trg
GJ1002	00 06 43.2	−07 32 17	6.8	2.1	11	5.4	1.0	12	4.7	0.1	1	4.7	trg
L217-028	00 08 17.4	−57 05 53	17.3	5.9	11	13.2	2.0	12	...	...	...	13.2	ccd
GJ0007	00 09 04.3	−27 07 20	24.1	6.6	11	28.1	4.7	9	22.9	1.4	2	22.9	trg
LP644-094	00 09 13.5	−04 08 02	19.8	5.6	11	20.4	3.2	12	...	...	...	20.4	ccd
BPM46052	00 09 20.0	−21 14 41	16.0	4.8	11	...	...	...	...	...	...	16.0	plt
LEHPM1-0254	00 09 43.3	−41 17 36	23.4	8.7	11	...	...	...	...	...	...	23.4	plt
LEHPM1-0255	00 09 45.1	−42 01 40	10.8	3.2	11	12.5	2.0	12	...	...	...	12.5	ccd
L217-009	00 11 49.1	−55 21 52	22.2	10.3	11	...	...	...	...	...	...	22.2	plt
GJ1005	00 15 28.1	−16 08 02	[8.0]	2.2	11	[6.7]	1.1	12	5.9	0.0	4	5.9	trg
LHS1051	00 15 51.5	−67 59 52	14.0	3.9	11	17.5	2.8	12	...	...	...	17.5	ccd
L290-072	00 16 02.0	−48 15 39	[15.4]	4.2	11	[14.1]	2.2	12	22.8	2.3	1	22.8	trg
L218-009	00 16 36.6	−50 16 09	26.5	7.3	11	26.3	4.1	12	22.2	1.7	1	22.2	trg
SCR0017-3219	00 17 15.7	−32 19 54	21.0	7.4	11	21.3	3.4	12	...	...	...	21.3	ccd
LP704-074	00 17 28.2	−08 44 23	23.2	6.3	11	...	...	...	...	...	...	23.2	plt
LTT00139	00 17 40.7	−01 22 41	20.3	5.6	11	23.5	3.8	12	...	...	...	23.5	ccd
LTT00151	00 18 44.8	−34 50 15	16.0	5.6	11	...	...	...	...	...	...	16.0	plt
LP825-035	00 20 23.2	−23 46 05	23.4	7.9	11	...	...	...	...	...	...	23.4	plt
L170-007	00 20 41.5	−53 40 54	24.6	6.5	11	...	...	...	...	...	...	24.6	plt
GJ0017.1	00 21 19.6	−45 44 47	12.9	3.6	11	15.4	2.5	11	17.3	0.6	2	17.3	trg
LHS5004a	00 21 37.3	−46 05 33	14.5	3.9	11	13.1	2.1	12	19.3	1.7	1	19.3	trg
LTT00180	00 21 39.4	−09 00 25	19.8	6.6	11	20.9	3.3	12	...	...	...	20.9	ccd
G158-066	00 21 53.4	−09 38 03	23.4	7.4	11	...	...	...	...	...	...	23.4	plt
L086-082	00 21 54.9	−68 31 26	17.8	5.1	11	23.3	3.8	10	...	...	...	23.3	ccd
GJ1009	00 21 56.1	−31 24 22	11.2	3.7	11	12.9	2.2	12	18.0	0.8	1	18.0	trg
L026-099	00 22 27.1	−79 09 59	20.8	5.8	11	...	...	...	...	...	...	20.8	plt
LHS1064	00 23 18.5	−50 53 38	12.7	3.4	11	15.2	2.5	12	20.0	1.1	2	20.0	trg
LTT00214	00 24 25.2	−12 17 25	23.6	6.4	11	23.4	3.6	12	...	...	...	23.4	ccd
GJ2005	00 24 44.2	−27 08 24	[6.1]	1.8	11	[6.0]	1.0	12	7.7	0.1	2	7.7	trg
LTT00220	00 25 04.3	−36 46 18	13.8	4.8	11	16.8	2.6	12	...	...	...	16.8	ccd
SCR0027-0806	00 27 45.4	−08 06 05	22.9	6.6	11	18.6	2.9	12	...	...	...	18.6	ccd
LTT00250	00 28 05.0	−23 00 37	22.7	7.0	11	...	...	...	...	...	...	22.7	plt
GJ1012	00 28 39.5	−06 39 49	10.6	4.2	11	10.4	1.6	12	13.3	0.9	1	13.3	trg
LEHPM1-0640	00 28 54.8	−27 33 34	24.8	8.3	11	...	...	...	...	...	...	24.8	plt
LTT17138	00 28 57.7	−02 26 59	24.4	7.3	11	...	...	...	...	...	...	24.4	plt
LTT00266	00 29 58.7	−24 38 27	21.0	6.3	11	...	...	...	...	...	...	21.0	plt
L050-078	00 31 04.3	−72 01 06	12.4	5.9	11	15.7	2.5	12	...	...	...	15.7	ccd
GJ1013	00 31 35.4	−05 52 13	16.1	4.5	11	16.6	2.6	12	16.1	1.1	1	16.1	trg
GR*0050	00 32 53.2	−04 34 07	11.5	3.4	11	11.7	2.0	12	...	...	...	11.7	ccd

Table 2—Continued

Name	RA	DEC	d_{plt} (pc)	σ_{tot} (pc)	# rel	d_{ccd} (pc)	σ_{tot} (pc)	# rel	d_{trig} (pc)	σ_{trig} (pc)	# π	d_{best} (pc)	d type
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
L291-115	00 33 13.5	−47 33 17	17.7	5.3	11	...	...	...	...	...	...	17.7	plt
LHS1099	00 34 07.5	−23 03 19	25.0	7.9	11	...	...	...	...	...	...	25.0	plt
LTT00307	00 34 39.0	−02 25 00	16.2	5.1	11	20.7	3.4	12	...	...	...	20.7	ccd
LTT00313	00 35 38.1	−10 04 19	13.9	3.8	11	17.5	2.7	12	...	...	...	17.5	ccd
LP645-053	00 35 44.1	−05 41 11	16.8	6.2	11	...	...	...	...	...	...	16.8	plt
LP881-239	00 37 35.8	−27 08 31	22.0	6.6	11	23.0	3.6	12	...	...	...	23.0	ccd
LTT00338	00 38 33.4	−11 16 03	25.0	7.7	11	...	...	...	...	...	...	25.0	plt
GJ0027.1	00 39 58.8	−44 15 12	18.3	5.3	11	20.7	3.3	12	24.4	1.6	2	24.4	trg
LTT00349	00 39 59.4	−12 11 43	22.0	5.9	11	...	...	...	...	...	...	22.0	plt
GJ1016	00 41 30.5	−33 37 32	15.9	4.7	8	20.0	3.2	9	19.5	0.9	1	19.5	trg
LHS1134	00 43 26.0	−41 17 34	10.5	3.0	11	10.9	1.7	12	...	...	...	10.9	ccd
LEHPM1-0927	00 44 38.0	−78 45 09	18.2	6.4	11	...	...	...	...	...	...	18.2	plt
LHS1140	00 44 59.3	−15 16 18	23.2	9.4	11	17.2	2.9	12	...	...	...	17.2	ccd
LP989-200	00 46 16.3	−40 17 54	22.8	6.2	11	...	...	...	...	...	...	22.8	plt
LP646-016	00 47 18.0	−06 28 38	23.6	7.0	11	...	...	...	...	...	...	23.6	plt
LTT00453	00 48 13.4	−05 08 08	19.8	6.4	11	...	...	...	23.8	2.1	1	23.8	trg
LTT00464	00 49 01.7	−50 08 42	15.3	4.6	9	19.2	3.1	10	21.6	1.0	1	21.6	trg
GJ1022	00 49 29.1	−61 02 33	19.6	5.3	11	21.1	3.3	12	20.6	2.7	1	20.6	trg
LTT00534	00 56 50.4	−11 35 20	19.4	5.5	5	23.8	3.9	9	24.8	1.7	1	24.8	trg
L087-002	00 57 12.5	−64 15 24	12.7	3.5	11	13.6	2.1	12	...	...	...	13.6	ccd
GJ0046	00 58 27.9	−27 51 25	6.6	2.1	11	9.7	1.5	12	12.4	0.5	2	12.4	trg
LTT00556	00 58 52.8	−28 13 52	19.3	7.4	11	...	...	...	...	...	...	19.3	plt
GJ1025	01 00 56.1	−04 26 57	15.9	4.3	11	15.2	2.5	12	11.4	0.2	1	11.4	trg
LEP0100-7904	01 00 56.4	−79 04 25	14.9	4.3	11	18.8	3.1	12	...	...	...	18.8	ccd
LTT00573	01 01 24.7	−01 05 59	16.0	4.3	11	17.7	3.1	12	...	...	...	17.7	ccd
L171-012	01 01 57.9	−55 23 46	23.2	6.4	11	...	...	...	...	...	...	23.2	plt
LHS0132	01 02 51.1	−37 37 44	9.8	3.0	11	10.4	1.6	12	12.2	0.4	1	12.2	trg
LEHPM1-1188	01 03 12.0	−53 51 43	23.8	8.6	11	...	...	...	...	...	...	23.8	plt
LTT00597	01 03 54.8	−26 20 05	22.1	5.9	11	...	...	...	...	...	...	22.1	plt
L087-010	01 04 07.0	−65 22 27	14.9	4.2	11	14.7	2.5	12	...	...	...	14.7	ccd
G269-089	01 04 28.9	−38 27 49	15.7	4.3	11	...	...	...	...	...	...	15.7	plt
GJ1028	01 04 53.8	−18 07 29	12.0	3.5	11	10.3	1.6	12	10.0	0.5	1	10.0	trg
LTT00622	01 06 27.1	−02 10 35	24.9	7.0	11	...	...	...	...	...	...	24.9	plt
GJ1031	01 08 18.3	−28 48 21	15.4	4.2	11	...	...	...	...	...	...	15.4	plt
G271-001	01 08 50.4	−03 40 34	20.0	5.6	11	...	...	...	...	...	...	20.0	plt
SSS0109-5101	01 09 01.5	−51 00 50	15.0	4.3	11	15.0	2.7	9	...	...	...	15.0	ccd
GJ1032	01 09 12.5	−24 41 21	14.8	4.1	11	15.4	2.4	12	22.6	1.6	1	22.6	trg
GJ2021	01 09 18.7	−24 30 24	18.6	5.2	11	...	...	...	...	...	...	18.6	plt
LP647-013	01 09 51.2	−03 43 26	9.3	4.3	11	11.4	2.1	12	9.6	0.2	1	9.6	trg
LP707-016	01 10 17.5	−11 51 18	17.3	5.5	11	12.6	2.1	12	...	...	...	12.6	ccd
GJ0054	01 10 22.9	−67 26 42	[3.6]	1.6	10	[4.9]	0.8	12	7.8	0.1	3	7.8	trg
SCR0111-4908	01 11 47.5	−49 08 09	23.6	10.8	11	17.5	2.8	12	...	...	...	17.5	ccd
GJ0054.1	01 12 30.7	−16 59 56	6.0	1.7	11	4.7	0.8	12	3.7	0.0	2	3.7	trg
LEHPM1-1343	01 13 16.4	−54 29 14	14.6	4.3	11	15.2	2.3	12	...	...	...	15.2	ccd
SCR0113-7603	01 13 31.5	−76 03 09	21.7	8.0	11	22.8	3.6	12	...	...	...	22.8	ccd
LHS1217	01 14 08.6	−36 56 43	18.3	6.2	11	...	...	...	...	...	...	18.3	plt
L221-060	01 14 34.2	−53 56 32	13.1	3.5	11	16.1	2.6	12	16.6	0.5	1	16.6	trg

Table 2—Continued

Name	RA	DEC	d_{plt} (pc)	σ_{tot} (pc)	# rel	d_{ccd} (pc)	σ_{tot} (pc)	# rel	d_{trig} (pc)	σ_{trig} (pc)	# π	d_{best} (pc)	d type
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
LP938-144	01 14 36.7	−34 34 51	23.8	8.8	11	...	...	...	...	...	...	23.8	plt
LP938-149	01 15 29.8	−33 25 52	24.0	7.5	11	...	...	...	...	...	...	24.0	plt
GJ1036	01 17 15.4	−35 42 57	11.0	3.7	11	14.0	2.3	12	16.2	0.9	1	16.2	trg
L797-030	01 17 15.7	−13 15 48	15.9	4.7	8	17.8	2.9	12	23.4	1.4	1	23.4	trg
GJ0056.1	01 18 16.0	−12 53 59	19.9	5.6	11	19.2	3.0	12	22.1	1.6	2	22.1	trg
LTT00734	01 19 51.1	−27 26 39	21.9	6.2	11	...	...	...	...	...	...	21.9	plt
GJ0057	01 21 34.6	−41 39 23	12.6	3.7	11	18.2	2.9	9	16.7	0.4	2	16.7	trg
LTT00755	01 22 23.1	−33 12 51	14.8	5.4	10	...	...	...	24.6	1.1	1	24.6	trg
L797-023	01 23 18.0	−12 56 23	24.4	6.7	11	22.2	3.5	12	...	...	...	22.2	ccd
LTT00774	01 23 24.8	−30 45 34	18.6	6.4	11	...	...	...	...	...	...	18.6	plt
SCR0124-0027	01 24 31.3	−00 27 56	27.6	8.2	11	21.6	3.4	12	...	...	...	21.6	ccd
LEHPM1-1550	01 26 43.1	−54 43 30	20.7	6.9	11	...	...	...	...	...	...	20.7	plt
L002-060	01 29 20.9	−85 56 11	12.3	3.7	11	12.2	2.0	12	...	...	...	12.2	ccd
LTT00818	01 30 05.1	−25 45 08	20.3	5.6	11	...	...	...	...	...	...	20.3	plt
LHS0142	01 32 26.2	−21 54 19	16.9	4.7	11	17.7	2.9	12	18.1	0.6	2	18.1	trg
LP768-113	01 33 58.0	−17 38 24	18.7	5.4	11	14.0	2.2	12	...	...	...	14.0	ccd
SCR0135-6127	01 35 53.7	−61 27 11	29.9	7.9	11	24.9	3.9	12	...	...	...	24.9	ccd
LP883-537	01 36 08.7	−26 52 16	19.1	5.1	11	19.6	3.1	12	...	...	...	19.6	ccd
LP648-020	01 36 55.2	−06 47 38	23.9	7.5	11	...	...	...	...	...	...	23.9	plt
LHS1268	01 37 20.8	−49 11 44	12.9	3.9	11	16.6	2.8	10	22.5	0.8	2	22.5	trg
SCR0137-4148	01 37 23.5	−41 48 56	21.9	6.3	11	24.1	3.8	12	...	...	...	24.1	ccd
SCR0138-6029	01 38 01.1	−60 29 56	28.7	10.2	11	20.3	3.2	12	...	...	...	20.3	ccd
GJ0065	01 39 01.5	−17 57 02	[2.7]	1.0	11	[1.8]	0.3	12	2.7	0.0	1	2.7	trg
L294-078	01 39 11.5	−48 17 50	20.5	5.7	11	...	...	...	...	...	...	20.5	plt
LP991-084	01 39 21.7	−39 36 09	9.2	2.8	11	8.5	1.3	12	...	...	...	8.5	ccd
SCR0139-5927	01 39 39.8	−59 27 56	17.4	5.2	11	...	...	...	...	...	...	17.4	plt
WT0050	01 46 29.4	−53 39 33	13.5	3.9	11	13.7	2.3	12	...	...	...	13.7	ccd
L870-044	01 46 36.8	−08 38 58	15.5	5.1	11	14.6	2.2	12	...	...	...	14.6	ccd
L294-092	01 47 42.6	−48 36 06	9.9	2.8	11	11.5	1.8	12	...	...	...	11.5	ccd
L173-039	01 48 26.0	−56 58 42	11.6	3.2	11	15.5	2.6	12	...	...	...	15.5	ccd
L052-022	01 48 26.2	−70 58 29	24.0	7.6	8	...	...	...	...	...	...	24.0	plt
SCR0149-8038	01 49 42.7	−80 38 28	25.3	9.6	11	23.8	3.8	12	...	...	...	23.8	ccd
LP940-020	01 49 43.5	−33 19 20	25.0	7.2	11	...	...	...	...	...	...	25.0	plt
LP940-021	01 50 13.3	−37 41 52	21.6	6.0	11	22.7	3.5	12	...	...	...	22.7	ccd
LHS1300	01 50 20.1	−49 36 40	24.3	6.9	11	...	...	...	...	...	...	24.3	plt
LHS5043	01 50 53.3	−34 24 39	24.3	7.5	11	...	...	...	...	...	...	24.3	plt
LHS1302	01 51 04.1	−06 07 05	16.5	6.5	11	11.0	1.9	12	9.9	0.2	1	9.9	trg
GJ0078	01 51 48.7	−10 48 13	18.7	5.5	11	20.8	3.2	12	16.2	0.7	2	16.2	trg
GJ0079	01 52 49.2	−22 26 06	6.6	1.8	11	8.9	1.5	10	11.0	0.1	2	11.0	trg
LHS5045	01 52 51.6	−48 05 41	11.5	3.3	11	12.1	1.9	12	...	...	...	12.1	ccd
LTT01010	01 53 11.4	−21 05 43	15.3	4.2	11	16.0	2.7	12	...	...	...	16.0	ccd
L088-043	01 53 37.1	−66 53 34	12.1	3.3	11	11.6	1.9	12	...	...	...	11.6	ccd
LHS1311	01 53 50.6	−10 32 14	22.0	7.3	11	19.4	3.1	12	...	...	...	19.4	ccd
LP768-670	01 54 08.0	−15 36 22	21.7	6.6	11	16.3	2.5	12	...	...	...	16.3	ccd
L223-077	01 55 13.2	−53 06 31	21.2	6.4	11	...	...	...	...	...	...	21.2	plt
LHS1325	02 00 47.3	−10 21 21	24.1	6.5	11	...	...	...	...	...	...	24.1	plt
LP709-018	02 01 43.9	−10 17 29	21.7	6.1	11	...	...	...	...	...	...	21.7	plt

Table 2—Continued

Name	RA	DEC	d_{plt} (pc)	σ_{tot} (pc)	# rel	d_{ccd} (pc)	σ_{tot} (pc)	# rel	d_{trig} (pc)	σ_{trig} (pc)	# π	d_{best} (pc)	d type
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
L655-017	02 03 20.8	−21 13 43	13.9	4.6	8	12.0	1.9	12	...	...	...	12.0	ccd
LHS1332	02 04 27.5	−01 52 57	21.7	5.9	11	21.9	3.6	12	...	...	...	21.9	ccd
GJ0084	02 05 04.9	−17 36 53	[8.1]	2.5	9	[6.8]	1.1	12	9.1	0.2	2	9.1	trg
GJ0084.1	02 05 23.7	−28 04 11	16.1	4.5	11	21.8	3.5	10	23.1	1.1	2	23.1	trg
LHS1339	02 05 48.6	−30 10 36	14.0	3.7	11	15.7	2.6	12	9.3	0.3	1	9.3	trg
GJ0085	02 07 23.3	−66 34 12	18.3	5.0	11	19.2	3.0	12	...	...	...	19.2	ccd
LHS1347	02 09 36.1	−14 21 33	17.4	5.1	11	13.9	2.3	12	19.7	1.0	2	19.7	trg
LP709-043	02 10 03.7	−08 53 00	17.2	4.5	11	15.6	2.5	12	...	...	...	15.6	ccd
SCR0210-6622	02 10 45.1	−66 22 27	30.0	9.5	11	23.3	3.6	12	...	...	...	23.3	ccd
LHS1351	02 11 18.0	−63 13 41	18.9	5.0	11	18.0	2.8	12	14.0	0.3	1	14.0	trg
LHS1354	02 12 29.2	−08 04 10	[19.8]	7.0	11	[22.9]	3.9	12	...	...	...	[22.9]	ccd
LHS1356	02 12 58.8	−73 45 50	21.9	5.8	11	...	...	...	...	...	...	21.9	plt
L296-105	02 13 53.0	−49 23 14	21.4	5.6	11	...	...	...	...	...	...	21.4	plt
GJ0091	02 13 53.6	−32 02 29	9.4	2.7	11	10.1	1.6	12	12.5	0.3	2	12.5	trg
LHS1363	02 14 12.6	−03 57 44	15.7	5.4	11	11.0	1.7	12	...	...	...	11.0	ccd
NLTT07418	02 14 18.6	−30 33 47	17.4	5.2	11	...	...	...	...	...	...	17.4	plt
LHS1367	02 15 08.1	−30 40 01	12.7	3.5	11	13.1	2.1	11	...	...	...	13.1	ccd
StKM1-249	02 15 20.0	−13 00 58	21.8	6.1	11	...	...	...	...	...	...	21.8	plt
LHS1373	02 15 48.9	−12 40 27	18.6	5.0	11	18.0	2.9	12	...	...	...	18.0	ccd
LP829-041	02 16 21.4	−22 00 49	25.0	9.3	11	...	...	...	...	...	...	25.0	plt
SCR0216-5257	02 16 32.0	−52 57 47	25.6	7.3	11	22.8	3.8	12	...	...	...	22.8	ccd
LHS1377	02 16 41.2	−30 59 18	11.8	3.7	11	10.4	1.7	12	14.3	0.6	1	14.3	trg
WT0084	02 17 28.5	−59 22 44	19.1	9.8	11	15.8	2.6	12	13.1	0.5	1	13.1	trg
GJ0093	02 17 34.2	−53 59 20	22.7	6.4	11	27.0	4.2	10	22.5	1.3	2	22.5	trg
L174-034	02 18 17.9	−55 07 33	22.5	6.0	11	...	...	...	...	...	...	22.5	plt
GJ1046	02 19 10.1	−36 46 41	[13.1]	3.4	11	[13.0]	2.1	12	14.1	0.6	1	14.1	trg
LP710-008	02 22 17.8	−13 11 06	23.8	6.5	11	...	...	...	...	...	...	23.8	plt
LP941-057	02 22 18.3	−36 51 52	23.9	7.1	11	...	...	...	...	...	...	23.9	plt
L440-002	02 22 25.6	−34 33 18	21.2	5.8	11	...	...	...	...	...	...	21.2	plt
LP829-051	02 23 24.0	−23 18 25	21.9	7.6	11	20.8	3.2	12	...	...	...	20.8	ccd
L296-061	02 24 26.6	−47 10 24	19.7	5.6	11	...	...	...	...	...	...	19.7	plt
LP885-059	02 26 32.8	−29 30 56	24.8	7.3	11	...	...	...	...	...	...	24.8	plt
L513-008	02 27 30.4	−30 54 36	15.6	4.5	9	17.0	2.7	12	20.6	0.5	1	20.6	trg
LP941-090	02 28 07.7	−36 28 20	22.7	6.8	11	...	...	...	...	...	...	22.7	plt
LHS1412	02 30 34.9	−15 43 25	21.9	5.9	11	...	...	...	...	...	...	21.9	plt
LP650-158	02 31 33.3	−03 56 23	25.6	6.9	7	22.9	4.3	12	...	...	...	22.9	ccd
L225-057	02 34 21.2	−53 05 37	10.7	2.9	11	9.5	1.5	12	...	...	...	9.5	ccd
GJ0103	02 34 22.6	−43 47 47	[5.6]	2.2	9	[6.6]	1.5	12	11.6	0.1	2	11.6	trg
APM0237-5928	02 36 32.5	−59 28 06	14.6	7.0	11	9.2	1.5	12	9.6	0.1	1	9.6	trg
L174-028	02 37 52.8	−58 45 11	15.1	4.9	11	12.5	1.9	12	15.0	0.8	1	15.0	trg
LEHPM1-2662	02 38 49.1	−39 16 37	24.4	7.0	11	...	...	...	...	...	...	24.4	plt
GJ1050	02 39 50.7	−34 07 58	14.9	4.1	11	15.1	2.4	12	10.7	0.5	1	10.7	trg
G075-035	02 41 15.1	−04 32 18	16.3	5.0	11	12.2	1.9	12	...	...	...	12.2	ccd
LHS1434	02 42 56.3	−38 56 12	18.8	5.1	11	22.1	3.4	12	...	...	...	22.1	ccd
GJ1051	02 43 53.2	−08 49 46	23.3	7.4	5	26.3	4.1	12	24.8	2.4	2	24.8	trg
LP993-115	02 45 14.3	−43 44 11	12.1	4.6	11	9.2	1.4	12	11.2	0.2	2	11.2	trg
LP711-005	02 45 18.5	−13 56 24	24.0	6.9	11	...	...	...	...	...	...	24.0	plt

Table 2—Continued

Name	RA	DEC	d_{plt} (pc)	σ_{tot} (pc)	# rel	d_{ccd} (pc)	σ_{tot} (pc)	# rel	d_{trig} (pc)	σ_{trig} (pc)	# π	d_{best} (pc)	d type
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
SCR0246-7024	02 46 02.3	−70 24 06	20.0	8.1	11	14.2	2.3	12	...	...	...	14.2	ccd
LHS0017	02 46 14.9	−04 59 21	27.9	11.7	11	...	...	...	16.6	2.3	1	16.6	trg
LTT01349	02 46 42.9	−23 05 12	14.6	4.1	11	20.1	3.2	9	23.0	0.9	1	23.0	trg
LP771-021	02 48 41.0	−16 51 22	19.0	5.2	11	19.1	3.0	12	16.2	1.4	1	16.2	trg
GJ0114.1	02 50 09.8	−53 08 20	11.8	3.2	11	12.1	1.9	12	13.1	0.3	2	13.1	trg
LEHPM1-2816	02 50 23.0	−21 04 45	25.0	6.9	11	...	...	...	...	...	...	25.0	plt
GJ0118	02 52 22.2	−63 40 48	12.2	3.3	11	11.6	1.8	12	11.7	0.3	2	11.7	trg
LEHPM1-2855	02 52 29.3	−24 17 19	21.4	6.6	11	...	...	...	...	...	...	21.4	plt
L012-006	02 53 17.0	−80 31 20	24.0	6.5	11	24.8	3.9	12	...	...	...	24.8	ccd
NLTT09315	02 53 46.9	−61 35 19	16.5	4.4	11	...	...	...	...	...	...	16.5	plt
LP831-001	02 54 39.5	−22 15 59	20.1	5.8	11	...	...	...	...	...	...	20.1	plt
LHS1471	02 55 14.5	−51 40 21	21.8	6.0	11	...	...	...	...	...	...	21.8	plt
LHS1481	02 58 10.2	−12 53 06	21.3	5.8	11	22.6	3.9	12	...	...	...	22.6	ccd
LTT01445	03 01 51.0	−16 35 31	[11.1]	3.7	8	6.9	1.3	12	7.0	0.1	3	7.0	trg
LHS1490	03 02 06.4	−39 50 52	24.3	9.2	11	20.1	4.0	12	...	...	...	20.1	ccd
G075-060	03 02 09.8	−00 44 43	23.6	6.9	11	...	...	...	...	...	...	23.6	plt
APM0302-6952	03 02 30.8	−69 52 03	20.4	5.6	11	...	...	...	...	...	...	20.4	plt
GJ0121.1	03 02 38.1	−18 09 59	15.5	5.1	11	15.5	2.4	12	19.3	1.5	2	19.3	trg
LEHPM1-3019	03 03 00.7	−55 24 53	24.4	7.2	11	...	...	...	...	...	...	24.4	plt
LP711-044	03 03 47.9	−12 51 19	17.8	5.1	11	17.7	2.8	12	...	...	...	17.7	ccd
LHS1491	03 04 04.5	−20 22 43	13.8	4.2	11	12.4	2.0	12	14.9	0.3	1	14.9	trg
LEHPM1-3070	03 06 11.6	−36 47 53	13.8	5.4	11	12.8	2.0	10	13.1	0.2	1	13.1	trg
GJ1054	03 07 55.8	−28 13 11	[11.4]	3.0	2	[13.7]	2.6	12	18.0	0.8	1	18.0	trg
LP994-114	03 09 22.2	−39 11 03	18.4	5.7	11	...	...	...	...	...	...	18.4	plt
LP831-035	03 10 03.1	−23 41 31	21.3	6.3	11	...	...	...	...	...	...	21.3	plt
LTT01505	03 11 36.7	−04 16 37	24.7	7.4	11	19.5	3.1	12	...	...	...	19.5	ccd
GJ0130	03 12 29.8	−38 05 20	13.3	3.5	7	16.7	2.7	12	12.6	1.6	1	12.6	trg
LP831-045	03 14 18.2	−23 09 30	14.8	3.9	11	12.8	2.0	12	...	...	...	12.8	ccd
StKM1-350	03 14 36.7	−09 40 03	21.9	5.9	8	24.6	3.9	12	...	...	...	24.6	ccd
LP831-068	03 16 47.8	−21 25 26	12.1	3.7	11	12.6	2.1	12	...	...	...	12.6	ccd
LP994-091	03 17 03.0	−42 14 33	24.3	7.2	11	...	...	...	...	...	...	24.3	plt
LP887-070	03 18 04.0	−30 24 12	16.3	5.2	8	19.7	3.2	12	23.0	1.4	1	23.0	trg
LP994-096	03 18 45.5	−40 51 34	13.6	4.1	11	13.9	2.2	12	...	...	...	13.9	ccd
LTT01577	03 18 58.3	−36 23 35	19.1	5.7	8	15.4	2.4	12	20.2	1.3	1	20.2	trg
LTT01578	03 19 29.2	−30 59 44	21.0	7.8	11	18.4	2.8	12	...	...	...	18.4	ccd
2MA0320-0446	03 20 28.4	−04 46 37	19.1	10.7	6	23.4	4.0	11	...	...	...	23.4	ccd
L127-124	03 20 51.8	−63 51 53	17.7	6.8	11	...	...	...	...	...	...	17.7	plt
DEN0320-5520	03 20 58.9	−55 20 16	24.5	7.4	11	...	...	...	...	...	...	24.5	plt
LTT17505	03 21 46.9	−06 40 24	11.4	3.2	11	14.5	2.3	12	...	...	...	14.5	ccd
LP832-007	03 23 06.7	−24 13 28	23.5	6.5	11	...	...	...	...	...	...	23.5	plt
DEN0324-7727	03 24 26.9	−77 27 05	20.8	6.0	11	...	...	...	...	...	...	20.8	plt
LTT01628	03 25 39.7	−42 59 12	20.4	5.6	11	24.8	3.9	9	23.3	1.2	1	23.3	trg
SCR0327-3634	03 27 46.8	−36 34 40	20.2	6.0	11	18.8	3.0	12	...	...	...	18.8	ccd
L055-011	03 28 08.4	−70 01 41	23.6	6.4	11	...	...	...	...	...	...	23.6	plt
GJ0143.1	03 29 19.8	−11 40 42	13.6	4.0	3	17.7	2.9	9	22.0	1.0	2	22.0	trg
LP888-018	03 31 30.3	−30 42 39	12.1	3.6	11	11.3	1.8	11	...	...	...	11.3	ccd
GJ0145	03 32 55.8	−44 42 07	13.5	4.0	11	12.0	1.9	12	10.8	0.2	2	10.8	trg

Table 2—Continued

Name	RA	DEC	d_{plt} (pc)	σ_{tot} (pc)	# rel	d_{ccd} (pc)	σ_{tot} (pc)	# rel	d_{trig} (pc)	σ_{trig} (pc)	# π	d_{best} (pc)	d type
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
LEHPM1-3396	03 34 12.2	−49 53 32	10.9	3.1	11	10.7	1.9	9	8.3	0.3	1	8.3	trg
LHS0176	03 35 38.6	−08 29 23	17.6	7.6	11	13.1	2.1	12	12.9	0.2	1	12.9	trg
GJ1061	03 35 59.7	−44 30 45	6.2	2.8	11	3.6	0.6	12	3.7	0.0	2	3.7	trg
LHS1567	03 36 06.7	−40 59 54	22.6	6.9	11	...	...	...	...	...	...	22.6	plt
LEHPM1-3427	03 36 47.6	−55 45 08	22.8	6.9	11	...	...	...	...	...	...	22.8	plt
LHS1572	03 38 10.0	−68 56 46	[13.9]	3.8	11	[14.5]	2.2	12	...	...	...	[14.5]	ccd
GJ1062	03 38 15.7	−11 29 14	33.2	9.6	11	37.0	6.0	12	16.0	0.9	1	16.0	trg
L228-092	03 38 55.9	−52 34 11	16.5	5.1	11	...	...	...	...	...	...	16.5	plt
LP944-020	03 39 35.3	−35 25 44	6.4	2.0	10	7.0	1.3	11	6.3	0.0	2	6.3	trg
NLTT11616	03 40 08.9	−60 35 59	22.8	6.0	11	...	...	...	...	...	...	22.8	plt
SCR0342-6407	03 42 57.4	−64 07 57	39.3	15.5	11	37.9	8.6	12	24.1	1.2	1	24.1	trg
LHS1582	03 43 22.1	−09 33 51	[16.7]	5.3	11	[13.3]	2.3	12	21.7	0.8	1	21.7	trg
LP944-038	03 44 47.9	−38 20 13	[19.0]	5.1	11	...	...	...	...	...	...	[19.0]	plt
LHS1590	03 46 45.4	−11 17 42	25.0	6.7	11	22.0	3.4	12	...	...	...	22.0	ccd
G080-021	03 47 23.4	−01 58 20	12.4	3.3	11	11.9	1.9	12	16.0	0.5	2	16.0	trg
LEHPM1-3548	03 50 05.5	−39 22 32	22.9	6.6	11	...	...	...	...	...	...	22.9	plt
GJ1065	03 50 44.3	−06 05 42	16.2	4.9	11	12.6	2.0	12	9.5	0.3	1	9.5	trg
LHS1604	03 51 00.0	−00 52 45	14.4	4.0	11	12.4	1.9	12	14.7	0.4	1	14.7	trg
LP833-014	03 52 23.1	−22 52 56	[16.0]	4.4	11	[18.1]	2.8	12	24.4	2.9	1	24.4	trg
LEHPM1-3582	03 57 49.1	−37 54 04	17.3	5.2	11	...	...	...	...	...	...	17.3	plt
LP833-023	04 00 28.6	−25 52 52	22.2	6.2	11	...	...	...	...	...	...	22.2	plt
LHS1630	04 07 20.5	−24 29 14	[12.6]	3.4	11	[11.7]	1.8	12	17.8	0.3	1	17.8	trg
LP889-037	04 08 55.6	−31 28 54	17.5	5.4	11	14.0	2.2	12	...	...	...	14.0	ccd
GJ0163	04 09 15.7	−53 22 25	13.6	3.8	11	12.0	1.9	12	15.0	0.4	2	15.0	trg
GJ1068	04 10 28.1	−53 36 08	13.0	4.0	7	9.4	1.6	12	7.0	0.1	1	7.0	trg
LP714-037	04 10 48.1	−12 51 43	23.5	9.4	11	...	...	...	...	...	...	23.5	plt
LHS1641	04 12 43.1	−22 50 39	22.5	6.1	11	...	...	...	...	...	...	22.5	plt
LHS1639	04 12 47.5	−53 52 04	20.7	5.8	11	...	...	...	...	...	...	20.7	plt
G160-054	04 13 45.9	−05 09 05	23.4	8.0	11	17.0	2.6	12	...	...	...	17.0	ccd
GJ2033	04 16 41.7	−12 33 23	[11.8]	3.2	11	[13.9]	2.2	12	21.4	2.0	1	21.4	trg
LEHPM1-3719	04 17 34.6	−48 34 39	18.9	9.2	11	...	...	...	...	...	...	18.9	plt
LHS1654	04 18 04.7	−49 01 30	24.9	7.3	11	...	...	...	...	...	...	24.9	plt
NLTT12979	04 18 06.5	−24 06 24	25.0	7.7	11	...	...	...	...	...	...	25.0	plt
NLTT12997	04 18 40.1	−25 07 09	21.7	6.2	11	...	...	...	...	...	...	21.7	plt
SCR0420-7005	04 20 12.6	−70 05 59	22.5	9.2	11	16.3	2.7	12	...	...	...	16.3	ccd
LHS1665	04 22 12.5	−57 26 01	15.8	4.5	11	...	...	...	...	...	...	15.8	plt
LHS1668	04 24 56.2	−40 02 48	19.3	6.3	11	15.8	2.8	12	...	...	...	15.8	ccd
LHS0189	04 25 38.4	−06 52 37	{[70.0]}	22.9	4	{[83.1]}	24.9	8	18.4	1.0	2	18.4	trg
LHS5094	04 26 32.6	−30 48 02	13.8	4.1	11	11.5	1.9	12	...	...	...	11.5	ccd
LEHPM2-1698	04 27 05.8	−40 26 40	23.2	6.7	11	...	...	...	...	...	...	23.2	plt
L178-101	04 27 36.2	−59 21 16	20.2	5.3	11	...	...	...	...	...	...	20.2	plt
L130-037	04 28 05.7	−62 09 25	14.4	4.0	11	14.9	2.4	12	...	...	...	14.9	ccd
LP715-051	04 31 09.0	−13 30 53	[12.3]	3.3	11	[13.4]	2.2	12	19.1	1.3	1	19.1	trg
SCR0433-0211	04 33 31.5	−02 11 01	29.6	10.7	11	21.8	3.8	12	...	...	...	21.8	ccd
L231-032	04 33 39.7	−51 57 22	23.5	6.3	11	...	...	...	...	...	...	23.5	plt
LP775-031	04 35 16.1	−16 06 57	8.6	3.5	11	7.7	1.2	11	10.5	0.1	1	10.5	trg
LP834-032	04 35 36.2	−25 27 35	13.0	4.0	11	10.8	1.7	12	...	...	...	10.8	ccd

Table 2—Continued

Name	RA	DEC	d_{plt} (pc)	σ_{tot} (pc)	# rel	d_{ccd} (pc)	σ_{tot} (pc)	# rel	d_{trig} (pc)	σ_{trig} (pc)	# π	d_{best} (pc)	d type
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
L951-054	04 36 26.8	−03 43 56	21.8	6.3	11	...	...	...	...	...	...	21.8	plt
L591-042	04 36 40.9	−27 21 18	18.1	4.9	11	17.9	2.8	12	...	...	...	17.9	ccd
GJ0173	04 37 41.9	−11 02 20	8.2	2.1	11	9.9	1.6	12	11.1	0.2	2	11.1	trg
LP655-043	04 38 02.5	−05 56 13	16.8	5.8	11	14.7	2.3	12	...	...	...	14.7	ccd
LP715-039	04 38 37.2	−11 30 15	14.0	3.9	11	14.9	2.3	12	...	...	...	14.9	ccd
LP655-048	04 40 23.3	−05 30 08	8.9	2.7	11	8.5	1.3	12	9.8	0.1	1	9.8	trg
LP891-006	04 43 11.8	−32 26 42	24.6	6.8	11	...	...	...	...	...	...	24.6	plt
UPM0444-3749	04 44 50.2	−37 49 41	24.7	7.4	11	20.7	3.3	12	...	...	...	20.7	ccd
LP656-009	04 46 24.4	−02 49 08	23.2	6.3	11	24.9	3.9	12	...	...	...	24.9	ccd
LP835-018	04 48 01.0	−26 03 01	25.0	8.0	11	...	...	...	...	...	...	25.0	plt
L736-001	04 49 32.8	−14 47 23	16.0	4.2	2	...	...	...	24.8	1.4	1	24.8	trg
APM0452-5819	04 51 37.3	−58 18 52	18.1	5.3	11	15.7	2.4	12	17.2	0.4	1	17.2	trg
LP716-010	04 52 04.0	−10 58 22	15.3	4.5	11	12.9	2.0	12	...	...	...	12.9	ccd
LP776-025	04 52 24.4	−16 49 22	12.1	4.9	4	10.4	1.6	12	...	...	...	10.4	ccd
GJ0180	04 53 50.0	−17 46 24	9.7	2.7	11	11.9	1.9	12	12.1	0.3	2	12.1	trg
G084-025	04 57 58.6	−05 06 17	23.4	8.4	11	...	...	...	...	...	...	23.4	plt
LP891-046	04 59 24.4	−30 55 58	22.8	8.7	11	18.7	3.0	12	...	...	...	18.7	ccd
NLTT14380	04 59 32.3	−61 53 04	16.1	4.3	11	...	...	...	...	...	...	16.1	plt
LHS1723	05 01 57.4	−06 56 47	8.3	2.5	11	6.4	1.1	12	5.3	0.0	1	5.3	trg
GJ0185	05 02 28.4	−21 15 24	[5.4]	1.5	11	[6.9]	1.1	9	8.3	0.1	2	8.3	trg
LHS1731	05 03 20.1	−17 22 25	11.2	4.9	8	10.5	1.7	12	9.2	0.1	2	9.2	trg
LP716-035	05 05 11.8	−12 00 29	21.1	5.9	11	22.1	6.5	12	...	...	...	22.1	ccd
NLTT14654	05 08 09.1	−73 26 50	22.7	10.8	10	...	...	...	...	...	...	22.7	plt
GJ0190	05 08 35.1	−18 10 19	[6.0]	1.8	11	[4.3]	0.7	12	9.3	0.2	2	9.3	trg
LP717-003	05 09 19.4	−13 48 41	22.2	6.7	11	...	...	...	...	...	...	22.2	plt
SCR0509-4325	05 09 43.9	−43 25 17	18.0	5.2	11	16.4	2.6	12	...	...	...	16.4	ccd
GJ0191	05 11 40.6	−45 01 06	6.3	1.8	11	7.9	1.2	9	3.9	0.0	2	3.9	trg
WT2419	05 11 44.6	−36 12 31	24.1	7.1	11	...	...	...	...	...	...	24.1	plt
NLTT14823	05 13 06.0	−76 53 22	16.2	8.6	11	22.6	3.6	12	...	...	...	22.6	ccd
LTT02208	05 13 47.3	−31 19 34	23.5	6.6	11	24.8	3.8	12	...	...	...	24.8	ccd
G084-040	05 13 50.8	−01 03 07	24.0	8.2	8	...	...	...	...	...	...	24.0	plt
L521-011	05 14 53.6	−33 04 30	16.1	5.3	11	15.4	2.6	12	...	...	...	15.4	ccd
LHS1747	05 15 08.1	−07 20 49	20.4	5.7	11	22.0	3.5	12	22.5	2.1	1	22.5	trg
LHS1748	05 15 46.7	−31 17 45	17.1	4.5	11	19.9	3.1	12	23.2	0.8	1	23.2	trg
LHS1749	05 16 00.4	−72 14 13	[8.6]	5.0	11	[16.3]	2.6	12	21.7	0.7	2	21.7	trg
GJ1077	05 16 59.7	−78 17 20	12.0	3.2	11	12.3	2.0	12	15.2	0.4	2	15.2	trg
SCR0517-4252	05 17 21.4	−42 52 47	16.6	4.9	11	16.3	2.6	12	...	...	...	16.3	ccd
L449-001	05 17 22.9	−35 21 55	[6.6]	1.8	11	[7.0]	1.1	12	11.9	0.2	1	11.9	trg
2MA0517-3349	05 17 37.7	−33 49 03	12.4	5.4	11	13.7	2.2	12	...	...	...	13.7	ccd
LP892-032	05 18 36.6	−28 42 07	24.2	7.9	11	...	...	...	...	...	...	24.2	plt
LP717-036	05 25 41.7	−09 09 13	[12.8]	3.5	11	[12.6]	1.9	12	...	...	...	[12.6]	ccd
L233-036	05 25 48.6	−51 19 16	20.0	5.6	11	...	...	...	...	...	...	20.0	plt
CD 42-01943	05 26 36.0	−42 20 18	[15.4]	4.8	8	...	...	...	...	...	...	[15.4]	plt
L306-062	05 26 40.8	−48 51 47	20.1	5.3	11	20.7	3.3	12	...	...	...	20.7	ccd
LEHPM2-1009	05 27 30.6	−51 29 16	16.0	4.9	11	...	...	...	...	...	...	16.0	plt
GJ0204.2	05 29 52.0	−03 26 30	15.7	4.4	11	14.8	2.3	12	17.6	2.0	1	17.6	trg
LTT02295	05 30 18.6	−53 58 48	14.2	4.1	11	...	...	...	...	...	...	14.2	plt

Table 2—Continued

Name	RA	DEC	d_{plt} (pc)	σ_{tot} (pc)	# rel	d_{ccd} (pc)	σ_{tot} (pc)	# rel	d_{trig} (pc)	σ_{trig} (pc)	# π	d_{best} (pc)	d type
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
L234-022	05 30 57.2	−53 30 52	16.6	4.6	11	...	...	...	...	...	...	16.6	plt
LHS1767	05 31 04.3	−30 11 45	17.5	4.7	11	17.3	2.7	12	15.3	0.4	1	15.3	trg
GJ0205	05 31 27.4	−03 40 38	3.8	1.1	11	4.8	1.1	12	5.7	0.0	2	5.7	trg
LP718-005	05 35 21.3	−09 31 07	19.9	6.0	11	...	...	...	...	...	...	19.9	plt
LHS5109	05 36 00.1	−07 38 59	12.5	3.5	11	10.0	1.6	12	...	...	...	10.0	ccd
LP658-106	05 37 23.3	−08 16 06	24.8	8.1	11	...	...	...	...	...	...	24.8	plt
WT0178	05 37 39.8	−61 54 44	22.9	7.5	11	18.4	2.9	12	16.1	0.2	1	16.1	trg
L378-006	05 40 02.6	−40 11 14	23.8	6.8	11	...	...	...	...	...	...	23.8	plt
GJ2045	05 42 12.7	−05 27 56	16.2	7.1	11	16.1	3.2	12	12.6	0.2	4	12.6	trg
LP837-016	05 43 04.6	−26 35 40	21.8	6.3	11	22.9	3.6	12	...	...	...	22.9	ccd
APM0544-4108	05 43 46.6	−41 08 08	24.3	8.1	11	19.1	3.0	12	20.7	0.3	1	20.7	trg
2MA0544-2433	05 44 11.5	−24 33 03	18.0	7.0	11	19.0	3.0	12	...	...	...	19.0	ccd
LP837-019	05 44 57.0	−21 36 56	20.8	5.6	11	18.9	2.9	12	...	...	...	18.9	ccd
LP837-020	05 44 57.9	−24 56 10	21.4	6.3	11	...	...	...	...	...	...	21.4	plt
LHS1785	05 47 09.1	−05 12 11	20.2	7.2	11	20.1	3.2	12	17.0	0.6	1	17.0	trg
GJ0218	05 47 40.6	−36 19 43	13.1	3.6	11	13.2	2.1	12	14.9	0.3	2	14.9	trg
WT2440	05 47 50.2	−34 19 14	20.9	5.7	11	...	...	...	...	...	...	20.9	plt
L307-012	05 48 45.2	−45 55 42	24.1	6.6	11	...	...	...	...	...	...	24.1	plt
LHS1793	05 52 29.2	−55 06 43	20.9	5.6	11	...	...	...	...	...	...	20.9	plt
L379-017	05 53 40.1	−42 41 44	23.9	6.8	11	...	...	...	...	...	...	23.9	plt
NLTT15791	05 53 55.4	−22 46 58	21.8	6.2	11	...	...	...	...	...	...	21.8	plt
LP837-053	05 55 43.2	−26 51 23	8.1	2.3	11	8.9	1.6	12	14.6	0.5	1	14.6	trg
LHS5112	05 56 56.2	−46 55 54	[13.4]	3.7	11	[17.6]	3.0	10	23.7	0.6	2	23.7	trg
UPM0559-5225	05 59 33.2	−52 25 05	21.3	5.7	11	21.4	3.5	12	...	...	...	21.4	ccd
LHS1807	06 02 22.6	−20 19 44	17.5	4.8	11	19.1	3.0	12	14.1	0.3	1	14.1	trg
LHS1810	06 02 54.2	−09 15 04	18.9	6.3	11	...	...	...	...	...	...	18.9	plt
APCOL	06 04 52.2	−34 33 36	6.1	2.0	11	4.6	0.7	12	8.4	0.1	1	8.4	trg
LP838-016	06 07 43.7	−25 44 42	13.8	3.9	11	12.4	2.0	12	11.4	0.3	1	11.4	trg
LEHPM2-3528	06 07 58.1	−61 15 11	19.8	5.9	11	18.3	2.9	12	...	...	...	18.3	ccd
LHS1823	06 08 16.4	−32 16 46	16.2	4.3	11	...	...	...	...	...	...	16.2	plt
GJ0229	06 10 34.6	−21 51 53	[3.5]	1.4	8	[5.1]	0.9	12	5.8	0.0	2	5.8	trg
GJ1088	06 10 52.9	−43 24 18	11.9	3.2	11	11.0	1.7	12	11.5	0.2	1	11.5	trg
L308-038	06 12 36.7	−47 29 33	20.3	5.3	11	...	...	...	...	...	...	20.3	plt
SCR0613-3437	06 13 57.3	−34 37 02	[26.2]	9.4	11	[21.9]	6.2	12	...	...	...	[21.9]	ccd
GJ0231.3	06 19 20.8	−06 39 22	22.9	7.3	11	18.8	2.9	12	14.7	2.0	1	14.7	trg
L308-057	06 21 06.7	−49 05 38	19.3	7.5	11	...	...	...	...	...	...	19.3	plt
UPM0621-6111	06 21 45.7	−61 11 13	21.8	7.2	11	22.8	3.7	12	...	...	...	22.8	ccd
SCR0622-4956	06 22 36.1	−49 56 29	28.9	10.0	11	23.4	3.6	12	...	...	...	23.4	ccd
2MA0623-3435	06 23 08.8	−34 35 53	23.7	6.6	11	...	...	...	...	...	...	23.7	plt
GJ0234	06 29 23.5	−02 48 51	[5.7]	1.7	11	[3.1]	0.5	12	4.1	0.0	3	4.1	trg
SCR0630-7643	06 30 46.6	−76 43 09	[6.9]	2.0	11	[5.5]	0.9	12	8.8	0.1	1	8.8	trg
SCR0631-8811	06 31 31.0	−88 11 37	12.8	5.1	11	10.4	1.6	12	...	...	...	10.4	ccd
GJ0237	06 31 51.1	−43 32 03	[14.5]	4.0	11	[17.8]	2.9	10	23.3	0.8	2	23.3	trg
LHS1852	06 32 22.0	−69 57 44	21.5	5.7	11	22.8	3.5	12	...	...	...	22.8	ccd
L032-009	06 33 43.3	−75 37 48	7.1	2.7	10	7.3	1.1	12	9.0	0.2	2	9.0	trg
GJ0238	06 33 50.0	−58 31 43	12.6	3.5	11	12.0	2.0	12	16.4	0.5	2	16.4	trg
LTT02591	06 34 18.6	−31 52 23	20.2	5.3	11	...	...	...	...	...	...	20.2	plt

Table 2—Continued

Name	RA	DEC	d_{plt} (pc)	σ_{tot} (pc)	# rel	d_{ccd} (pc)	σ_{tot} (pc)	# rel	d_{trig} (pc)	σ_{trig} (pc)	# π	d_{best} (pc)	d type
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
SCR0634-5403	06 34 36.9	−54 03 13	27.6	9.1	11	24.1	3.8	12	...	...	...	24.1	ccd
LP381-004	06 36 18.3	−40 00 24	12.8	5.0	10	17.7	2.9	9	19.6	0.6	1	19.6	trg
LP720-031	06 38 35.3	−14 04 58	22.6	7.4	11	...	...	...	...	...	...	22.6	plt
LP780-032	06 39 37.4	−21 01 33	15.8	4.6	11	11.7	1.8	12	...	...	...	11.7	ccd
L182-007	06 39 37.6	−55 36 35	10.6	2.9	11	12.6	2.0	9	13.3	0.2	1	13.3	trg
LP453-031	06 39 41.1	−36 59 03	16.7	4.9	11	15.7	2.6	12	...	...	...	15.7	ccd
LP780-023	06 40 08.6	−16 27 26	19.8	5.8	11	20.0	3.2	12	...	...	...	20.0	ccd
SCR0640-0552	06 40 14.0	−05 52 23	8.5	2.3	11	9.3	1.5	12	...	...	...	9.3	ccd
LP780-026	06 42 10.8	−15 43 15	24.6	6.5	11	...	...	...	...	...	...	24.6	plt
SCR0642-6707	06 42 27.2	−67 07 20	24.1	12.0	11	17.6	3.8	12	...	...	...	17.6	ccd
NLTT16977	06 43 29.8	−70 03 21	16.2	4.4	11	15.3	2.4	12	...	...	...	15.3	ccd
L597-018	06 43 40.7	−26 24 41	19.1	5.1	11	18.1	3.0	12	...	...	...	18.1	ccd
SCR0644-4223	06 44 32.1	−42 23 45	[18.8]	5.2	11	[17.5]	2.9	12	...	...	...	[17.5]	ccd
SCR0650-2135	06 50 26.6	−21 35 58	25.5	8.2	11	20.4	3.3	12	...	...	...	20.4	ccd
LHS1873	06 50 59.5	−09 10 50	25.6	9.2	8	22.5	3.5	12	...	...	...	22.5	ccd
DEN0652-2534	06 52 19.8	−25 34 50	14.9	8.2	7	17.9	3.2	12	15.7	0.2	1	15.7	trg
L059-054	06 52 37.8	−73 58 16	20.7	5.6	11	...	...	...	...	...	...	20.7	plt
LP721-012	06 56 00.9	−38 24 17	24.2	6.7	11	...	...	...	...	...	...	24.2	plt
LP661-013	06 56 19.0	−08 35 46	21.0	7.8	11	18.5	2.8	12	...	...	...	18.5	ccd
LP382-056	06 57 11.7	−43 24 51	[13.5]	3.7	11	[12.0]	1.9	12	...	...	...	[12.0]	ccd
GJ0257	06 57 46.6	−44 17 28	[8.6]	2.5	11	[6.9]	1.1	12	8.0	0.1	2	8.0	trg
WT0204	06 58 18.9	−39 32 16	23.9	7.3	11	19.7	3.1	12	...	...	...	19.7	ccd
SCR0659-5622	06 59 40.8	−56 22 47	28.0	9.1	11	24.4	4.2	12	...	...	...	24.4	ccd
WT1539	07 00 09.5	−28 47 02	15.7	5.7	10	...	...	...	...	...	...	15.7	plt
SCR0701-1437	07 01 36.6	−14 37 18	25.5	8.5	11	23.8	3.7	12	...	...	...	23.8	ccd
WT0207	07 02 36.6	−40 06 28	37.4	14.0	11	32.8	5.6	12	24.7	0.8	1	24.7	trg
SCR0702-6102	07 02 50.4	−61 02 48	15.9	7.6	11	10.8	2.0	12	...	...	...	10.8	ccd
GJ0263	07 04 17.7	−10 30 32	[10.5]	2.7	3	[7.8]	1.3	12	16.1	0.8	2	16.1	trg
LHS0225	07 04 45.8	−38 36 08	[22.3]	6.8	9	13.1	5.1	12	17.9	0.7	2	17.9	trg
LEHPM2-0449	07 05 09.3	−80 29 50	22.0	6.8	11	...	...	...	...	...	...	22.0	plt
GJ2055	07 07 22.9	−21 27 27	12.9	4.4	10	13.3	2.1	12	17.3	0.7	1	17.3	trg
ESO207-061	07 07 53.3	−49 00 50	20.7	8.2	7	23.1	4.0	9	16.4	0.8	2	16.4	trg
LP840-016	07 08 07.0	−22 48 47	16.1	4.5	11	18.1	2.8	12	...	...	...	18.1	ccd
APM0710-5704	07 09 37.7	−57 03 42	17.6	6.0	11	14.3	2.4	12	...	...	...	14.3	ccd
LHS1906	07 12 54.1	−52 20 06	20.3	5.3	11	...	...	...	...	...	...	20.3	plt
SCR0713-0511	07 13 11.2	−05 11 49	13.1	4.7	10	13.5	2.1	12	...	...	...	13.5	ccd
LHS1909	07 15 49.0	−83 00 19	19.2	5.7	11	...	...	...	...	...	...	19.2	plt
SCR0717-0501	07 17 17.1	−05 01 04	15.9	5.8	8	13.1	2.2	12	...	...	...	13.1	ccd
LEHPM2-4145	07 18 14.0	−52 29 30	23.5	6.9	10	...	...	...	...	...	...	23.5	plt
NLTT17739	07 20 30.2	−40 55 33	20.6	5.6	11	...	...	...	...	...	...	20.6	plt
L136-037	07 20 52.0	−62 10 12	14.5	4.2	11	13.7	2.2	12	...	...	...	13.7	ccd
LP527-012	07 21 54.4	−31 04 37	24.9	8.1	11	...	...	...	...	...	...	24.9	plt
L136-001	07 23 20.8	−60 06 13	18.9	5.1	11	...	...	...	...	...	...	18.9	plt
SCR0723-8015	07 23 59.7	−80 15 18	19.3	5.6	11	17.0	3.1	12	...	...	...	17.0	ccd
SCR0724-3125	07 24 21.2	−31 25 58	24.5	9.5	11	16.5	2.6	12	...	...	...	16.5	ccd
L383-082	07 25 35.6	−42 38 57	21.4	5.7	11	...	...	...	...	...	...	21.4	plt
GJ1097	07 28 45.5	−03 17 53	11.2	4.1	11	9.7	1.5	12	11.6	0.3	2	11.6	trg

Table 2—Continued

Name	RA	DEC	d_{plt} (pc)	σ_{tot} (pc)	# rel	d_{ccd} (pc)	σ_{tot} (pc)	# rel	d_{trig} (pc)	σ_{trig} (pc)	# π	d_{best} (pc)	d type
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
GJ2060	07 28 51.4	−30 14 49	[8.7]	2.7	11	[8.6]	1.5	12	15.5	0.4	2	15.5	trg
LHS1922	07 30 39.3	−44 24 01	13.7	3.8	11	...	...	...	...	...	...	13.7	plt
SCR0731-4807	07 31 08.1	−48 07 33	26.1	7.6	11	21.3	3.4	12	...	...	...	21.3	ccd
SCR0733-2749	07 33 26.8	−27 49 04	26.6	11.7	11	22.6	3.7	12	...	...	...	22.6	ccd
SCR0733-4406	07 33 42.7	−44 06 13	22.3	6.7	11	18.7	2.9	12	...	...	...	18.7	ccd
LHS1932	07 36 12.0	−51 55 21	17.0	4.5	11	15.8	2.5	12	16.2	0.3	1	16.2	trg
SCR0736-3024	07 36 56.7	−30 24 16	20.2	9.0	11	17.2	2.7	12	...	...	...	17.2	ccd
L528-016	07 38 09.7	−31 12 19	14.8	4.1	11	14.1	2.2	12	...	...	...	14.1	ccd
LHS1935	07 38 41.0	−21 13 28	14.8	4.0	11	11.9	1.9	12	10.6	0.4	1	10.6	trg
SCR0740-4257	07 40 11.8	−42 57 40	10.0	2.9	11	7.2	1.1	12	...	...	...	7.2	ccd
L034-026	07 49 12.7	−76 42 07	12.2	3.6	11	9.2	1.4	12	10.6	0.2	1	10.6	trg
GJ1103	07 51 54.7	−00 00 13	11.3	3.8	11	8.7	1.4	12	8.8	0.3	1	8.8	trg
SCR0754-3809	07 54 54.8	−38 09 38	12.0	3.5	11	11.2	1.8	12	...	...	...	11.2	ccd
LHS1955	07 54 54.8	−29 20 56	[13.4]	4.3	11	[8.6]	1.4	12	13.5	0.2	1	13.5	trg
LHS1957	07 56 53.9	−45 38 14	21.6	6.7	10	23.0	3.5	12	...	...	...	23.0	ccd
LHS5132	08 00 51.3	−57 30 34	23.7	6.3	11	...	...	...	...	...	...	23.7	plt
SCR0803-1939	08 03 26.9	−19 39 28	[23.8]	8.6	8	[23.9]	3.8	12	...	...	...	[23.9]	ccd
LHS1978	08 04 25.8	−83 13 59	21.6	5.8	11	...	...	...	...	...	...	21.6	plt
SCR0805-5912	08 05 46.2	−59 12 50	20.4	6.0	11	19.3	3.0	12	...	...	...	19.3	ccd
GJ0298	08 09 58.1	−52 58 05	11.7	3.1	11	12.4	1.9	12	16.7	0.7	2	16.7	trg
GJ0300	08 12 40.9	−21 33 07	10.4	3.7	11	6.1	1.0	12	8.0	0.1	2	8.0	trg
SCR0812-4504	08 12 44.3	−45 04 34	28.6	11.2	11	23.3	3.8	12	...	...	...	23.3	ccd
GJ0301	08 13 08.5	−13 55 01	[9.3]	2.6	11	[12.8]	2.1	9	19.2	0.7	2	19.2	trg
L242-075	08 13 26.1	−53 17 38	17.8	5.8	11	...	...	...	...	...	...	17.8	plt
LHS1992	08 13 42.6	−76 07 49	17.7	5.0	11	14.4	2.2	12	...	...	...	14.4	ccd
LP843-016	08 14 22.6	−25 42 19	17.4	4.8	11	15.7	2.6	12	...	...	...	15.7	ccd
LP386-035	08 16 37.5	−42 12 26	24.5	6.7	11	...	...	...	...	...	...	24.5	plt
L098-059	08 18 07.6	−68 18 47	11.9	3.2	11	12.6	1.9	12	...	...	...	12.6	ccd
SCR0827-2526	08 27 07.0	−25 26 54	23.8	8.6	11	20.2	3.3	12	...	...	...	20.2	ccd
LHS2010	08 27 11.8	−44 59 21	10.6	3.8	8	8.9	1.4	12	13.7	0.3	1	13.7	trg
SCR0829-3709	08 29 41.3	−37 09 35	25.1	9.7	11	19.4	3.0	12	...	...	...	19.4	ccd
LHS2024	08 31 23.5	−10 29 54	24.6	12.2	11	14.7	2.3	12	...	...	...	14.7	ccd
LHS2026	08 32 30.5	−01 34 39	27.5	11.5	11	19.8	3.5	12	19.7	0.2	1	19.7	trg
GJ2070	08 34 25.9	−01 08 40	16.8	4.5	11	...	...	...	13.6	1.8	1	13.6	trg
SCR0835-3400	08 35 31.7	−34 00 37	25.9	10.9	11	22.0	3.7	12	...	...	...	22.0	ccd
SCR0837-2819	08 37 20.4	−28 19 58	24.4	8.9	11	23.1	3.8	12	...	...	...	23.1	ccd
LP844-004	08 37 33.9	−22 32 32	23.8	6.9	11	23.1	3.6	12	...	...	...	23.1	ccd
SCR0838-5855	08 38 02.2	−58 55 59	8.5	2.5	11	8.0	1.3	12	...	...	...	8.0	ccd
SCR0838-5302	08 38 13.2	−53 02 12	21.1	11.2	11	23.8	3.7	12	...	...	...	23.8	ccd
LTT03201	08 38 54.5	−09 33 59	18.7	5.1	11	17.3	3.0	12	...	...	...	17.3	ccd
SCR0840-4044	08 40 01.7	−40 44 31	28.5	9.1	11	23.3	3.7	12	...	...	...	23.3	ccd
GJ0317	08 40 59.2	−23 27 23	12.0	3.5	11	9.7	1.5	12	15.3	0.1	2	15.3	trg
G114-014	08 42 23.2	−04 53 55	18.8	5.7	11	20.6	3.4	12	...	...	...	20.6	ccd
LP786-005	08 47 17.6	−20 58 20	24.8	7.7	11	...	...	...	...	...	...	24.8	plt
L388-106	08 48 23.2	−44 12 26	24.8	7.0	11	...	...	...	...	...	...	24.8	plt
LEHPM2-0870	08 48 59.1	−80 35 02	21.0	6.0	11	...	...	...	...	...	...	21.0	plt
SCR0852-6608	08 52 50.0	−66 08 47	26.3	7.7	11	25.0	4.0	12	...	...	...	25.0	ccd

Table 2—Continued

Name	RA	DEC	d_{plt} (pc)	σ_{tot} (pc)	# rel	d_{ccd} (pc)	σ_{tot} (pc)	# rel	d_{trig} (pc)	σ_{trig} (pc)	# π	d_{best} (pc)	d type
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
SCR0853-3924	08 53 28.7	−39 24 41	15.1	5.5	8	16.5	2.5	12	...	...	...	16.5	ccd
LHS2065	08 53 36.2	−03 29 32	8.7	2.9	11	8.8	1.6	12	8.5	0.1	4	8.5	trg
L532-012	08 54 02.4	−30 51 37	14.7	4.4	11	12.6	2.0	12	...	...	...	12.6	ccd
GJ0326	08 54 05.3	−13 07 31	[13.9]	3.7	11	[13.0]	2.0	12	16.2	1.8	1	16.2	trg
LHS2071	08 55 20.3	−23 52 15	[12.9]	3.7	11	[10.8]	1.7	12	15.9	0.4	1	15.9	trg
L139-024	08 56 06.6	−61 57 44	22.6	8.1	11	...	...	...	...	...	...	22.6	plt
LP844-033	08 56 17.6	−23 26 57	22.1	8.6	11	17.6	2.9	12	23.6	1.6	1	23.6	trg
LP606-030	08 58 43.3	−00 41 47	30.6	29.7	11	22.2	3.5	12	...	...	...	22.2	ccd
GJ1118	08 59 05.3	−31 13 27	19.0	5.3	11	16.9	2.6	12	17.8	0.6	1	17.8	trg
2MA0901-6526	09 01 31.7	−65 26 40	18.0	5.9	11	17.0	2.7	12	...	...	...	17.0	ccd
L063-046	09 01 39.0	−72 40 17	17.7	5.0	11	21.3	3.3	12	...	...	...	21.3	ccd
LTT03347	09 04 02.3	−25 04 10	25.0	6.7	11	...	...	...	...	...	...	25.0	plt
L244-024	09 05 17.9	−51 02 36	19.7	5.3	11	...	...	...	...	...	...	19.7	plt
SCR0905-0841	09 05 43.3	−08 41 58	25.2	7.2	11	20.8	3.3	12	...	...	...	20.8	ccd
GJ0334	09 06 45.4	−08 48 25	9.2	2.6	11	11.4	1.9	10	14.5	0.3	2	14.5	trg
LHS2106	09 07 02.8	−22 08 50	18.9	7.7	11	14.5	2.4	12	15.1	0.3	1	15.1	trg
SCR0907-3533	09 07 17.1	−35 33 03	27.4	8.8	11	24.6	3.9	12	...	...	...	24.6	ccd
L460-139	09 09 14.9	−39 59 32	24.8	7.0	11	...	...	...	...	...	...	24.8	plt
SCR0914-4134	09 14 17.4	−41 34 38	18.2	8.0	11	14.6	2.4	12	...	...	...	14.6	ccd
LHS6167	09 15 36.4	−10 35 47	[9.3]	3.4	11	[7.0]	1.2	12	...	...	...	[7.0]	ccd
L749-034	09 16 20.7	−18 37 33	12.8	3.5	11	12.1	1.9	12	...	...	...	12.1	ccd
LHS2122	09 16 26.0	−62 04 16	14.8	4.2	11	11.9	2.0	12	17.1	0.8	1	17.1	trg
LTT03416	09 16 44.0	−24 47 43	23.0	6.3	11	...	...	...	...	...	...	23.0	plt
GJ1123	09 17 05.3	−77 49 23	8.2	2.4	11	7.3	1.3	12	9.0	0.2	1	9.0	trg
G161-013	09 20 11.1	−01 10 17	22.8	6.4	11	...	...	...	...	...	...	22.8	plt
LEP0920-4922	09 20 26.0	−49 22 35	22.3	11.3	11	...	...	...	...	...	...	22.3	plt
SIP0921-2104	09 21 14.1	−21 04 44	17.2	8.6	11	18.8	3.7	10	...	...	...	18.8	ccd
GJ0341	09 21 37.6	−60 16 55	5.8	3.9	6	9.5	1.6	12	10.5	0.1	2	10.5	trg
LP902-060	09 23 32.4	−33 32 56	24.7	8.1	11	...	...	...	...	...	...	24.7	plt
LP389-001	09 24 17.3	−40 05 45	15.7	4.3	9	...	...	...	...	...	...	15.7	plt
L822-019	09 28 41.6	−12 09 56	22.0	5.9	11	23.9	15.4	10	...	...	...	23.9	ccd
GJ0347	09 28 53.3	−07 22 16	20.4	5.6	11	17.6	2.7	12	16.4	0.8	2	16.4	trg
WT1637	09 29 03.8	−24 29 04	15.0	4.5	11	...	...	...	...	...	...	15.0	plt
GJ0352	09 31 19.4	−13 29 19	[7.5]	2.7	5	[6.2]	1.0	12	10.2	0.3	2	10.2	trg
LP788-001	09 31 22.3	−17 17 43	13.1	3.9	11	12.5	2.0	12	...	...	...	12.5	ccd
LP846-015	09 34 27.9	−26 43 27	15.6	4.6	11	...	...	...	...	...	...	15.6	plt
LTT03532	09 35 54.4	−33 43 51	24.0	6.4	11	...	...	...	...	...	...	24.0	plt
GJ0357	09 36 01.6	−21 39 39	9.8	4.3	11	10.6	1.7	12	9.0	0.2	2	9.0	trg
SCR0939-4300	09 39 44.7	−43 00 27	24.8	6.8	11	20.5	3.2	12	...	...	...	20.5	ccd
GJ0358	09 39 46.4	−41 04 03	8.5	2.3	11	7.2	1.1	12	9.5	0.2	2	9.5	trg
LTT03553	09 41 21.2	−20 34 41	20.5	5.6	11	21.1	3.6	12	...	...	...	21.1	ccd
G161-066	09 42 12.8	−07 01 46	24.5	7.6	11	...	...	...	...	...	...	24.5	plt
LHS2177	09 42 35.7	−19 14 05	17.8	5.0	11	16.3	2.5	12	15.8	0.9	1	15.8	trg
GJ1128	09 42 46.4	−68 53 06	8.0	2.5	11	6.3	1.0	12	6.5	0.1	1	6.5	trg
LHS5156	09 42 49.6	−63 37 56	13.3	4.9	11	9.6	1.5	12	10.5	0.1	1	10.5	trg
LHS0272	09 43 46.2	−17 47 06	32.9	9.2	11	34.6	5.6	12	13.5	0.2	1	13.5	trg
WT0244	09 44 23.7	−73 58 38	20.2	6.5	11	17.1	2.7	12	23.1	0.8	1	23.1	trg

Table 2—Continued

Name	RA	DEC	d_{plt} (pc)	σ_{tot} (pc)	# rel	d_{ccd} (pc)	σ_{tot} (pc)	# rel	d_{trig} (pc)	σ_{trig} (pc)	# π	d_{best} (pc)	d type
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
GJ0367	09 44 29.8	−45 46 36	8.2	3.1	10	8.2	1.3	12	9.8	0.3	2	9.8	trg
GJ1129	09 44 47.3	−18 12 49	13.4	4.7	11	9.2	1.4	12	10.7	0.3	1	10.7	trg
G161-071	09 44 54.2	−12 20 54	10.2	4.4	11	6.3	1.0	12	...	...	...	6.3	ccd
LP462-119	09 45 40.1	−39 02 27	[18.4]	4.9	11	...	...	...	20.2	2.0	1	20.2	trg
WT2458	09 45 58.4	−32 53 30	12.1	3.9	11	10.8	1.7	12	...	...	...	10.8	ccd
LHS2186	09 46 09.3	−04 25 43	21.2	7.9	11	...	...	...	...	...	...	21.2	plt
GJ2075	09 49 27.8	−55 20 09	[12.3]	3.4	10	[13.6]	2.3	12	21.0	0.8	1	21.0	trg
LTT03613	09 50 40.5	−13 48 39	17.0	5.4	11	13.1	2.1	12	...	...	...	13.1	ccd
LTT03612	09 50 48.3	−09 07 10	23.1	6.8	11	...	...	...	...	...	...	23.1	plt
GJ0369	09 51 09.6	−12 19 48	10.7	3.2	5	12.3	2.0	12	13.7	0.3	2	13.7	trg
LTT03616	09 51 23.3	−17 44 24	18.7	5.1	11	17.7	2.7	12	...	...	...	17.7	ccd
GJ0372	09 53 11.8	−03 41 25	[9.4]	2.6	11	[9.1]	1.5	12	16.1	0.5	2	16.1	trg
GJ1130	09 53 28.1	−31 45 08	13.6	3.8	11	17.9	3.0	9	24.1	0.9	1	24.1	trg
LTT03629	09 53 30.3	−31 28 12	23.0	6.5	11	...	...	...	...	...	...	23.0	plt
LP847-048	09 55 23.9	−27 15 41	13.9	3.9	11	10.6	1.7	12	11.3	0.3	1	11.3	trg
GJ0375	09 58 34.3	−46 25 30	[6.8]	2.3	11	[6.5]	1.0	12	15.4	0.4	2	15.4	trg
GJ0377	10 01 10.7	−30 23 25	10.0	2.8	11	9.7	1.6	12	16.1	0.6	2	16.1	trg
LP463-104	10 01 23.8	−38 50 25	18.2	5.0	11	...	...	...	...	...	...	18.2	plt
LHS5166	10 04 38.7	−33 35 10	21.9	6.3	11	19.2	3.1	12	18.3	1.9	1	18.3	trg
LP903-021	10 04 50.6	−31 05 28	16.9	4.6	11	18.2	3.0	12	23.0	1.8	1	23.0	trg
L319-147	10 06 08.7	−49 49 38	23.6	6.7	11	...	...	...	...	...	...	23.6	plt
LP789-023	10 06 31.9	−16 53 26	21.9	8.3	11	...	...	...	...	...	...	21.9	plt
L016-059	10 07 09.9	−82 50 16	[18.4]	5.1	11	...	...	...	...	...	...	[18.4]	plt
LP729-033	10 08 01.1	−14 36 27	20.3	6.1	11	...	...	...	...	...	...	20.3	plt
NLTT23623	10 10 46.8	−30 46 49	22.3	6.0	11	...	...	...	...	...	...	22.3	plt
WT1757	10 11 45.0	−24 25 34	17.3	5.1	11	...	...	...	...	...	...	17.3	plt
GJ0381	10 12 04.7	−02 41 05	[8.1]	2.2	11	[9.2]	1.4	12	12.0	0.4	2	12.0	trg
GJ0382	10 12 17.7	−03 44 44	5.9	1.7	11	5.9	1.0	12	7.9	0.1	2	7.9	trg
LHS2233	10 12 59.6	−35 43 59	21.1	5.6	11	22.1	3.9	12	...	...	...	22.1	ccd
GJ1132	10 14 51.8	−47 09 24	21.0	7.1	11	16.1	2.6	12	12.0	0.3	1	12.0	trg
G162-037	10 16 35.7	−11 56 48	24.1	7.1	11	...	...	...	...	...	...	24.1	plt
GJ0386	10 16 46.0	−11 57 42	9.0	2.8	11	13.1	3.3	10	13.3	0.4	2	13.3	trg
LP790-002	10 18 13.9	−20 28 41	11.8	3.5	11	9.5	1.5	12	...	...	...	9.5	ccd
LTT03780	10 18 35.2	−11 43 00	17.3	5.8	11	17.4	2.7	12	...	...	...	17.4	ccd
LP392-039	10 19 51.3	−41 48 46	18.6	5.1	11	20.0	3.2	12	...	...	...	20.0	ccd
WT2473	10 21 12.1	−37 05 44	18.3	5.2	11	...	...	...	...	...	...	18.3	plt
GJ0389	10 22 24.6	−60 10 38	[13.9]	4.1	2	17.3	2.9	12	19.8	0.7	2	19.8	trg
NLTT24218	10 22 46.1	−66 02 26	20.1	5.9	11	...	...	...	...	...	...	20.1	plt
L142-086	10 24 07.0	−63 59 55	14.2	3.8	6	15.1	2.6	12	...	...	...	15.1	ccd
GJ0390	10 25 10.8	−10 13 43	8.5	2.4	11	10.2	1.8	12	12.3	0.3	2	12.3	trg
LTT03835	10 26 38.3	−16 51 19	[21.3]	6.9	8	...	...	...	...	...	...	[21.3]	plt
LTT03855	10 30 50.8	−35 46 39	17.7	4.9	11	...	...	...	24.6	1.2	1	24.6	trg
LTT03538	10 31 08.5	−41 27 49	23.5	7.0	11	...	...	...	...	...	...	23.5	plt
LP904-068	10 33 39.1	−29 00 32	20.0	5.4	11	...	...	...	...	...	...	20.0	plt
LEHPM2-4342	10 34 24.7	−28 19 19	16.7	4.4	11	...	...	...	...	...	...	16.7	plt
LTT03877	10 35 01.1	−09 24 39	16.0	4.2	11	13.6	2.1	12	...	...	...	13.6	ccd
NLTT24896	10 37 41.6	−29 31 04	24.2	8.2	11	...	...	...	...	...	...	24.2	plt

Table 2—Continued

Name	RA	DEC	d_{plt} (pc)	σ_{tot} (pc)	# rel	d_{ccd} (pc)	σ_{tot} (pc)	# rel	d_{trig} (pc)	σ_{trig} (pc)	# π	d_{best} (pc)	d type
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
LTT03896	10 37 45.3	−27 46 39	10.6	2.9	11	10.1	1.6	12	...	...	...	10.1	ccd
LEHPM2-2758	10 38 47.8	−86 32 44	13.2	5.2	11	14.5	2.2	12	...	...	...	14.5	ccd
GJ0399	10 39 40.6	−06 55 26	13.9	4.1	11	11.7	1.9	12	15.6	0.7	2	15.6	trg
LP465-084	10 39 44.4	−37 55 14	[7.8]	2.4	11	[8.7]	1.3	12	14.0	0.5	1	14.0	trg
WT0309	10 40 47.5	−44 45 53	22.4	6.4	11	...	...	...	...	...	...	22.4	plt
GJ1135	10 41 09.3	−36 53 44	[9.5]	2.6	11	[11.3]	1.9	12	16.3	0.4	1	16.3	trg
LP904-051	10 41 44.0	−31 11 55	23.6	6.8	11	...	...	...	...	...	...	23.6	plt
LP848-050	10 42 41.4	−24 16 05	11.7	3.7	11	9.7	1.6	12	...	...	...	9.7	ccd
WT1827	10 43 02.8	−09 12 41	[13.5]	5.4	11	[9.7]	1.5	12	12.4	0.4	1	12.4	trg
LTT03936	10 44 09.5	−26 37 44	20.7	5.7	11	...	...	...	...	...	...	20.7	plt
LP905-056	10 45 16.7	−30 48 27	12.2	3.2	11	15.0	2.3	12	14.0	0.5	1	14.0	trg
LP849-006	10 45 51.8	−23 09 01	17.1	5.2	11	...	...	...	...	...	...	17.1	plt
LP905-017	10 47 11.2	−32 15 06	22.1	7.1	11	...	...	...	...	...	...	22.1	plt
LHS2310	10 47 38.7	−79 27 46	12.2	4.2	11	13.3	2.1	12	...	...	...	13.3	ccd
NLTT25431	10 48 01.0	−76 34 16	21.4	10.6	11	...	...	...	...	...	...	21.4	plt
DEN1048-3956	10 48 12.6	−39 56 07	4.0	1.2	11	4.5	0.7	10	4.0	0.0	3	4.0	trg
LHS0292	10 48 14.6	−11 20 10	6.0	3.0	11	4.3	0.7	12	4.5	0.1	2	4.5	trg
LHS5179	10 53 02.2	−15 05 03	22.0	7.1	11	24.3	3.8	12	...	...	...	24.3	ccd
2MA1054-8505	10 54 11.0	−85 05 02	20.0	10.4	10	19.5	3.2	9	...	...	...	19.5	ccd
LTT04004	10 54 42.0	−07 18 33	14.2	3.9	11	12.2	1.9	12	...	...	...	12.2	ccd
LHS2328	10 55 34.5	−09 21 26	24.9	8.6	11	20.3	3.2	12	18.6	0.5	1	18.6	trg
LHS2329	10 55 40.1	−52 10 15	23.1	6.2	11	...	...	...	...	...	...	23.1	plt
LP731-028	10 56 38.9	−15 52 54	11.8	3.1	11	13.4	2.1	12	...	...	...	13.4	ccd
LTT04030	10 58 34.2	−05 54 09	19.6	5.2	11	...	...	...	...	...	...	19.6	plt
LHS2335	10 58 35.1	−31 08 38	17.3	5.2	11	16.6	2.7	12	19.8	0.6	1	19.8	trg
LP791-023	11 04 25.2	−17 48 09	23.4	6.7	11	...	...	...	...	...	...	23.4	plt
UPM1104-6232	11 04 33.8	−62 32 35	19.4	6.5	11	16.9	2.7	12	...	...	...	16.9	ccd
L066-047	11 04 33.5	−72 57 10	19.7	6.6	8	...	...	...	...	...	...	19.7	plt
LP849-051	11 05 06.9	−22 12 52	19.5	5.7	11	...	...	...	...	...	...	19.5	plt
LP731-047	11 06 56.9	−12 44 03	22.7	10.3	11	...	...	...	...	...	...	22.7	plt
L754-040	11 07 27.7	−19 17 30	13.3	3.6	11	16.7	2.7	10	18.7	0.6	1	18.7	trg
L017-069	11 07 58.2	−83 51 23	15.4	6.9	11	22.5	3.5	12	...	...	...	22.5	ccd
GJ0413.1	11 09 31.3	−24 35 55	9.6	2.7	11	9.4	1.5	12	10.7	0.2	2	10.7	trg
LHS2360	11 10 00.5	−74 36 15	12.1	5.2	11	14.9	2.8	12	...	...	...	14.9	ccd
SCR1110-3608	11 10 29.0	−36 08 25	22.3	7.1	11	23.8	3.7	12	...	...	...	23.8	ccd
GJ0422	11 16 00.2	−57 32 52	15.7	4.3	8	12.1	1.9	12	12.7	0.4	2	12.7	trg
L611-120	11 16 06.8	−30 10 41	15.3	4.2	11	...	...	...	23.2	1.1	1	23.2	trg
LP850-015	11 16 18.7	−25 49 22	21.9	6.8	11	...	...	...	...	...	...	21.9	plt
GJ1144	11 16 22.2	−14 41 36	13.3	3.5	2	14.4	5.8	7	17.9	0.5	1	17.9	trg
LHS2386	11 16 36.7	−44 07 50	21.5	5.9	11	...	...	...	...	...	...	21.5	plt
LHS2385	11 16 37.6	−27 57 19	19.1	5.9	11	...	...	...	...	...	...	19.1	plt
LP732-015	11 17 06.5	−11 22 25	23.5	6.7	11	...	...	...	...	...	...	23.5	plt
GJ1145	11 17 07.5	−27 48 49	11.4	3.2	11	15.2	2.6	9	17.7	0.4	1	17.7	trg
LP792-053	11 19 22.8	−19 00 30	24.4	6.8	11	...	...	...	...	...	...	24.4	plt
L467-021	11 19 41.1	−36 15 20	23.3	6.7	11	...	...	...	...	...	...	23.3	plt
LP792-014	11 19 48.2	−16 32 38	25.0	9.7	11	...	...	...	...	...	...	25.0	plt
LP792-016	11 20 46.5	−19 39 07	20.0	5.2	11	20.4	3.2	12	...	...	...	20.4	ccd

Table 2—Continued

Name	RA	DEC	d_{plt} (pc)	σ_{tot} (pc)	# rel	d_{ccd} (pc)	σ_{tot} (pc)	# rel	d_{trig} (pc)	σ_{trig} (pc)	# π	d_{best} (pc)	d type
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
LP792-017	11 20 59.9	−17 01 49	21.4	6.2	11	17.8	2.9	12	...	...	...	17.8	ccd
LHS2397a	11 21 49.2	−13 13 09	[13.1]	4.4	11	[13.4]	2.1	12	14.5	0.2	5	14.5	trg
LHS2400	11 22 42.5	−32 05 40	25.2	8.7	11	20.4	3.4	12	22.6	1.2	1	22.6	trg
LHS2401	11 23 57.3	−18 21 49	20.2	5.3	11	19.9	3.1	12	18.4	0.9	1	18.4	trg
SCR1124-3900	11 24 23.2	−39 00 43	19.1	5.4	11	22.5	3.6	12	...	...	...	22.5	ccd
SCR1125-3834	11 25 37.3	−38 34 43	18.1	5.4	11	20.4	3.2	12	...	...	...	20.4	ccd
LP792-060	11 26 50.8	−18 44 59	23.4	6.6	11	20.6	4.0	12	...	...	...	20.6	ccd
LTT04244	11 30 06.9	−30 42 44	23.8	7.6	11	...	...	...	...	...	...	23.8	plt
LP672-042	11 30 41.8	−08 05 43	14.1	4.0	11	10.8	1.7	12	13.2	0.7	1	13.2	trg
LHS0306	11 31 08.4	−14 57 21	16.5	6.3	11	12.1	1.9	12	11.2	0.6	2	11.2	trg
GJ0431	11 31 46.5	−41 02 47	8.7	2.5	11	7.3	1.2	12	10.4	0.3	2	10.4	trg
L540-090	11 32 18.4	−35 26 14	19.1	7.6	11	...	...	...	...	...	...	19.1	plt
LP792-033	11 32 19.0	−16 58 07	20.4	5.5	8	21.9	3.5	12	22.8	1.4	1	22.8	trg
L324-051	11 32 22.0	−46 28 30	14.3	7.3	10	17.8	2.8	12	...	...	...	17.8	ccd
LP850-047	11 33 01.9	−23 11 08	24.3	7.6	11	...	...	...	...	...	...	24.3	plt
LHS2427	11 34 38.0	−23 52 15	15.3	5.6	10	20.3	3.3	12	17.8	0.7	2	17.8	trg
L066-086	11 34 59.7	−74 36 09	11.3	4.6	11	16.9	2.8	12	...	...	...	16.9	ccd
GJ0433	11 35 27.0	−32 32 24	8.7	2.4	10	8.1	1.3	12	8.9	0.1	2	8.9	trg
LP851-027	11 36 57.1	−23 29 48	[23.0]	6.5	11	[23.1]	6.7	12	...	...	...	[23.1]	ccd
SCR1138-7721	11 38 16.8	−77 21 49	8.8	2.7	11	9.5	1.7	12	8.2	0.2	1	8.2	trg
GJ1147	11 38 25.0	−41 22 33	18.1	5.0	11	17.4	2.7	12	15.1	0.3	1	15.1	trg
LP673-025	11 40 18.0	−08 11 27	23.5	6.6	11	...	...	...	...	...	...	23.5	plt
SIP1141-3624	11 41 21.5	−36 24 35	9.8	3.1	11	9.9	1.6	12	...	...	...	9.9	ccd
UPM1142-6440	11 42 29.9	−64 40 34	23.8	8.3	11	19.3	3.1	12	...	...	...	19.3	ccd
GJ0438	11 43 19.8	−51 50 26	12.4	4.2	2	12.6	2.0	12	10.9	0.2	2	10.9	trg
SCR1144-4302	11 44 24.9	−43 02 54	24.7	7.4	11	21.2	3.6	12	...	...	...	21.2	ccd
LP793-033	11 45 34.5	−20 21 12	15.9	4.9	11	17.7	2.8	12	19.3	1.3	1	19.3	trg
SIP1145-4055	11 45 35.4	−40 55 59	17.7	5.6	11	...	...	...	...	...	...	17.7	plt
GJ0443	11 46 42.9	−14 00 52	15.0	4.0	11	12.2	2.1	12	19.5	1.2	2	19.5	trg
SCR1147-5504	11 47 52.5	−55 04 12	24.2	8.1	11	23.1	3.6	12	...	...	...	23.1	ccd
LHS2460	11 48 19.4	−11 17 14	18.4	5.3	11	17.8	3.0	12	...	...	...	17.8	ccd
LP613-062	11 51 55.3	−01 31 32	24.2	9.0	11	17.5	2.7	12	...	...	...	17.5	ccd
LTT04404	11 51 55.4	−27 29 10	21.0	5.8	11	...	...	...	...	...	...	21.0	plt
LP961-051	11 52 35.6	−35 09 43	24.6	6.5	11	...	...	...	...	...	...	24.6	plt
LHS0317	11 53 12.4	−31 23 56	18.5	5.7	11	17.7	3.0	12	...	...	...	17.7	ccd
GJ0452	11 53 16.1	−07 22 28	16.3	5.2	11	16.8	2.6	12	19.0	1.3	2	19.0	trg
LP961-053	11 54 18.4	−37 33 10	19.8	5.6	11	...	...	...	...	...	...	19.8	plt
LP851-346	11 55 42.9	−22 24 59	10.3	2.8	11	9.9	1.6	11	11.2	0.2	1	11.2	trg
LHS2476	11 55 44.3	−18 54 32	24.0	6.9	11	22.3	3.4	12	...	...	...	22.3	ccd
GJ2086	11 55 49.2	−38 16 49	21.9	6.2	11	26.5	4.1	12	24.3	1.7	1	24.3	trg
SCR1157-0149	11 57 45.6	−01 49 03	22.2	6.5	11	21.4	3.4	12	...	...	...	21.4	ccd
LP851-399	11 57 53.5	−23 49 01	24.2	7.0	11	21.0	3.3	12	...	...	...	21.0	ccd
RXJ1159-5247	11 59 27.4	−52 47 19	10.7	3.7	8	10.8	1.8	11	...	...	...	10.8	ccd
L325-274	12 00 22.9	−49 31 14	20.4	6.1	11	...	...	...	...	...	...	20.4	plt
LHS5205	12 00 36.9	−13 49 36	[19.8]	5.7	11	[17.0]	3.1	12	...	...	...	[17.0]	ccd
L829-010	12 01 40.8	−12 13 54	[18.6]	5.1	11	[19.5]	3.0	12	...	...	...	[19.5]	ccd
GJ2088	12 02 13.2	−38 00 29	[14.4]	4.0	11	[18.1]	2.9	10	22.9	1.0	1	22.9	trg

Table 2—Continued

Name	RA	DEC	d_{plt} (pc)	σ_{tot} (pc)	# rel	d_{ccd} (pc)	σ_{tot} (pc)	# rel	d_{trig} (pc)	σ_{trig} (pc)	# π	d_{best} (pc)	d type
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
LP794-013	12 02 16.9	−16 22 04	20.7	5.5	11	...	...	...	...	...	...	20.7	plt
LP908-010	12 03 28.1	−29 23 00	30.5	10.9	11	24.7	3.8	12	...	...	...	24.7	ccd
SIP1203-4023	12 03 51.3	−40 23 42	20.4	5.9	11	...	...	...	...	...	...	20.4	plt
LHS2506	12 03 58.3	−33 01 27	20.1	5.6	11	...	...	...	...	...	...	20.1	plt
LP852-005	12 05 12.9	−25 33 54	22.8	6.0	11	21.5	3.5	12	...	...	...	21.5	ccd
L397-071	12 06 39.1	−44 27 54	16.2	4.3	11	...	...	...	...	...	...	16.2	plt
SCR1206-3500	12 06 58.5	−35 00 52	21.0	5.9	11	17.7	2.7	12	...	...	...	17.7	ccd
GJ0456	12 08 22.2	−00 28 58	19.9	6.5	10	26.6	4.6	10	24.9	1.6	2	24.9	trg
LP734-030	12 08 47.1	−10 16 00	19.9	5.4	11	19.5	3.3	12	...	...	...	19.5	ccd
SCR1209-3815	12 09 23.6	−38 15 43	20.0	5.7	11	20.3	3.3	12	...	...	...	20.3	ccd
LP908-025	12 09 54.1	−29 20 16	19.3	5.6	11	21.4	3.4	12	...	...	...	21.4	ccd
LHS2520	12 10 05.6	−15 04 17	8.8	2.4	11	7.6	1.2	12	12.8	0.4	1	12.8	trg
LHS2521	12 10 11.6	−31 58 24	20.8	6.2	11	...	...	...	...	...	...	20.8	plt
LP734-034	12 10 28.4	−13 10 24	16.3	4.4	11	13.9	2.2	12	...	...	...	13.9	ccd
SCR1210-2213	12 10 42.2	−22 13 09	[24.5]	6.6	11	[21.5]	4.6	12	...	...	...	[21.5]	ccd
L758-108	12 11 11.8	−19 57 38	12.4	3.3	11	12.3	1.9	12	12.6	0.4	1	12.6	trg
LP852-057	12 13 32.9	−25 55 25	20.0	5.6	11	23.1	3.7	12	23.4	1.1	1	23.4	trg
SCR1214-4603	12 14 40.0	−46 03 14	18.0	6.9	11	14.2	2.2	12	...	...	...	14.2	ccd
SCR1217-7810	12 17 26.9	−78 10 46	24.5	8.6	11	23.3	3.8	12	...	...	...	23.3	ccd
LP674-104	12 18 34.9	−06 25 23	19.2	5.2	11	...	...	...	...	...	...	19.2	plt
LP052-034	12 19 48.8	−23 32 05	21.6	7.4	11	...	...	...	...	...	...	21.6	plt
LP794-053	12 20 05.1	−18 13 00	21.1	6.4	11	...	...	...	...	...	...	21.1	plt
L018-022	12 20 33.8	−82 25 58	8.5	2.6	11	8.1	1.2	12	...	...	...	8.1	ccd
L038-047	12 22 06.8	−78 38 27	14.0	3.8	11	14.7	2.3	12	...	...	...	14.7	ccd
GJ1157	12 23 01.4	−46 37 09	18.2	5.8	11	15.0	2.4	12	16.0	0.2	1	16.0	trg
2MA1223-4606	12 23 38.6	−46 06 20	[19.7]	6.0	11	...	...	...	...	...	...	[19.7]	plt
LHS0325a	12 23 56.2	−27 57 46	24.5	7.2	11	20.7	3.4	12	...	...	...	20.7	ccd
SCR1224-5339	12 24 24.4	−53 39 09	25.0	9.5	11	20.9	3.3	12	...	...	...	20.9	ccd
GJ0465	12 24 52.2	−12 38 36	13.2	3.6	11	14.3	2.4	12	9.0	0.1	3	9.0	trg
BRI1222-1222	12 24 52.5	−18 14 32	15.9	5.5	11	16.8	2.8	12	17.1	1.1	1	17.1	trg
LHS2557	12 25 32.0	−15 59 42	17.6	5.2	11	11.8	1.9	12	...	...	...	11.8	ccd
LP735-048	12 26 44.1	−12 29 18	22.1	6.5	10	17.5	3.3	12	...	...	...	17.5	ccd
LP852-050	12 27 02.2	−25 45 01	24.5	7.2	11	...	...	...	...	...	...	24.5	plt
LP735-011	12 28 53.0	−10 39 51	[14.1]	4.4	4	[15.0]	3.1	11	...	...	...	[15.0]	ccd
GJ1158	12 29 34.5	−55 59 37	12.4	3.5	11	13.5	2.1	12	13.1	0.2	1	13.1	trg
LHS2567	12 29 54.2	−05 27 24	[22.5]	7.5	8	13.6	2.1	12	21.0	0.6	2	21.0	trg
SCR1230-3411	12 30 01.8	−34 11 24	[12.6]	3.7	11	[11.7]	1.8	12	...	...	...	[11.7]	ccd
L194-073	12 30 16.6	−57 37 20	19.8	5.7	11	...	...	...	...	...	...	19.8	plt
L327-030	12 30 44.9	−46 22 43	20.4	5.6	11	...	...	...	...	...	...	20.4	plt
LP735-016	12 32 44.5	−15 30 55	23.5	8.5	11	...	...	...	...	...	...	23.5	plt
L327-121	12 33 33.1	−48 26 11	10.4	2.8	11	10.5	1.7	12	...	...	...	10.5	ccd
LP735-019	12 34 44.5	−10 47 41	23.8	6.5	11	...	...	...	...	...	...	23.8	plt
GJ0477	12 35 58.4	−45 56 21	[13.8]	3.9	11	[13.4]	2.3	12	18.3	1.0	2	18.3	trg
LP795-038	12 37 21.6	−20 52 36	16.5	4.5	11	13.3	2.3	12	...	...	...	13.3	ccd
LHS5221	12 37 21.7	−32 00 37	21.0	8.7	11	...	...	...	...	...	...	21.0	plt
GJ0479	12 37 52.2	−52 00 06	7.6	2.0	11	7.5	1.2	12	9.6	0.2	2	9.6	trg
2MA1238-2703	12 38 37.1	−27 03 35	16.3	4.6	11	...	...	...	...	...	...	16.3	plt

Table 2—Continued

Name	RA	DEC	d_{plt} (pc)	σ_{tot} (pc)	# rel	d_{ccd} (pc)	σ_{tot} (pc)	# rel	d_{trig} (pc)	σ_{trig} (pc)	# π	d_{best} (pc)	d type
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
GJ1162	12 38 47.3	−04 19 17	20.0	6.1	11	17.2	2.6	12	19.7	1.2	1	19.7	trg
LHS0337	12 38 49.1	−38 22 54	10.7	3.6	11	9.2	1.8	12	6.4	0.1	1	6.4	trg
LP735-024	12 38 52.2	−10 02 40	24.2	6.5	11	...	...	...	...	...	...	24.2	plt
CE258	12 39 17.5	−34 27 25	24.7	8.0	11	...	...	...	...	...	...	24.7	plt
LHS2597	12 39 36.4	−26 58 11	16.0	6.0	11	...	...	...	...	...	...	16.0	plt
GJ0480.1	12 40 46.3	−43 33 59	14.5	4.2	11	12.9	2.3	12	8.0	0.2	2	8.0	trg
SCR1240-8116	12 40 56.0	−81 16 31	19.2	6.1	11	19.2	3.0	12	...	...	...	19.2	ccd
SCR1241-4655	12 41 03.3	−46 55 23	21.5	5.8	11	21.1	3.3	12	...	...	...	21.1	ccd
LHS5224	12 41 26.6	−56 42 00	20.1	6.0	11	...	...	...	...	...	...	20.1	plt
LHS2608	12 42 19.7	−71 38 20	16.2	5.6	11	...	...	...	...	...	...	16.2	plt
LP796-001	12 43 58.9	−16 14 35	15.3	4.4	11	...	...	...	...	...	...	15.3	plt
LHS5226	12 44 00.7	−11 10 30	15.0	4.2	11	14.7	2.4	12	...	...	...	14.7	ccd
LP736-031	12 44 31.0	−11 42 15	21.5	6.0	11	...	...	...	...	...	...	21.5	plt
LTT04866	12 44 37.6	−41 55 38	22.4	6.2	11	...	...	...	...	...	...	22.4	plt
SCR1245-5506	12 45 52.5	−55 06 50	11.5	3.4	11	11.4	1.8	12	...	...	...	11.4	ccd
LP796-006	12 46 59.8	−19 02 30	18.8	5.2	11	...	...	...	...	...	...	18.8	plt
LHS2634	12 47 09.8	−03 34 18	18.7	4.9	11	17.0	2.7	12	...	...	...	17.0	ccd
LP853-034	12 47 10.0	−22 22 37	18.2	4.8	11	19.4	3.1	12	...	...	...	19.4	ccd
SCR1247-0525	12 47 14.7	−05 25 13	24.2	9.6	11	20.1	3.4	12	...	...	...	20.1	ccd
LHS5228	12 47 46.9	−08 36 17	22.6	6.7	11	...	...	...	...	...	...	22.6	plt
GJ0488	12 50 43.6	−00 46 05	5.9	1.6	8	8.3	1.4	9	10.6	0.1	2	10.6	trg
DEN1250-2121	12 50 52.7	−21 21 14	12.3	3.5	11	11.2	1.7	12	17.3	0.5	1	17.3	trg
LP909-045	12 52 16.8	−32 27 08	22.7	6.8	11	...	...	...	...	...	...	22.7	plt
LTT04925	12 53 19.4	−05 19 53	18.8	5.0	11	...	...	...	...	...	...	18.8	plt
L256-005	12 53 47.8	−50 49 35	22.2	6.8	11	...	...	...	...	...	...	22.2	plt
LP736-015	12 56 02.1	−12 57 22	16.2	8.1	11	...	...	...	...	...	...	16.2	plt
LP854-003	12 56 13.3	−22 04 59	23.7	6.4	11	21.2	3.3	12	...	...	...	21.2	ccd
SIP1259-4336	12 59 04.8	−43 36 25	8.3	2.6	11	8.1	1.3	11	...	...	...	8.1	ccd
LHS5231	12 59 18.2	−00 10 33	14.8	4.0	11	14.3	2.2	12	...	...	...	14.3	ccd
LP854-057	12 59 41.7	−26 50 16	21.0	5.6	11	...	...	...	...	...	...	21.0	plt
LTT04969	13 00 04.0	−05 37 48	16.5	4.4	11	15.4	2.4	12	...	...	...	15.4	ccd
L256-025	13 00 43.3	−52 09 41	20.4	5.8	11	...	...	...	...	...	...	20.4	plt
LHS2668	13 01 19.7	−63 11 42	13.4	4.0	11	16.7	2.6	12	17.2	0.7	2	17.2	trg
LP910-013	13 06 12.2	−29 56 35	22.3	6.8	11	...	...	...	...	...	...	22.3	plt
LTT05031	13 08 51.2	−01 31 08	19.1	5.2	11	18.7	2.9	12	...	...	...	18.7	ccd
LHS0346	13 09 20.4	−40 09 27	20.3	5.8	11	15.7	2.4	12	16.2	0.3	1	16.2	trg
CE303	13 09 21.9	−23 30 36	12.8	4.2	11	13.2	2.1	12	14.4	0.3	1	14.4	trg
SCR1311-4619	13 11 49.3	−46 19 17	26.9	8.3	11	22.0	3.5	12	...	...	...	22.0	ccd
LTT05056	13 12 31.7	−27 02 23	23.8	6.4	11	...	...	...	...	...	...	23.8	plt
WT0392	13 13 09.3	−41 30 40	11.5	3.4	11	8.3	1.3	12	12.0	0.2	1	12.0	trg
LP617-021	13 15 18.5	−02 49 52	18.7	5.5	11	...	...	...	...	...	...	18.7	plt
LHS2707	13 16 04.2	−55 16 42	24.9	6.9	11	...	...	...	...	...	...	24.9	plt
LHS2704	13 16 16.5	−73 08 35	21.8	6.0	11	21.6	3.3	12	...	...	...	21.6	ccd
LP737-014	13 16 45.4	−12 20 20	22.2	6.0	11	...	...	...	...	...	...	22.2	plt
LTT05105	13 18 19.0	−46 47 30	23.3	6.2	11	...	...	...	...	...	...	23.3	plt
LP617-030	13 19 29.1	−03 21 40	23.6	7.4	11	...	...	...	...	...	...	23.6	plt
L401-070	13 19 32.6	−42 45 30	18.1	4.8	11	...	...	...	...	...	...	18.1	plt

Table 2—Continued

Name	RA	DEC	d_{plt} (pc)	σ_{tot} (pc)	# rel	d_{ccd} (pc)	σ_{tot} (pc)	# rel	d_{trig} (pc)	σ_{trig} (pc)	# π	d_{best} (pc)	d type
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
LHS2718	13 20 03.9	−35 24 44	14.6	4.0	11	16.0	2.5	12	13.7	0.2	1	13.7	trg
L977-016	13 20 24.9	−01 39 27	18.7	5.3	11	21.9	3.4	12	21.5	1.5	1	21.5	trg
LP737-051	13 21 54.1	−14 24 10	24.7	8.0	11	...	...	...	...	...	...	24.7	plt
L257-129	13 22 04.7	−55 00 59	16.2	4.4	11	...	...	...	...	...	...	16.2	plt
LHS2729	13 23 38.0	−25 54 45	14.0	4.2	11	12.6	1.9	12	14.0	0.3	1	14.0	trg
G014-052	13 24 46.5	−05 04 20	14.7	4.7	11	16.0	2.5	12	...	...	...	16.0	ccd
GJ0510	13 25 48.9	−28 22 26	13.0	3.6	11	15.5	2.4	12	16.7	0.7	2	16.7	trg
LHS2739	13 27 19.6	−31 10 40	[18.3]	5.0	11	[17.7]	2.7	7	20.0	1.0	1	20.0	trg
LP855-014	13 27 54.0	−26 57 01	14.3	4.0	11	16.5	6.7	9	21.1	1.3	1	21.1	trg
GJ0512	13 28 21.1	−02 21 37	11.7	3.2	11	9.4	1.6	12	13.7	0.5	2	13.7	trg
LP677-097	13 28 24.2	−03 59 13	20.8	7.0	11	...	...	...	...	...	...	20.8	plt
2MA1328-3654	13 28 32.9	−36 54 23	21.1	5.8	11	...	...	...	...	...	...	21.1	plt
LHS2743	13 30 25.8	−52 02 40	20.5	5.6	11	...	...	...	...	...	...	20.5	plt
LEP1330-2039	13 30 40.9	−20 39 03	16.1	4.5	11	10.7	1.7	12	...	...	...	10.7	ccd
LP855-025	13 31 27.4	−23 04 57	22.2	6.1	11	...	...	...	...	...	...	22.2	plt
LP911-026	13 32 55.8	−29 16 20	17.7	5.5	11	...	...	...	...	...	...	17.7	plt
LHS2758	13 34 23.6	−26 22 12	17.7	4.9	11	...	...	...	...	...	...	17.7	plt
L330-100	13 35 11.5	−48 21 26	18.4	5.5	10	...	...	...	...	...	...	18.4	plt
LP330-008	13 36 23.1	−45 56 16	14.9	6.4	10	...	...	...	...	...	...	14.9	plt
2MA1338-2516	13 38 25.6	−25 16 47	[17.9]	5.2	11	...	...	...	...	...	...	[17.9]	plt
LTT05282	13 38 53.4	−02 15 47	18.4	6.4	10	19.9	3.1	12	...	...	...	19.9	ccd
L906-011	13 38 58.7	−06 14 13	16.4	4.8	11	21.5	3.5	10	23.6	1.2	1	23.6	trg
LP678-016	13 38 59.7	−06 44 36	23.7	6.4	11	...	...	...	...	...	...	23.7	plt
GJ0521.1	13 40 07.1	−04 11 10	10.3	3.1	8	13.8	2.4	10	14.8	0.3	2	14.8	trg
LTT05298	13 40 45.5	−31 10 15	19.6	6.0	11	...	...	...	...	...	...	19.6	plt
LHS2783	13 42 09.9	−16 00 23	19.6	5.5	11	12.7	2.0	12	...	...	...	12.7	ccd
SCR1343-4002	13 43 41.5	−40 02 29	18.0	6.5	11	16.2	2.5	12	...	...	...	16.2	ccd
LP855-060	13 44 20.9	−26 18 35	15.2	4.2	11	...	...	...	...	...	...	15.2	plt
LP798-029	13 44 37.1	−19 54 44	20.1	5.5	11	...	...	...	...	...	...	20.1	plt
GJ0524	13 44 48.8	−54 07 18	19.8	6.6	11	22.4	3.5	12	...	...	...	22.4	ccd
LHS2794	13 45 50.7	−17 58 06	9.4	2.7	11	9.2	1.4	12	10.2	0.5	1	10.2	trg
LP911-056	13 46 46.0	−31 49 26	13.4	3.7	11	...	...	...	...	...	...	13.4	plt
LHS2804	13 48 40.8	−05 17 08	23.9	6.6	11	...	...	...	...	...	...	23.9	plt
UPM1349-4228	13 49 01.0	−42 31 10	11.4	7.2	8	24.7	3.8	12	...	...	...	24.7	ccd
L039-039	13 49 02.5	−79 25 54	17.2	4.6	11	17.9	3.1	12	...	...	...	17.9	ccd
L691-021	13 50 23.8	−21 37 20	17.7	4.9	11	19.8	3.1	12	...	...	...	19.8	ccd
LHS2813	13 51 21.8	−53 32 46	15.4	4.4	11	18.6	2.9	12	...	...	...	18.6	ccd
LP798-049	13 51 57.1	−17 58 49	20.6	7.9	11	...	...	...	...	...	...	20.6	plt
LP798-051	13 52 53.5	−18 20 17	17.6	4.9	11	20.7	3.3	12	23.3	1.8	1	23.3	trg
LHS2822	13 53 55.6	−20 14 43	21.2	5.6	11	...	...	...	...	...	...	21.2	plt
2MA1354-7121	13 54 53.9	−71 21 48	19.3	5.7	11	16.4	2.6	12	...	...	...	16.4	ccd
GJ1181	13 55 02.6	−29 05 26	[7.2]	2.2	11	[9.8]	1.8	12	17.3	0.4	1	17.3	trg
L070-053	13 55 28.0	−73 29 41	17.1	5.7	11	20.4	3.1	12	...	...	...	20.4	ccd
LTT05425	13 55 35.1	−07 23 17	19.1	5.1	11	...	...	...	...	...	...	19.1	plt
LHS2826	13 56 20.6	−28 03 50	22.1	6.7	11	20.3	3.2	12	...	...	...	20.3	ccd
LP475-052	13 57 14.0	−38 32 28	24.8	6.6	11	...	...	...	...	...	...	24.8	plt
SSS1358-3938	13 58 05.4	−39 37 55	24.2	9.3	11	21.7	3.8	12	...	...	...	21.7	ccd

Table 2—Continued

Name	RA	DEC	d_{plt} (pc)	σ_{tot} (pc)	# rel	d_{ccd} (pc)	σ_{tot} (pc)	# rel	d_{trig} (pc)	σ_{trig} (pc)	# π	d_{best} (pc)	d type
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
LP739-002	13 58 16.2	−12 02 59	23.0	7.4	11	15.6	2.5	12	...	...	...	15.6	ccd
LP739-003	13 58 19.6	−13 16 25	21.5	6.6	11	16.3	2.5	12	...	...	...	16.3	ccd
LHS2836	13 59 10.4	−19 50 04	9.7	2.7	11	8.9	1.4	12	10.8	0.1	1	10.8	trg
SIP1400-4109	14 00 49.7	−41 09 54	22.0	7.3	11	...	...	...	...	...	...	22.0	plt
GJ0536	14 01 03.2	−02 39 18	8.6	2.8	6	9.5	1.5	12	10.0	0.2	2	10.0	trg
LHS2848	14 02 28.9	−21 00 37	16.5	4.5	11	17.9	2.8	12	...	...	...	17.9	ccd
LHS2852	14 02 46.7	−24 31 50	19.6	6.0	11	21.8	3.5	12	...	...	...	21.8	ccd
LP912-046	14 04 03.2	−30 00 47	19.3	5.9	11	...	...	...	...	...	...	19.3	plt
L106-015	14 04 08.2	−66 14 38	5.7	4.5	11	11.0	1.8	12	...	...	...	11.0	ccd
LP912-048	14 05 36.9	−32 08 39	21.2	6.9	11	...	...	...	...	...	...	21.2	plt
LP679-084	14 06 39.3	−05 43 29	19.8	5.8	11	...	...	...	...	...	...	19.8	plt
LP912-052	14 08 41.0	−28 01 04	23.6	7.8	11	...	...	...	...	...	...	23.6	plt
LTT05526	14 09 36.5	−41 22 28	21.7	6.0	11	...	...	...	...	...	...	21.7	plt
L548-010	14 10 57.5	−31 17 25	10.7	2.9	11	14.0	2.2	12	16.8	0.6	1	16.8	trg
WT0460	14 11 59.9	−41 32 21	[9.6]	3.2	11	[7.3]	1.1	12	9.3	0.1	1	9.3	trg
LHS2875	14 12 11.0	−00 35 04	30.3	8.6	11	26.4	4.2	12	24.9	2.1	1	24.9	trg
GJ0540.2	14 13 04.9	−12 01 27	12.1	3.4	11	10.2	1.6	12	...	...	...	10.2	ccd
GJ2106	14 13 12.9	−56 44 32	7.3	3.7	10	11.4	1.8	12	11.7	0.3	1	11.7	trg
LP739-036	14 15 46.4	−13 29 34	23.6	6.3	11	...	...	...	...	...	...	23.6	plt
L404-216	14 16 47.5	−44 53 21	16.8	5.1	11	...	...	...	...	...	...	16.8	plt
L404-010	14 17 25.9	−40 18 15	15.9	4.3	11	...	...	...	...	...	...	15.9	plt
LP619-064	14 17 59.1	−00 31 29	18.8	5.5	11	...	...	...	...	...	...	18.8	plt
GJ0543	14 19 11.0	−07 18 12	34.4	10.5	9	30.4	5.6	12	19.3	1.7	1	19.3	trg
GJ0545	14 20 07.4	−09 37 13	15.7	4.4	11	15.7	2.6	12	14.0	0.3	3	14.0	trg
SCR1420-7516	14 20 36.8	−75 16 06	21.4	6.7	11	18.0	2.9	12	...	...	...	18.0	ccd
LHS2899	14 21 15.1	−01 07 20	14.1	3.9	11	15.4	2.4	12	13.4	0.4	1	13.4	trg
LP913-013	14 21 49.0	−31 54 35	17.4	4.6	11	22.9	3.6	12	...	...	...	22.9	ccd
GJ2107	14 23 06.4	−68 22 58	11.4	4.9	9	17.3	2.9	9	23.5	0.8	1	23.5	trg
LHS2906	14 23 07.8	−22 17 09	21.9	6.5	11	21.9	3.4	12	...	...	...	21.9	ccd
LP800-058	14 25 13.3	−16 24 56	23.3	7.3	11	...	...	...	...	...	...	23.3	plt
LP740-010	14 25 34.1	−11 48 52	18.3	5.0	11	...	...	...	...	...	...	18.3	plt
LP620-012	14 26 36.8	−01 15 23	23.3	6.9	11	...	...	...	...	...	...	23.3	plt
GJ1183	14 27 56.1	−00 22 31	12.4	5.2	11	12.7	2.0	12	16.2	0.8	1	16.2	trg
GJ0550.3	14 29 18.6	−46 27 50	15.4	4.4	11	20.2	3.2	9	23.5	1.2	2	23.5	trg
LP913-027	14 29 49.2	−29 32 14	22.2	5.9	11	...	...	...	...	...	...	22.2	plt
GJ0553	14 30 47.7	−08 38 47	8.6	2.3	4	12.1	2.1	10	16.8	0.4	2	16.8	trg
GJ0552.1	14 30 58.9	−54 06 05	13.2	5.3	11	16.3	3.9	11	...	...	...	16.3	ccd
GJ0553.1	14 31 01.2	−12 17 46	12.3	3.5	11	9.2	1.5	12	10.9	0.4	2	10.9	trg
LP740-020	14 31 15.6	−13 18 25	23.8	7.4	11	...	...	...	...	...	...	23.8	plt
LHS0375	14 31 38.3	−25 25 33	94.9	26.1	11	126.3	24.8	12	24.0	0.6	1	24.0	trg
SIP1432-3326	14 32 04.8	−33 26 26	[19.8]	6.3	11	...	...	...	...	...	...	[19.8]	plt
LP913-077	14 32 18.0	−33 20 59	17.7	5.0	11	...	...	...	...	...	...	17.7	plt
LP857-051	14 33 12.2	−22 12 31	24.5	6.6	11	...	...	...	...	...	...	24.5	plt
LHS5273	14 34 04.9	−18 24 11	16.8	5.4	11	...	...	...	...	...	...	16.8	plt
GJ0555	14 34 16.8	−12 31 10	4.8	1.4	11	4.5	0.7	12	6.2	0.1	3	6.2	trg
LP913-046	14 36 18.1	−30 57 33	25.0	6.7	11	...	...	...	...	...	...	25.0	plt
LP620-047	14 38 39.4	−02 57 24	24.0	6.5	11	...	...	...	...	...	...	24.0	plt

Table 2—Continued

Name	RA	DEC	d_{plt} (pc)	σ_{tot} (pc)	# rel	d_{ccd} (pc)	σ_{tot} (pc)	# rel	d_{trig} (pc)	σ_{trig} (pc)	# π	d_{best} (pc)	d type
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
L333-199	14 40 20.8	−48 36 59	15.5	4.6	11	...	...	...	...	...	...	15.5	plt
LP914-006	14 40 22.1	−27 52 42	21.6	5.7	11	23.4	3.6	12	...	...	...	23.4	ccd
LTT05828	14 41 09.9	−08 59 20	16.8	4.9	11	...	...	...	...	...	...	16.8	plt
SCR1441-7338	14 41 14.4	−73 38 41	19.0	5.5	11	16.8	2.7	12	...	...	...	16.8	ccd
LP680-049	14 41 15.3	−06 59 09	21.3	6.6	11	...	...	...	...	...	...	21.3	plt
LTT05831	14 41 35.8	−09 46 39	[15.1]	4.9	11	...	...	...	...	...	...	[15.1]	plt
SCR1444-3426	14 44 06.6	−34 26 47	24.0	7.5	11	18.8	3.0	12	...	...	...	18.8	ccd
LP858-020	14 44 15.0	−27 17 26	23.8	7.4	11	...	...	...	...	...	...	23.8	plt
SSS1444-2019	14 44 20.3	−20 19 26	28.0	8.5	11	27.8	6.3	9	16.2	0.5	2	16.2	trg
GJ1185	14 47 55.2	−03 09 36	31.6	8.4	11	38.3	6.8	12	19.7	1.4	1	19.7	trg
GJ0563.2	14 49 33.2	−26 06 20	15.0	6.8	11	22.5	3.5	12	19.6	3.1	3	19.6	trg
SIP1452-3458	14 52 52.9	−34 58 47	25.0	10.7	11	...	...	...	...	...	...	25.0	plt
LP801-025	14 54 10.4	−20 41 29	19.8	6.8	11	...	...	...	...	...	...	19.8	plt
LTT05930	14 54 58.3	−11 23 21	18.1	4.9	11	...	...	...	...	...	...	18.1	plt
SCR1456-7239	14 56 02.3	−72 39 41	24.9	7.0	11	22.9	3.6	12	...	...	...	22.9	ccd
LP406-203	14 56 37.7	−44 56 28	23.5	7.4	11	...	...	...	...	...	...	23.5	plt
LHS3003	14 56 38.3	−28 09 49	6.7	2.6	11	6.6	1.0	12	6.6	0.1	3	6.6	trg
LP681-091	14 57 33.3	−06 19 49	23.5	6.5	7	30.4	5.5	10	24.5	2.8	1	24.5	trg
SCR1459-4210	14 59 57.4	−42 10 09	26.1	8.6	11	24.8	3.9	12	...	...	...	24.8	ccd
L072-010	15 02 07.7	−71 18 01	14.8	4.5	11	13.1	2.1	12	...	...	...	13.1	ccd
LP914-041	15 03 13.2	−28 40 14	24.0	6.9	11	...	...	...	...	...	...	24.0	plt
L406-116	15 03 42.2	−42 38 51	22.7	6.1	11	...	...	...	...	...	...	22.7	plt
LP859-001	15 04 16.2	−23 55 57	17.4	5.7	11	...	...	...	...	...	...	17.4	plt
LP859-011	15 08 23.4	−23 51 38	18.6	4.9	11	20.0	3.1	12	...	...	...	20.0	ccd
TVLM868-110639	15 10 16.8	−02 41 08	15.3	6.2	11	16.4	2.8	10	16.3	1.3	1	16.3	trg
LTT06043	15 10 35.7	−42 58 37	16.9	5.0	5	...	...	...	24.4	1.4	2	24.4	trg
SCR1511-3403	15 11 38.6	−34 03 17	16.1	7.4	11	20.5	3.2	12	...	...	...	20.5	ccd
LHS0392	15 11 50.6	−10 14 18	21.6	6.3	11	17.0	2.7	12	14.8	0.7	1	14.8	trg
LP682-018	15 15 43.7	−07 25 21	13.6	3.9	11	11.6	1.8	12	...	...	...	11.6	ccd
LEHPM2-0027	15 16 53.1	−28 32 16	22.0	6.4	11	...	...	...	...	...	...	22.0	plt
LTT06063	15 17 21.7	−80 28 23	17.8	6.0	11	...	...	...	...	...	...	17.8	plt
LHS3056	15 19 11.7	−12 45 07	11.6	3.2	11	10.3	1.6	12	...	...	...	10.3	ccd
GJ0581	15 19 26.8	−07 43 20	5.8	1.5	11	6.6	1.0	12	6.3	0.1	3	6.3	trg
LTT06128	15 21 34.3	−02 16 58	17.6	5.0	11	...	...	...	...	...	...	17.6	plt
GJ2112	15 22 13.0	−27 49 43	[17.2]	4.9	11	...	...	...	...	...	...	[17.2]	plt
G151-064	15 29 01.4	−06 12 46	24.4	7.0	11	...	...	...	...	...	...	24.4	plt
LP802-069	15 29 07.2	−17 22 55	14.7	4.0	8	...	...	...	24.9	1.6	1	24.9	trg
L480-094	15 29 40.7	−38 32 28	21.2	7.7	11	...	...	...	...	...	...	21.2	plt
L108-087	15 30 52.0	−68 01 18	14.5	4.9	11	13.5	2.1	12	...	...	...	13.5	ccd
LHS3079	15 31 38.3	−26 54 07	19.3	8.8	11	22.2	3.5	12	...	...	...	22.2	ccd
LP915-041	15 31 39.9	−29 16 29	18.1	6.6	11	24.4	4.0	12	...	...	...	24.4	ccd
GJ0588	15 32 13.0	−41 16 32	2.8	0.8	11	4.5	0.7	12	5.9	0.0	2	5.9	trg
LEHPM2-0455	15 32 18.9	−25 51 03	23.9	9.8	11	...	...	...	...	...	...	23.9	plt
2MA1534-1418	15 34 56.9	−14 18 49	9.6	3.2	11	10.9	1.8	9	...	...	...	10.9	ccd
GJ0590	15 36 34.5	−37 54 23	9.0	3.9	11	11.6	2.0	12	...	...	...	11.6	ccd
GJ0592	15 36 58.6	−14 08 02	15.3	4.8	11	11.3	1.7	12	13.4	0.7	1	13.4	trg
LP623-020	15 38 14.1	−01 54 55	19.3	5.7	11	...	...	...	...	...	...	19.3	plt

Table 2—Continued

Name	RA	DEC	d_{plt} (pc)	σ_{tot} (pc)	# rel	d_{ccd} (pc)	σ_{tot} (pc)	# rel	d_{trig} (pc)	σ_{trig} (pc)	# π	d_{best} (pc)	d type
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
SIP1540-2613	15 40 29.6	−26 13 43	13.7	5.5	11	15.2	2.6	9	...	...	...	15.2	ccd
GJ0595	15 42 06.5	−19 28 18	10.5	2.9	11	12.3	2.0	12	10.1	0.4	2	10.1	trg
GJ2116	15 43 18.3	−20 15 33	30.7	8.6	11	42.7	6.7	12	21.4	0.5	1	21.4	trg
LHS3109	15 43 19.6	−30 55 51	22.8	7.0	11	24.8	3.8	12	...	...	...	24.8	ccd
L408-123	15 45 41.6	−43 30 29	[15.8]	4.9	11	[15.4]	2.4	12	...	...	...	[15.4]	ccd
LHS3112	15 45 54.5	−04 48 23	22.6	9.3	11	...	...	...	...	...	...	22.6	plt
LHS3114	15 46 31.9	−47 14 01	19.4	5.1	2	...	...	...	24.3	1.9	2	24.3	trg
SCR1546-5534	15 46 41.8	−55 34 47	6.7	4.7	8	6.7	1.1	12	...	...	...	6.7	ccd
LHS3117	15 47 24.6	−10 53 47	[8.5]	3.3	11	[11.2]	1.8	12	15.1	0.7	1	15.1	trg
LP803-037	15 50 09.8	−20 29 11	25.0	9.4	11	...	...	...	...	...	...	25.0	plt
SCR1551-3554	15 51 12.2	−35 54 48	16.9	9.8	11	21.6	3.4	12	...	...	...	21.6	ccd
LHS5303	15 52 44.6	−26 23 14	11.0	3.1	11	9.4	1.5	12	10.6	0.1	1	10.6	trg
LP860-046	15 53 57.1	−23 11 53	24.5	8.4	11	...	...	...	...	...	...	24.5	plt
LP409-071	15 54 00.8	−43 03 10	23.9	6.8	8	...	...	...	...	...	...	23.9	plt
LP683-049	15 54 50.4	−05 21 47	20.7	6.2	11	...	...	...	...	...	...	20.7	plt
LTT06368	15 58 27.8	−06 51 45	20.6	5.5	11	...	...	...	...	...	...	20.6	plt
GJ0606	15 59 53.4	−08 15 11	11.7	3.2	11	11.8	1.9	12	13.8	0.4	2	13.8	trg
SCR1601-3421	16 01 55.7	−34 21 57	20.2	11.9	11	18.6	3.0	12	...	...	...	18.6	ccd
LHS3149	16 04 20.0	−06 16 46	21.1	7.1	11	...	...	...	...	...	...	21.1	plt
LP917-019	16 04 23.2	−33 03 40	10.9	4.9	9	18.0	3.1	10	22.9	1.1	1	22.9	trg
2MA1607-0442	16 07 31.2	−04 42 10	11.2	4.2	11	13.4	2.1	12	15.7	0.4	1	15.7	trg
GJ1198	16 08 15.0	−10 26 14	27.8	8.3	11	26.5	4.8	12	21.2	1.2	1	21.2	trg
SCR1608-2913	16 08 45.5	−29 13 06	[28.9]	8.4	11	[20.2]	4.6	12	...	...	...	[20.2]	ccd
LP481-066	16 09 13.0	−38 04 33	16.9	11.2	11	...	...	...	...	...	...	16.9	plt
SCR1609-3431	16 09 46.2	−34 31 07	22.5	10.3	11	21.9	3.5	12	...	...	...	21.9	ccd
LP684-033	16 10 58.4	−06 31 33	21.6	7.3	11	...	...	...	...	...	...	21.6	plt
LHS3165	16 12 07.1	−40 48 45	20.0	10.7	11	...	...	...	...	...	...	20.0	plt
LP804-027	16 12 41.8	−18 52 32	8.2	3.2	11	9.0	1.7	12	14.4	0.7	1	14.4	trg
LHS3167	16 13 05.9	−70 09 08	17.3	5.5	11	14.7	2.3	12	16.6	0.3	1	16.6	trg
LHS3169	16 14 21.9	−28 30 37	15.5	4.8	11	17.3	2.8	12	18.7	0.5	1	18.7	trg
GJ0618	16 20 03.5	−37 31 45	[4.4]	2.9	9	7.3	1.2	12	8.3	0.2	2	8.3	trg
LP917-025	16 20 37.6	−30 39 41	18.8	6.4	11	22.6	3.5	12	...	...	...	22.6	ccd
LP805-001	16 20 41.9	−20 05 14	12.6	9.5	11	15.7	2.5	12	...	...	...	15.7	ccd
LP625-004	16 21 26.3	−01 47 02	24.9	7.1	11	...	...	...	...	...	...	24.9	plt
GJ0618.4	16 22 41.0	−48 39 20	16.8	4.6	11	20.5	3.3	12	23.7	1.9	2	23.7	trg
LEP1623-6905	16 23 02.8	−69 05 37	35.0	11.6	11	24.6	5.8	12	...	...	...	24.6	ccd
GJ0620	16 23 07.6	−24 42 35	7.1	5.2	10	14.3	2.4	12	16.5	0.6	2	16.5	trg
LTT06556	16 25 01.5	−12 15 26	23.0	6.4	11	22.1	3.8	12	...	...	...	22.1	ccd
GJ0622	16 25 13.0	−21 56 14	10.8	4.8	10	17.9	3.1	10	18.1	0.7	2	18.1	trg
LHS3197	16 26 48.1	−17 23 34	19.9	7.4	11	14.1	2.4	12	18.2	0.5	1	18.2	trg
SCR1626-3812	16 26 51.7	−38 12 33	11.7	7.0	11	13.8	2.1	12	...	...	...	13.8	ccd
GJ2120	16 27 33.2	−10 00 29	15.2	4.7	11	15.8	2.7	12	22.9	1.7	1	22.9	trg
GJ2121	16 30 13.1	−14 39 50	19.1	5.5	11	14.5	2.3	12	22.4	2.7	1	22.4	trg
GJ0628	16 30 18.1	−12 39 45	5.7	1.8	10	3.9	0.6	12	4.3	0.0	2	4.3	trg
SCR1630-3633	16 30 27.2	−36 33 56	[14.8]	5.9	11	[15.4]	3.8	12	...	...	...	[15.4]	ccd
2MA1632-0631	16 32 58.8	−06 31 48	16.5	7.0	10	20.7	3.3	11	18.8	0.5	1	18.8	trg
L339-020	16 34 43.8	−46 01 31	19.7	6.2	11	...	...	...	...	...	...	19.7	plt

Table 2—Continued

Name	RA	DEC	d_{plt} (pc)	σ_{tot} (pc)	# rel	d_{ccd} (pc)	σ_{tot} (pc)	# rel	d_{trig} (pc)	σ_{trig} (pc)	# π	d_{best} (pc)	d type
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
L483-080	16 34 59.0	−38 34 34	18.1	10.4	11	...	...	...	...	...	...	18.1	plt
LHS3218	16 35 24.6	−27 18 55	16.2	7.1	11	20.9	3.7	12	18.6	0.3	1	18.6	trg
UPM1635-5202	16 35 37.2	−52 02 01	17.6	5.5	11	16.5	2.9	12	...	...	...	16.5	ccd
LHS0423	16 35 40.4	−30 51 20	21.0	6.7	11	20.4	3.5	12	19.5	1.1	1	19.5	trg
LP685-036	16 36 06.0	−04 40 13	24.4	8.6	11	...	...	...	...	...	...	24.4	plt
SCR1636-4041	16 36 57.6	−40 41 09	13.3	5.2	11	15.4	2.4	12	...	...	...	15.4	ccd
L555-115	16 36 58.4	−33 46 51	17.5	5.9	11	...	...	...	...	...	...	17.5	plt
SCR1639-4652	16 39 25.8	−46 53 00	17.6	4.8	11	20.1	3.1	12	...	...	...	20.1	ccd
GJ0633	16 40 45.3	−45 59 59	18.1	5.0	11	19.5	3.0	12	16.7	0.3	2	16.7	trg
GJ0634	16 41 28.3	−43 59 11	15.6	4.4	11	17.6	2.8	12	17.4	2.0	1	17.4	trg
LP686-002	16 43 55.9	−07 26 10	20.9	7.1	7	...	...	...	...	...	...	20.9	plt
2MA1643-7530	16 43 57.7	−75 30 21	18.8	6.8	11	...	...	...	...	...	...	18.8	plt
2MA1645-1319	16 45 22.1	−13 19 52	13.2	10.0	7	15.0	2.7	12	...	...	...	15.0	ccd
LP806-004	16 47 35.6	−19 44 27	18.6	5.6	11	21.6	3.5	12	...	...	...	21.6	ccd
LP154-205	16 47 55.2	−65 09 12	21.7	6.2	11	21.1	3.6	12	...	...	...	21.1	ccd
GJ0637	16 48 24.5	−72 58 34	14.6	6.0	11	17.8	2.9	12	15.9	0.5	2	15.9	trg
LP806-008	16 48 46.0	−15 44 20	11.5	3.9	11	14.2	2.4	12	18.2	0.7	1	18.2	trg
LHS3246	16 50 53.8	−04 50 35	24.1	6.5	11	23.5	4.0	12	...	...	...	23.5	ccd
GJ0644	16 55 28.8	−08 20 11	[3.5]	1.5	11	[3.8]	0.6	12	6.5	0.0	5	6.5	trg
LTT06745	16 55 38.0	−32 04 04	7.6	3.5	9	14.6	2.5	9	18.3	0.4	1	18.3	trg
SCR1656-2046	16 56 33.6	−20 46 37	17.8	6.4	11	16.3	2.7	12	...	...	...	16.3	ccd
GJ0645	16 56 45.1	−37 03 39	9.8	6.7	10	19.2	3.0	12	17.2	2.7	1	17.2	trg
SCR1656-4238	16 56 49.8	−42 38 48	23.4	6.2	11	23.9	3.8	12	...	...	...	23.9	ccd
GJ1207	16 57 05.7	−04 20 56	9.7	4.7	10	9.3	1.6	12	8.7	0.1	2	8.7	trg
SCR1659-6958	16 59 28.1	−69 58 18	27.6	9.2	11	22.1	4.2	12	...	...	...	22.1	ccd
LP746-041	17 00 42.2	−09 25 35	22.8	8.8	11	...	...	...	...	...	...	22.8	plt
LEHPM2-1755	17 06 50.0	−82 11 42	24.9	6.7	11	...	...	...	...	...	...	24.9	plt
BD-06-04552	17 07 34.8	−06 27 26	21.6	10.2	11	...	...	...	...	...	...	21.6	plt
NLTT44215	17 08 23.8	−18 27 58	22.0	13.9	10	...	...	...	...	...	...	22.0	plt
UPM1710-5300	17 10 44.3	−53 00 25	[13.5]	4.5	8	[13.4]	2.1	12	...	...	...	[13.4]	ccd
L268-067	17 10 59.2	−52 30 56	10.0	3.3	6	11.0	1.8	12	12.5	0.3	1	12.5	trg
GJ0660	17 11 52.3	−01 51 06	[9.9]	3.2	11	[9.6]	1.5	12	11.7	0.3	2	11.7	trg
LP919-015	17 12 01.2	−27 46 02	15.0	11.6	11	23.7	3.7	12	...	...	...	23.7	ccd
SIP1712-0323	17 12 04.3	−03 23 30	17.8	10.0	11	16.3	2.5	12	...	...	...	16.3	ccd
GJ0660.1	17 12 51.3	−05 07 32	{[22.3]}	8.2	10	{[31.1]}	5.0	10	20.0	1.4	2	20.0	trg
LP413-057	17 13 09.6	−41 28 28	20.2	6.9	11	...	...	...	...	...	...	20.2	plt
GJ1212	17 13 40.5	−08 25 15	[11.8]	4.7	11	[12.0]	2.0	12	18.3	1.5	2	18.3	trg
LTT06876	17 15 54.9	−02 50 10	21.1	9.4	9	...	...	...	...	...	...	21.1	plt
LP687-017	17 16 20.7	−05 23 51	12.2	6.9	11	17.1	2.7	12	...	...	...	17.1	ccd
L845-016	17 17 45.3	−11 48 54	11.0	3.7	11	13.0	3.1	12	...	...	...	13.0	ccd
LP687-045	17 18 29.1	−07 39 15	20.4	12.2	11	...	...	...	...	...	...	20.4	plt
OUT1720-1725	17 20 52.4	−17 25 40	21.0	10.5	11	18.8	3.0	12	...	...	...	18.8	ccd
GJ0672.1	17 23 49.2	−32 15 16	12.7	4.8	11	20.9	3.3	12	23.6	2.2	2	23.6	trg
L989-038	17 24 16.9	−04 21 52	12.5	7.8	11	17.8	2.8	12	...	...	...	17.8	ccd
SCR1726-8433	17 26 22.9	−84 33 08	20.1	5.5	11	20.7	3.2	12	...	...	...	20.7	ccd
GJ1218	17 28 07.3	−62 27 14	10.0	2.9	11	10.8	1.7	12	16.3	0.3	2	16.3	trg
SCR1728-0143	17 28 11.1	−01 43 57	16.4	8.3	11	18.3	2.8	12	...	...	...	18.3	ccd

Table 2—Continued

Name	RA	DEC	d_{plt} (pc)	σ_{tot} (pc)	# rel	d_{ccd} (pc)	σ_{tot} (pc)	# rel	d_{trig} (pc)	σ_{trig} (pc)	# π	d_{best} (pc)	d type
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
GJ0674	17 28 39.9	−46 53 43	5.7	2.2	8	4.9	0.8	12	4.5	0.0	2	4.5	trg
LHS3295	17 29 27.3	−80 08 57	9.5	3.1	11	11.3	1.8	12	12.5	0.3	1	12.5	trg
GJ0676	17 30 11.2	−51 38 13	5.9	3.0	9	11.7	1.9	10	16.3	0.4	2	16.3	trg
SCR1731-2452	17 31 03.8	−24 52 44	9.6	5.5	8	19.4	3.1	12	...	...	...	19.4	ccd
LP920-019	17 31 20.9	−27 39 20	16.8	11.9	9	...	...	...	...	...	...	16.8	plt
SIP1731-7851	17 31 44.9	−78 51 26	20.7	9.7	11	...	...	...	...	...	...	20.7	plt
UPM1732-4736	17 32 21.9	−47 36 58	18.5	5.7	11	17.0	2.6	12	...	...	...	17.0	ccd
LP688-003	17 34 08.7	−08 49 52	21.9	11.7	11	...	...	...	...	...	...	21.9	plt
HD320012	17 34 15.4	−35 19 54	23.5	20.2	10	...	...	...	...	...	...	23.5	plt
GJ0680	17 35 13.6	−48 40 51	6.5	2.1	11	8.3	1.3	12	9.8	0.3	2	9.8	trg
L112-088	17 36 14.6	−67 56 06	23.5	6.4	11	...	...	...	...	...	...	23.5	plt
GJ0682	17 37 03.7	−44 19 09	6.1	1.6	11	3.9	0.7	12	5.1	0.1	2	5.1	trg
LP920-069	17 38 03.6	−30 00 57	15.1	5.4	11	...	...	...	...	...	...	15.1	plt
L204-148	17 38 32.5	−58 32 34	13.8	4.5	11	13.8	2.1	12	...	...	...	13.8	ccd
SCR1738-5942	17 38 41.0	−59 42 24	20.8	6.0	11	24.1	4.0	12	...	...	...	24.1	ccd
LHS3315	17 42 10.8	−08 49 00	22.8	13.4	11	...	...	...	23.3	1.8	1	23.3	trg
GJ0690.1	17 42 32.3	−16 38 25	18.8	10.9	11	31.2	5.0	12	19.4	2.0	1	19.4	trg
LP921-012	17 44 17.4	−29 15 48	24.7	11.3	9	...	...	...	...	...	...	24.7	plt
LTT07069	17 45 07.4	−08 00 45	19.6	7.2	11	...	...	...	...	...	...	19.6	plt
L270-064	17 45 43.7	−52 47 38	25.0	6.6	11	...	...	...	...	...	...	25.0	plt
GJ2130	17 46 12.8	−32 06 09	...	...	0	10.7	1.7	12	14.2	0.3	3	14.2	trg
G154-016	17 46 23.3	−18 07 09	18.7	13.7	11	...	...	...	...	...	...	18.7	plt
LTT07077	17 46 29.4	−08 42 37	8.4	3.3	11	8.9	1.4	12	...	...	...	8.9	ccd
GJ0693	17 46 34.2	−57 19 09	6.9	2.7	11	7.1	1.1	12	5.8	0.1	2	5.8	trg
SCR1746-3214	17 46 40.7	−32 14 04	9.9	3.2	11	11.2	1.8	12	...	...	...	11.2	ccd
NLTT45438	17 47 10.2	−01 29 55	19.0	6.8	11	...	...	...	...	...	...	19.0	plt
L415-082	17 57 14.2	−41 59 29	16.9	4.5	2	16.9	2.7	12	...	...	...	16.9	ccd
L271-081	17 57 22.6	−52 29 07	21.7	6.1	11	...	...	...	...	...	...	21.7	plt
LP749-016	17 59 58.7	−13 23 44	23.4	12.0	10	...	...	...	...	...	...	23.4	plt
G154-043	18 03 36.1	−18 58 51	8.5	5.8	11	9.9	1.5	12	...	...	...	9.9	ccd
GJ0701	18 05 07.6	−03 01 53	4.4	3.1	9	7.8	1.2	12	7.8	0.1	2	7.8	trg
SCR1805-2042	18 05 15.1	−20 42 28	17.4	10.0	11	22.3	3.7	12	...	...	...	22.3	ccd
GJ1224	18 07 32.9	−15 57 47	7.1	3.3	11	9.1	1.6	12	7.9	0.1	2	7.9	trg
LEP1809-0219	18 09 43.7	−02 19 35	11.9	9.4	11	16.0	2.5	12	...	...	...	16.0	ccd
NLTT46026	18 10 11.0	−15 25 48	23.0	15.2	11	...	...	...	...	...	...	23.0	plt
L043-072	18 11 15.3	−78 59 23	[7.0]	2.7	11	[6.4]	1.0	12	...	...	...	[6.4]	ccd
LP629-020	18 11 23.4	−02 17 50	22.9	14.6	8	...	...	...	...	...	...	22.9	plt
LHS3370	18 13 52.9	−77 08 21	40.6	11.1	11	43.9	8.6	12	23.3	2.3	1	23.3	trg
LTT07246	18 15 12.4	−19 24 07	8.9	3.3	11	10.3	2.3	12	...	...	...	10.3	ccd
LHS3378	18 19 17.0	−77 02 50	22.0	7.7	11	...	...	...	...	...	...	22.0	plt
LP690-011	18 19 59.6	−06 17 32	20.6	13.6	10	...	...	...	...	...	...	20.6	plt
WT0562	18 26 19.8	−65 47 41	17.2	5.0	11	17.0	2.7	12	17.1	0.3	1	17.1	trg
SCR1826-6542	18 26 46.8	−65 42 40	9.2	2.5	11	9.3	1.5	12	...	...	...	9.3	ccd
GJ0714	18 30 12.0	−58 16 28	9.7	2.8	11	12.0	2.0	10	...	...	...	12.0	ccd
L489-068	18 38 30.3	−39 04 31	23.3	6.3	11	...	...	...	...	...	...	23.3	plt
GJ2138	18 38 44.8	−14 29 26	[8.8]	2.6	11	[12.8]	2.0	12	12.9	0.5	1	12.9	trg
GJ0723	18 40 17.8	−10 27 55	19.1	5.6	11	21.5	3.4	12	21.7	2.8	2	21.7	trg

Table 2—Continued

Name	RA	DEC	d_{plt} (pc)	σ_{tot} (pc)	# rel	d_{ccd} (pc)	σ_{tot} (pc)	# rel	d_{trig} (pc)	σ_{trig} (pc)	# π	d_{best} (pc)	d type
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
Wolf1467	18 40 50.2	−08 04 59	19.2	9.4	11	...	...	...	...	...	...	19.2	plt
GJ0724	18 40 57.3	−13 22 47	8.4	4.1	11	13.3	2.3	12	16.5	0.5	2	16.5	trg
SCR1841-4347	18 41 09.8	−43 47 33	14.6	4.3	11	11.9	2.0	12	...	...	...	11.9	ccd
LHS5341	18 43 07.0	−54 36 48	9.5	3.0	11	8.7	1.4	12	...	...	...	8.7	ccd
LTT07419	18 43 12.5	−33 22 46	12.1	3.3	8	13.3	2.2	12	15.3	0.6	1	15.3	trg
SCR1845-6357	18 45 05.3	−63 57 48	[3.5]	1.2	6	[4.6]	0.8	10	3.9	0.0	2	3.9	trg
LTT07434	18 45 57.5	−28 55 53	[8.3]	8.1	10	[11.6]	1.8	12	...	...	...	[11.6]	ccd
SCR1847-1922	18 47 16.7	−19 22 21	23.0	6.6	11	20.6	3.2	12	...	...	...	20.6	ccd
LTT07452	18 48 01.3	−14 34 51	10.7	4.2	11	16.5	2.6	12	...	...	...	16.5	ccd
SCR1848-6855	18 48 21.0	−68 55 34	[39.0]	16.8	11	[37.3]	10.3	12	24.6	0.4	1	24.6	trg
LHS3411	18 48 38.7	−61 35 26	18.6	5.0	11	...	...	...	...	...	...	18.6	plt
L345-091	18 48 41.4	−46 47 08	[10.1]	3.8	11	[12.0]	1.9	12	...	...	...	[12.0]	ccd
SIP1848-8214	18 48 51.1	−82 14 42	13.5	5.7	11	13.8	2.2	12	...	...	...	13.8	ccd
LP691-015	18 49 06.4	−03 15 18	11.1	5.8	11	14.8	2.3	12	...	...	...	14.8	ccd
GJ0729	18 49 49.4	−23 50 11	3.2	1.7	11	4.1	0.7	12	3.0	0.0	2	3.0	trg
LHS3413	18 49 51.2	−57 26 49	11.2	4.0	11	9.9	1.6	12	12.2	0.3	1	12.2	trg
2MA1849-0134	18 49 55.4	−01 34 09	24.1	10.9	11	...	...	...	...	...	...	24.1	plt
LHS3418	18 52 00.2	−60 46 11	19.2	5.3	11	...	...	...	...	...	...	19.2	plt
L489-043	18 52 25.3	−37 30 36	15.5	4.9	11	11.1	1.9	12	...	...	...	11.1	ccd
GJ0732	18 53 39.9	−38 36 45	15.4	4.5	11	11.5	1.8	12	...	...	...	11.5	ccd
L077-046	18 55 14.7	−71 15 03	20.6	6.3	11	...	...	...	...	...	...	20.6	plt
SCR1855-6914	18 55 47.9	−69 14 15	12.5	4.5	11	10.7	1.7	12	...	...	...	10.7	ccd
SCR1856-4704	18 56 38.4	−47 04 58	[21.4]	6.2	11	[22.6]	3.6	12	...	...	...	[22.6]	ccd
SCR1856-4011	18 57 01.1	−40 11 51	[28.9]	10.0	11	[21.0]	6.0	11	...	...	...	[21.0]	ccd
GJ0737	18 57 30.6	−55 59 30	[5.8]	1.6	11	[7.8]	1.2	11	12.4	0.3	2	12.4	trg
GJ0739	18 59 07.5	−48 16 28	10.8	3.8	11	11.5	1.8	12	14.2	0.5	3	14.2	trg
L159-126	18 59 40.7	−63 27 22	16.8	5.0	11	...	...	...	...	...	...	16.8	plt
SCR1901-0737	19 01 32.4	−07 37 24	22.4	6.5	11	18.5	2.9	12	...	...	...	18.5	ccd
SCR1901-3106	19 01 59.2	−31 06 45	28.7	10.6	11	15.7	5.0	12	...	...	...	15.7	ccd
GJ0741	19 03 16.7	−13 34 05	34.2	15.6	11	24.8	5.4	12	19.1	1.4	1	19.1	trg
SCR1904-2406	19 04 21.8	−24 06 16	22.3	6.7	11	22.6	3.6	12	...	...	...	22.6	ccd
L274-159	19 05 20.3	−54 34 43	19.0	5.9	11	...	...	...	...	...	...	19.0	plt
L490-020	19 08 22.1	−37 05 28	23.7	6.6	11	...	...	...	...	...	...	23.7	plt
SIP1910-4132	19 10 34.6	−41 33 45	22.8	6.1	11	...	...	...	...	...	...	22.8	plt
L346-096	19 11 04.1	−47 39 14	20.1	5.9	11	...	...	...	...	...	...	20.1	plt
GJ0747.4	19 12 25.3	−55 52 08	17.6	5.2	11	21.4	3.5	12	21.4	1.5	2	21.4	trg
WIS1912-3615	19 12 39.3	−36 14 57	25.6	7.8	11	19.3	3.7	12	...	...	...	19.3	ccd
SCR1913-2312	19 13 06.1	−23 12 05	26.0	9.1	11	20.8	3.2	12	...	...	...	20.8	ccd
LHS3443	19 13 08.0	−39 01 54	13.3	4.2	11	15.0	2.3	12	20.6	0.6	1	20.6	trg
LP868-019	19 16 35.6	−25 38 42	22.7	6.1	11	...	...	...	...	...	...	22.7	plt
GJ0750	19 16 42.9	−45 53 22	[8.2]	2.5	11	[10.1]	1.7	11	15.5	0.5	2	15.5	trg
SCR1918-4554	19 18 29.5	−45 54 30	25.9	9.4	11	20.9	3.5	12	...	...	...	20.9	ccd
L160-005	19 19 41.2	−59 55 20	18.8	6.2	11	...	...	...	...	...	...	18.8	plt
GJ0754	19 20 48.0	−45 33 30	7.9	2.2	11	6.8	1.1	12	5.9	0.1	2	5.9	trg
LHS0475	19 20 54.3	−82 33 16	11.8	4.3	11	13.0	2.0	12	12.0	0.1	1	12.0	trg
SCR1922-3503	19 22 05.6	−35 03 45	28.3	8.4	11	22.2	3.6	12	...	...	...	22.2	ccd
SCR1924-0931	19 24 11.0	−09 31 34	24.5	6.6	11	23.6	3.8	12	...	...	...	23.6	ccd

Table 2—Continued

Name	RA	DEC	d_{plt} (pc)	σ_{tot} (pc)	# rel	d_{ccd} (pc)	σ_{tot} (pc)	# rel	d_{trig} (pc)	σ_{trig} (pc)	# π	d_{best} (pc)	d type
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
SCR1927-0409	19 27 13.0	−04 09 49	20.5	8.4	11	20.8	3.3	12	...	...	...	20.8	ccd
LHS5348	19 27 52.7	−28 11 15	[14.7]	4.5	11	[11.6]	1.9	12	...	...	...	[11.6]	ccd
L045-006	19 29 38.3	−74 44 42	14.4	6.6	11	17.5	2.7	12	...	...	...	17.5	ccd
L078-093	19 31 01.4	−73 37 06	18.9	8.6	11	...	...	...	...	...	...	18.9	plt
SCR1931-0306	19 31 04.6	−03 06 18	21.8	6.6	11	17.9	3.0	12	...	...	...	17.9	ccd
L348-141	19 31 53.2	−48 33 54	24.8	8.2	11	...	...	...	...	...	...	24.8	plt
SCR1932-5005	19 32 48.6	−50 05 39	24.4	7.8	11	23.5	3.6	12	...	...	...	23.5	ccd
L275-026	19 34 03.9	−52 25 14	15.6	5.1	11	15.0	2.3	12	...	...	...	15.0	ccd
LP869-042	19 39 36.2	−26 45 07	11.6	4.2	11	16.0	2.7	12	23.2	1.0	1	23.2	trg
LP869-019	19 42 00.7	−21 04 06	12.1	3.4	11	10.5	1.6	12	...	...	...	10.5	ccd
L420-142	19 42 53.3	−44 06 28	22.7	6.4	11	...	...	...	...	...	...	22.7	plt
2MA1943-3722	19 43 24.7	−37 22 11	15.9	4.4	11	...	...	...	...	...	...	15.9	plt
LP925-037	19 43 51.8	−32 24 04	14.6	4.7	11	13.4	3.5	12	...	...	...	13.4	ccd
LP869-026	19 44 53.8	−23 37 59	[11.0]	3.2	11	[10.4]	1.7	12	...	...	...	[10.4]	ccd
LHS3484	19 47 04.5	−71 05 33	24.7	6.7	11	24.7	3.9	12	...	...	...	24.7	ccd
SCR1947-7646	19 47 14.7	−76 46 55	27.0	10.4	11	22.2	3.5	12	...	...	...	22.2	ccd
WT2180	19 48 22.7	−08 22 52	20.6	5.9	11	...	...	...	...	...	...	20.6	plt
2MA1951-3510	19 51 35.9	−35 10 38	[13.0]	3.9	11	[11.0]	2.0	12	...	...	...	[11.0]	ccd
2MA1951-4025	19 51 36.0	−40 25 21	23.4	6.8	11	...	...	...	...	...	...	23.4	plt
LP870-054	19 52 41.6	−24 46 02	23.8	8.2	11	...	...	...	...	...	...	23.8	plt
L160-159	19 54 04.1	−64 38 10	22.8	6.3	11	...	...	...	...	...	...	22.8	plt
LP926-055	19 54 24.9	−31 47 60	17.2	4.8	11	...	...	...	...	...	...	17.2	plt
LEHPM2-4639	19 56 06.6	−54 42 54	21.9	7.5	11	...	...	...	...	...	...	21.9	plt
LP754-008	19 57 52.0	−10 53 05	18.9	5.6	11	16.0	2.5	12	...	...	...	16.0	ccd
SCR1959-3631	19 59 21.0	−36 31 04	19.8	5.4	8	25.0	4.3	10	...	...	...	25.0	ccd
SCR1959-6236	19 59 33.6	−62 36 13	24.4	7.2	11	21.8	3.4	12	...	...	...	21.8	ccd
DEN2002-5425	20 02 13.4	−54 25 56	17.3	4.8	11	...	...	...	...	...	...	17.3	plt
LHS3514	20 03 58.9	−08 07 47	13.5	4.5	11	14.5	2.2	12	...	...	...	14.5	ccd
GJ0774	20 04 04.7	−65 36 01	[13.7]	3.6	3	14.8	2.3	12	13.1	1.1	2	13.1	trg
LHS3516	20 04 06.8	−31 41 48	19.0	5.6	11	...	...	...	...	...	...	19.0	plt
LP870-065	20 04 30.8	−23 42 02	11.1	3.2	11	10.7	1.7	12	...	...	...	10.7	ccd
GJ0781.1	20 07 45.0	−31 45 14	10.8	2.9	11	12.5	2.2	12	15.6	1.1	2	15.6	trg
LEHPM2-0064	20 07 55.2	−42 05 15	13.6	4.6	11	13.0	2.0	12	...	...	...	13.0	ccd
LTT07959	20 07 57.6	−01 32 28	24.3	6.6	11	...	...	...	...	...	...	24.3	plt
LHS3525	20 08 07.5	−52 44 25	21.0	5.6	11	...	...	...	...	...	...	21.0	plt
WT0682	20 08 23.8	−55 21 26	23.4	11.1	11	...	...	...	...	...	...	23.4	plt
2MA2009-0113	20 09 18.2	−01 13 38	14.0	4.4	11	10.8	1.8	12	10.4	0.2	1	10.4	trg
L349-063	20 09 51.6	−47 31 34	19.6	5.5	11	...	...	...	...	...	...	19.6	plt
LTT07991	20 11 06.7	−02 30 10	19.9	7.3	11	...	...	...	...	...	...	19.9	plt
GJ0784	20 13 53.4	−45 09 51	4.8	1.3	11	6.0	1.0	9	6.2	0.0	2	6.2	trg
LP754-031	20 13 59.5	−11 14 55	24.8	6.9	11	...	...	...	...	...	...	24.8	plt
LHS3534	20 14 15.3	−54 49 15	24.1	6.4	11	...	...	...	...	...	...	24.1	plt
L209-071	20 15 22.7	−56 45 54	13.5	3.9	11	12.6	2.0	12	...	...	...	12.6	ccd
SCR2016-7531	20 16 11.3	−75 31 05	16.2	4.8	11	14.3	2.3	12	...	...	...	14.3	ccd
SCR2018-3635	20 18 06.5	−36 35 28	20.7	6.9	11	24.9	4.0	12	...	...	...	24.9	ccd
LP814-065	20 18 14.6	−20 12 48	22.2	6.0	11	...	...	...	...	...	...	22.2	plt
LEHPM2-0783	20 19 49.8	−58 16 43	10.9	3.0	11	10.6	1.7	12	16.2	0.3	1	16.2	trg

Table 2—Continued

Name	RA	DEC	d_{plt} (pc)	σ_{tot} (pc)	# rel	d_{ccd} (pc)	σ_{tot} (pc)	# rel	d_{trig} (pc)	σ_{trig} (pc)	# π	d_{best} (pc)	d type
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
LP927-008	20 20 43.6	−28 06 07	22.1	6.0	11	17.7	2.8	12	...	...	...	17.7	ccd
2MA2022-3653	20 22 01.8	−36 53 02	21.3	6.6	11	...	...	...	...	...	...	21.3	plt
GJ0788.1	20 22 41.9	−58 17 09	15.0	4.3	11	21.5	3.5	9	19.4	0.7	2	19.4	trg
SCR2025-1534	20 25 08.6	−15 34 16	21.0	6.1	11	18.9	3.0	12	...	...	...	18.9	ccd
SCR2025-2259	20 25 18.9	−22 59 06	23.5	7.0	11	24.6	3.9	12	...	...	...	24.6	ccd
SCR2025-3545	20 25 30.0	−35 45 46	17.8	5.1	11	20.1	3.2	12	...	...	...	20.1	ccd
SCR2025-4207	20 25 41.3	−42 07 31	25.4	7.8	11	23.3	3.9	12	...	...	...	23.3	ccd
LP927-017	20 25 51.6	−26 57 19	23.4	6.7	11	...	...	...	...	...	...	23.4	plt
LEHPM2-0285	20 27 07.1	−44 21 29	24.1	7.1	11	...	...	...	...	...	...	24.1	plt
L210-011	20 27 37.3	−54 52 59	15.1	4.0	11	...	...	...	...	...	...	15.1	plt
GJ0791	20 27 41.7	−27 44 52	12.3	3.4	11	11.1	1.8	12	14.7	0.6	2	14.7	trg
GJ1252	20 27 42.1	−56 27 25	20.0	5.5	11	22.3	3.5	12	19.8	0.8	1	19.8	trg
GJ1251	20 28 03.7	−76 40 16	16.5	4.7	11	16.4	3.0	12	12.7	0.4	1	12.7	trg
L755-019	20 28 43.6	−11 28 31	12.1	4.4	8	12.0	1.9	12	18.8	0.6	1	18.8	trg
L080-175	20 29 06.9	−74 21 12	24.5	7.0	11	...	...	...	...	...	...	24.5	plt
LEHPM2-1265	20 33 01.9	−49 03 11	16.5	6.4	11	13.3	2.1	12	...	...	...	13.3	ccd
LP755-027	20 33 32.3	−09 59 05	25.0	6.8	11	...	...	...	...	...	...	25.0	plt
LP567-063	20 34 31.1	−32 31 00	11.8	3.8	11	14.5	2.3	12	...	...	...	14.5	ccd
L162-190	20 34 52.9	−63 47 46	21.4	5.9	11	...	...	...	...	...	...	21.4	plt
LHS3566	20 39 23.8	−29 26 35	16.8	5.6	11	15.5	2.6	12	17.5	0.8	1	17.5	trg
SCR2040-5501	20 40 12.4	−55 01 26	22.0	6.4	11	23.2	3.6	12	...	...	...	23.2	ccd
L567-074	20 42 43.4	−32 55 18	18.8	5.3	11	...	...	...	...	...	...	18.8	plt
LP695-372	20 42 45.2	−05 00 19	19.8	5.9	11	...	...	...	...	...	...	19.8	plt
GJ0800	20 42 57.2	−18 55 06	12.3	3.4	11	14.6	2.5	12	17.7	0.7	2	17.7	trg
GJ0803	20 45 09.5	−31 20 27	4.2	1.1	11	5.3	0.9	12	9.9	0.1	4	9.9	trg
LHS3580	20 45 45.4	−29 27 29	18.9	5.1	11	...	...	...	...	...	...	18.9	plt
LHS3583	20 46 37.1	−81 43 14	10.6	2.9	11	10.8	1.7	12	10.6	0.3	1	10.6	trg
LP756-003	20 46 43.6	−11 48 13	17.8	5.4	11	14.6	2.3	12	18.7	0.5	1	18.7	trg
LHS3585	20 47 22.6	−25 47 07	23.7	6.2	11	...	...	...	...	...	...	23.7	plt
SIP2049-1716	20 49 52.7	−17 16 08	22.1	8.6	11	...	...	...	...	...	...	22.1	plt
LEP2050-3424	20 50 16.2	−34 24 43	13.9	5.4	11	9.4	1.5	12	...	...	...	9.4	ccd
GJ0808	20 51 41.6	−79 18 40	16.7	4.6	11	21.7	3.3	12	17.5	0.6	2	17.5	trg
LP816-060	20 52 33.0	−16 58 29	7.3	2.7	11	5.4	0.8	12	5.7	0.1	1	5.7	trg
2MA2053-0133	20 53 09.1	−01 33 04	47.5	12.4	3	18.7	3.0	12	18.2	0.7	1	18.2	trg
LP636-019	20 53 14.7	−02 21 22	25.0	8.5	8	...	...	...	...	...	...	25.0	plt
LEHPM1-3996	20 53 28.0	−73 08 10	21.8	5.7	11	...	...	...	...	...	...	21.8	plt
LEHPM2-5514	20 54 15.0	−53 29 56	22.3	6.2	11	...	...	...	...	...	...	22.3	plt
GJ0810	20 55 37.8	−14 02 08	[9.5]	2.8	11	[10.3]	1.8	12	12.9	0.1	3	12.9	trg
LP636-060	20 56 04.1	−02 12 20	22.4	6.0	11	...	...	...	...	...	...	22.4	plt
LP872-027	20 56 27.2	−24 00 13	19.3	5.9	11	17.3	2.7	12	...	...	...	17.3	ccd
GJ0811.1	20 56 46.6	−10 26 55	12.9	3.8	11	11.3	1.9	12	15.9	0.7	2	15.9	trg
L424-030	21 00 54.9	−41 31 44	18.7	6.4	11	...	...	...	...	...	...	18.7	plt
APM2101-4125	21 01 03.8	−41 14 33	20.8	6.4	11	...	...	...	...	...	...	20.8	plt
WT0766	21 01 07.4	−49 07 25	18.0	5.3	11	...	...	...	...	...	...	18.0	plt
GJ0816	21 01 58.6	−06 19 08	12.1	5.2	5	10.9	1.7	12	14.4	0.5	2	14.4	trg
L163-023	21 02 25.0	−60 31 36	12.0	5.3	11	21.0	3.7	12	...	...	...	21.0	ccd
LTT08345	21 02 40.7	−18 31 17	20.2	5.5	11	...	...	...	...	...	...	20.2	plt

Table 2—Continued

Name	RA	DEC	d_{plt} (pc)	σ_{tot} (pc)	# rel	d_{ccd} (pc)	σ_{tot} (pc)	# rel	d_{trig} (pc)	σ_{trig} (pc)	# π	d_{best} (pc)	d type
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
GJ2151	21 03 13.9	−56 57 48	13.7	3.8	11	15.1	2.3	12	13.3	1.0	2	13.3	trg
LHS3615	21 03 21.7	−50 22 52	20.1	5.6	11	17.4	2.8	12	...	...	...	17.4	ccd
GJ0817	21 04 53.4	−16 57 32	18.2	5.0	11	23.2	3.6	12	17.9	0.8	2	17.9	trg
L281-046	21 04 53.9	−52 48 34	22.1	6.4	11	24.5	3.8	12	...	...	...	24.5	ccd
LEHPM2-0801	21 05 13.8	−55 03 56	17.1	4.8	11	16.7	2.9	12	...	...	...	16.7	ccd
L280-056	21 06 26.9	−51 42 37	21.6	5.7	11	...	...	...	...	...	...	21.6	plt
APM2109-4003	21 08 31.3	−40 03 49	24.7	6.7	11	24.5	3.8	12	...	...	...	24.5	ccd
GJ0821	21 09 17.4	−13 18 09	13.3	3.6	11	16.8	2.6	12	12.2	0.3	2	12.2	trg
LP873-009	21 11 13.7	−22 48 18	18.7	6.3	11	17.5	2.8	12	...	...	...	17.5	ccd
LP757-092	21 11 24.2	−09 40 33	20.0	6.1	11	15.4	2.5	12	...	...	...	15.4	ccd
LHS3639	21 11 49.6	−43 36 49	19.4	5.4	11	19.4	3.0	12	15.8	0.9	2	15.8	trg
WT2203	21 14 14.0	−07 02 50	19.5	5.5	11	...	...	...	...	...	...	19.5	plt
GJ0825	21 17 15.3	−38 52 03	2.7	0.7	11	3.7	0.6	8	4.0	0.0	2	4.0	trg
L117-123	21 20 09.8	−67 39 06	11.4	3.1	11	15.6	2.6	12	20.8	0.9	3	20.8	trg
SCR2122-4314	21 22 16.9	−43 14 05	17.0	4.7	11	14.9	2.3	12	...	...	...	14.9	ccd
GJ0826.2	21 24 18.4	−46 41 35	22.6	6.1	11	24.3	3.8	12	24.5	2.7	2	24.5	trg
APM2127-3844	21 27 04.6	−38 44 51	22.3	6.2	11	21.4	3.5	12	20.3	0.6	1	20.3	trg
GJ0828.2	21 27 16.9	−06 50 39	17.7	5.0	7	19.7	3.2	12	16.4	0.6	2	16.4	trg
HB2124-4228	21 27 26.1	−42 15 18	29.3	10.6	11	27.1	4.2	7	23.6	2.0	1	23.6	trg
LTT08524	21 27 58.5	−00 39 50	24.1	6.7	11	...	...	...	...	...	...	24.1	plt
L714-046	21 28 18.3	−22 18 32	18.7	5.0	11	17.0	2.7	12	...	...	...	17.0	ccd
LP817-050	21 28 41.1	−14 31 04	24.9	6.8	11	...	...	...	...	...	...	24.9	plt
LP817-054	21 29 23.4	−18 55 08	22.6	7.4	11	...	...	...	...	...	...	22.6	plt
SCR2130-7710	21 30 07.0	−77 10 38	22.0	9.1	11	18.3	2.9	12	...	...	...	18.3	ccd
LHS0510	21 30 47.7	−40 42 30	15.7	4.3	11	15.8	2.8	12	12.0	0.4	1	12.0	trg
GJ0831	21 31 18.6	−09 47 26	[6.2]	1.9	11	[4.8]	0.8	12	8.0	0.1	2	8.0	trg
LP698-002	21 32 29.8	−05 11 59	22.9	7.5	11	...	...	...	...	...	...	22.9	plt
GJ0832	21 33 34.0	−49 00 33	5.2	1.5	11	5.1	0.8	12	5.0	0.0	2	5.0	trg
LHS3689	21 33 48.9	−06 51 10	21.7	7.0	11	...	...	...	...	...	...	21.7	plt
L164-131	21 34 03.8	−63 11 07	23.6	6.3	11	...	...	...	...	...	...	23.6	plt
WT0792	21 34 22.3	−43 16 11	17.2	5.2	11	13.2	2.1	12	...	...	...	13.2	ccd
L164-124	21 34 52.2	−63 01 08	22.0	6.6	11	...	...	...	...	...	...	22.0	plt
SIP2135-3855	21 35 16.2	−38 55 48	25.7	7.6	11	23.3	3.6	12	...	...	...	23.3	ccd
SCR2135-5325	21 35 39.6	−53 25 32	20.8	6.7	11	20.7	3.6	12	...	...	...	20.7	ccd
WT0795	21 36 25.3	−44 01 00	15.5	4.4	11	13.1	2.1	12	14.4	0.1	1	14.4	trg
HIP106803	21 37 55.7	−63 42 43	11.5	3.3	11	14.8	2.5	12	21.3	1.2	1	21.3	trg
LHS0512	21 38 43.7	−33 39 55	12.7	3.9	11	12.4	1.9	12	12.2	0.3	1	12.2	trg
GJ0836	21 39 00.9	−24 09 29	17.4	4.8	11	16.2	2.5	12	...	...	...	16.2	ccd
L081-009	21 41 03.8	−69 45 35	22.0	5.8	11	...	...	...	...	...	...	22.0	plt
LTT08678	21 45 00.8	−05 47 13	24.2	6.8	11	...	...	...	...	...	...	24.2	plt
LP874-061	21 45 26.7	−21 33 58	23.3	6.7	11	...	...	...	...	...	...	23.3	plt
L002-077	21 46 40.4	−85 43 05	18.2	5.2	11	11.4	1.8	12	...	...	...	11.4	ccd
GJ1263	21 46 42.7	−00 10 24	11.0	3.0	11	10.8	1.7	12	12.0	0.6	1	12.0	trg
LP874-062	21 46 45.5	−21 17 47	15.9	4.3	11	15.0	2.3	12	...	...	...	15.0	ccd
LP698-042	21 47 17.5	−04 44 41	18.7	6.9	11	...	...	...	...	...	...	18.7	plt
LP818-034	21 48 53.0	−19 47 27	19.0	5.6	11	17.4	2.7	12	...	...	...	17.4	ccd
GJ1264	21 49 05.9	−72 06 08	[7.3]	2.1	11	[9.4]	1.6	12	16.3	0.4	1	16.3	trg

Table 2—Continued

Name	RA	DEC	d_{plt} (pc)	σ_{tot} (pc)	# rel	d_{ccd} (pc)	σ_{tot} (pc)	# rel	d_{trig} (pc)	σ_{trig} (pc)	# π	d_{best} (pc)	d type
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
L427-034	21 49 11.4	−41 33 30	[12.5]	3.4	11	[11.4]	2.0	12	...	...	...	[11.4]	ccd
LHS3719	21 49 25.9	−63 06 52	17.2	4.8	11	17.2	2.7	12	16.6	0.4	1	16.6	trg
WT0818	21 49 44.8	−41 38 33	19.8	5.6	11	19.1	3.0	12	...	...	...	19.1	ccd
LP638-050	21 51 27.0	−01 27 14	22.2	6.4	11	...	...	...	...	...	...	22.2	plt
SCR2154-4754	21 54 02.5	−47 54 02	26.9	7.7	11	24.0	3.8	12	...	...	...	24.0	ccd
LP818-054	21 55 02.2	−20 14 27	23.4	6.4	11	...	...	...	...	...	...	23.4	plt
LP983-034	21 55 48.4	−33 13 15	15.5	4.1	11	...	...	...	...	...	...	15.5	plt
LP758-062	21 56 19.8	−10 20 17	18.7	5.3	11	18.0	3.0	12	...	...	...	18.0	ccd
LHS0516	21 56 55.3	−01 54 09	20.7	5.9	11	16.3	2.7	12	13.4	0.6	1	13.4	trg
LP759-006	21 57 12.7	−09 03 27	16.1	5.1	11	15.3	2.4	12	...	...	...	15.3	ccd
LHS3735	21 57 39.3	−09 28 13	22.2	6.9	11	25.0	3.9	12	...	...	...	25.0	ccd
LHS3739	21 58 50.2	−32 28 18	31.5	10.7	11	27.6	4.5	12	19.6	0.3	2	19.6	trg
GJ0842	21 59 34.7	−59 45 10	8.4	2.3	11	9.9	1.6	12	12.0	0.3	2	12.0	trg
GJ0843	22 02 00.8	−19 28 59	13.4	3.6	11	11.4	1.8	12	...	...	...	11.4	ccd
LP759-017	22 02 11.3	−11 09 46	24.1	8.7	11	...	...	...	...	...	...	24.1	plt
LHS3746	22 02 29.4	−37 04 51	9.7	2.9	11	8.1	1.3	12	7.5	0.1	1	7.5	trg
LTT18559	22 02 31.3	−00 17 10	24.4	7.7	11	...	...	...	...	...	...	24.4	plt
LP875-009	22 03 20.0	−25 21 52	22.7	6.2	11	...	...	...	...	...	...	22.7	plt
LHS3748	22 03 27.1	−50 38 38	16.0	4.3	11	21.2	3.3	12	19.9	1.7	1	19.9	trg
LP759-025	22 05 35.7	−11 04 29	22.3	6.7	11	...	...	...	...	...	...	22.3	plt
LTT08848	22 05 51.3	−11 54 51	11.1	3.1	11	14.8	2.6	10	22.2	1.3	1	22.2	trg
LHS3756	22 05 54.4	−38 16 06	21.9	6.0	11	...	...	...	...	...	...	21.9	plt
LP699-032	22 06 09.6	−07 23 36	17.0	4.9	11	...	...	...	...	...	...	17.0	plt
WT0870	22 06 40.7	−44 58 07	17.2	5.4	11	16.0	2.5	12	17.7	0.4	1	17.7	trg
L283-001	22 06 57.2	−49 49 42	18.4	5.0	11	...	...	...	...	...	...	18.4	plt
LP983-102	22 07 53.9	−37 04 24	23.0	6.1	11	...	...	...	...	...	...	23.0	plt
LP1032-066	22 08 16.2	−42 42 59	19.9	5.6	11	22.7	3.5	12	...	...	...	22.7	ccd
LTT08875	22 08 32.4	−08 24 52	19.3	5.5	11	...	...	...	...	...	...	19.3	plt
L024-098	22 08 38.6	−83 03 29	21.9	6.8	11	...	...	...	...	...	...	21.9	plt
GJ0849	22 09 40.3	−04 38 27	5.2	1.4	11	5.7	0.9	12	9.0	0.1	2	9.0	trg
LEHPM1-4416	22 10 13.2	−71 46 07	18.3	5.3	11	19.4	3.2	12	...	...	...	19.4	ccd
LTT08900	22 11 13.5	−02 32 37	16.0	5.8	11	...	...	...	...	...	...	16.0	plt
LTT08905	22 11 56.9	−07 42 57	22.3	6.3	11	...	...	...	...	...	...	22.3	plt
LTT08914	22 13 28.8	−14 44 54	20.2	6.2	11	21.9	3.5	12	...	...	...	21.9	ccd
GJ1265	22 13 42.9	−17 41 09	13.6	4.5	11	11.8	1.8	12	10.4	0.4	1	10.4	trg
WT0887	22 13 50.5	−63 42 10	16.3	5.6	11	...	...	...	...	...	...	16.3	plt
LP875-068	22 14 38.4	−21 41 53	14.2	4.0	10	18.1	3.1	10	...	...	...	18.1	ccd
LP984-001	22 17 19.0	−34 44 03	15.0	4.6	11	12.4	1.9	12	...	...	...	12.4	ccd
GJ0852	22 17 19.2	−08 48 13	[23.4]	7.7	8	13.5	2.3	12	10.0	0.3	1	10.0	trg
LHS3789	22 17 53.3	−36 11 20	22.6	6.1	11	...	...	...	...	...	...	22.6	plt
LHS3793	22 19 23.7	−28 23 21	23.3	6.6	11	...	...	...	...	...	...	23.3	plt
LP931-042	22 20 24.7	−27 05 52	24.7	8.7	11	...	...	...	...	...	...	24.7	plt
LHS5384	22 21 49.7	−42 09 03	21.9	6.1	11	21.6	3.3	12	...	...	...	21.6	ccd
LP931-048	22 21 53.4	−31 31 23	20.0	5.4	11	...	...	...	...	...	...	20.0	plt
LEHPM1-4635	22 22 43.5	−72 15 44	22.9	6.6	11	...	...	...	...	...	...	22.9	plt
LHS3799	22 23 07.0	−17 36 26	8.5	3.0	11	6.1	0.9	12	7.3	0.1	2	7.3	trg
LP931-053	22 23 14.0	−27 23 58	18.4	6.1	11	...	...	...	...	...	...	18.4	plt

Table 2—Continued

Name	RA	DEC	d_{plt} (pc)	σ_{tot} (pc)	# rel	d_{ccd} (pc)	σ_{tot} (pc)	# rel	d_{trig} (pc)	σ_{trig} (pc)	# π	d_{best} (pc)	d type
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
GJ0855	22 23 33.3	−57 13 14	13.2	3.6	11	15.4	2.5	12	19.1	0.8	2	19.1	trg
LP931-057	22 23 46.3	−28 06 50	[22.5]	6.1	11	...	...	...	...	...	...	[22.5]	plt
LP1033-011	22 24 56.7	−38 31 10	24.3	6.8	11	...	...	...	...	...	...	24.3	plt
LHS3804	22 25 05.1	−47 52 47	12.9	3.7	11	10.9	1.8	12	...	...	...	10.9	ccd
LEHPM1-4728	22 27 27.1	−35 00 51	23.5	6.2	11	...	...	...	...	...	...	23.5	plt
LP876-026	22 28 23.4	−25 54 08	[14.1]	3.8	11	[15.1]	3.6	12	20.4	1.0	1	20.4	trg
LHS0523	22 28 54.4	−13 25 19	14.8	4.4	11	14.3	4.4	12	11.3	0.4	1	11.3	trg
LEHPM1-4771	22 30 09.5	−53 44 56	12.3	3.6	11	12.0	1.8	12	...	...	...	12.0	ccd
SCR2230-5244	22 30 28.0	−52 44 29	26.4	11.1	11	24.8	4.2	12	...	...	...	24.8	ccd
LP876-034	22 34 00.5	−25 14 33	10.0	2.7	11	13.0	2.0	12	16.1	0.8	1	16.1	trg
L166-044	22 34 04.6	−61 07 41	18.9	5.5	11	...	...	...	...	...	...	18.9	plt
LHS0526	22 34 53.7	−01 04 58	27.6	12.8	11	24.5	3.9	12	23.5	2.1	1	23.5	trg
LTT09084	22 35 04.9	−42 17 48	14.9	4.1	11	15.1	2.4	12	...	...	...	15.1	ccd
GJ0864	22 36 09.7	−00 50 30	11.2	3.1	4	12.9	2.2	12	17.0	0.5	2	17.0	trg
L645-074	22 38 24.7	−29 21 14	12.6	3.8	11	11.5	1.8	12	...	...	...	11.5	ccd
GJ0865	22 38 29.8	−65 22 42	[8.1]	2.5	11	[6.9]	1.1	12	12.8	0.9	2	12.8	trg
GJ0866	22 38 33.6	−15 17 59	[3.5]	2.2	11	[1.9]	0.3	12	3.5	0.1	1	3.5	trg
GJ0867	22 38 45.6	−20 37 16	[4.4]	1.1	3	[5.4]	0.9	12	8.7	0.1	2	8.7	trg
L083-030	22 40 42.9	−71 31 11	17.9	5.4	11	...	...	...	...	...	...	17.9	plt
LHS3844	22 41 58.1	−69 10 08	15.5	4.5	11	...	...	...	...	...	...	15.5	plt
LEHPM1-5031	22 41 59.4	−75 00 33	17.0	5.3	11	...	...	...	...	...	...	17.0	plt
L166-003	22 42 00.1	−59 15 13	19.3	5.7	11	...	...	...	...	...	...	19.3	plt
LP820-060	22 43 02.0	−20 07 18	20.8	6.2	11	...	...	...	...	...	...	20.8	plt
LP876-008	22 43 23.1	−24 24 52	19.5	5.6	11	...	...	...	...	...	...	19.5	plt
GJ0871.1	22 44 58.0	−33 15 02	11.1	3.7	11	7.9	1.3	12	22.8	1.2	2	22.8	trg
G156-046	22 45 06.1	−12 23 43	23.4	8.0	11	...	...	...	...	...	...	23.4	plt
LP821-016	22 46 23.8	−16 56 53	25.0	7.4	11	24.3	3.8	12	...	...	...	24.3	ccd
LHS3850	22 46 26.4	−06 39 26	25.9	10.7	11	...	...	...	18.8	1.6	1	18.8	trg
GJ0874	22 48 17.4	−36 47 23	20.0	5.6	11	19.8	3.1	12	...	...	...	19.8	ccd
LP932-081	22 48 38.4	−31 08 41	14.5	3.8	11	13.3	2.1	12	...	...	...	13.3	ccd
LP932-083	22 49 08.4	−28 51 20	16.9	4.6	11	13.7	2.1	12	...	...	...	13.7	ccd
LP985-032	22 51 23.7	−34 19 36	20.7	6.0	7	21.7	3.4	12	...	...	...	21.7	ccd
LP821-027	22 52 05.2	−15 32 51	26.8	10.4	11	18.0	2.8	12	...	...	...	18.0	ccd
SCR2252-6905	22 52 19.2	−69 05 48	26.0	7.5	11	24.3	3.8	12	...	...	...	24.3	ccd
SCR2252-2220	22 52 25.8	−22 20 07	21.3	5.7	11	24.2	3.7	12	...	...	...	24.2	ccd
LHS5394	22 52 48.1	−28 47 43	16.9	5.3	11	19.0	3.0	12	19.6	1.1	1	19.6	trg
GJ0876	22 53 16.8	−14 15 49	3.8	1.2	11	3.5	0.5	12	4.7	0.0	3	4.7	trg
SCR2253-1238	22 53 42.8	−12 38 43	23.4	6.6	11	22.9	3.8	12	...	...	...	22.9	ccd
LEHPM1-5263	22 53 50.9	−71 28 07	19.9	6.0	11	...	...	...	...	...	...	19.9	plt
LHS3872	22 54 46.5	−05 28 26	24.9	6.8	11	20.5	3.2	12	23.6	2.5	2	23.6	trg
HIP113201	22 55 27.2	−52 18 10	16.9	4.6	11	20.2	3.3	12	24.8	1.8	1	24.8	trg
GJ0877	22 55 45.5	−75 27 31	6.2	1.7	11	7.1	1.1	12	8.6	0.1	2	8.6	trg
GJ1277	22 56 24.7	−60 03 49	9.1	2.6	11	9.0	1.4	12	10.3	0.1	1	10.3	trg
LP761-006	22 56 26.2	−11 09 39	23.0	8.7	11	...	...	...	...	...	...	23.0	plt
L718-071	23 00 33.4	−23 57 10	15.7	4.7	11	19.4	3.1	12	20.6	0.8	2	20.6	trg
LP877-045	23 00 36.7	−26 04 56	23.8	7.3	11	...	...	...	...	...	...	23.8	plt
LP933-037	23 01 23.9	−26 49 47	24.3	7.2	11	...	...	...	...	...	...	24.3	plt

Table 2—Continued

Name	RA	DEC	d_{plt} (pc)	σ_{tot} (pc)	# rel	d_{ccd} (pc)	σ_{tot} (pc)	# rel	d_{trig} (pc)	σ_{trig} (pc)	# π	d_{best} (pc)	d type
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
L215-016	23 01 32.5	−55 30 18	15.1	4.5	11	21.5	3.3	12	...	...	...	21.5	ccd
LP701-056	23 01 46.2	−06 14 23	24.2	6.9	11	...	...	...	...	...	...	24.2	plt
L286-074	23 01 49.5	−53 17 08	17.9	5.7	11	...	...	...	...	...	...	17.9	plt
LP821-054	23 03 59.7	−16 12 07	22.8	6.3	11	22.3	3.5	12	...	...	...	22.3	ccd
GJ0887	23 05 52.1	−35 51 11	2.6	1.0	11	3.7	0.7	12	3.3	0.0	2	3.3	trg
L1007-017	23 06 27.8	−00 29 38	23.2	6.4	11	...	...	...	...	...	...	23.2	plt
2MA2306-0502	23 06 29.4	−05 02 29	12.2	3.6	11	11.6	1.8	11	12.1	0.4	1	12.1	trg
SSS2307-5009	23 06 58.8	−50 08 59	21.7	11.3	11	27.6	6.5	12	21.5	0.7	1	21.5	trg
SCR2307-8452	23 07 19.7	−84 52 04	20.6	5.9	11	20.0	3.3	12	...	...	...	20.0	ccd
LHS3898	23 07 46.8	−27 54 23	18.9	5.6	11	...	...	...	...	...	...	18.9	plt
LTT09381	23 09 39.3	−01 58 24	17.2	4.9	11	...	...	...	...	...	...	17.2	plt
GJ1279	23 09 40.9	−67 43 58	7.5	2.1	8	...	...	...	15.0	0.2	1	15.0	trg
LTT09388	23 10 00.3	−21 11 43	17.2	4.6	11	17.1	2.7	12	...	...	...	17.1	ccd
L120-181	23 10 20.7	−69 12 22	21.3	6.1	11	...	...	...	...	...	...	21.3	plt
GJ1281	23 10 42.2	−19 13 35	22.3	6.1	11	26.8	4.3	12	24.3	1.4	1	24.3	trg
LEHPM1-5562	23 10 54.9	−38 02 01	24.9	6.7	11	...	...	...	...	...	...	24.9	plt
LP822-037	23 11 57.8	−17 01 59	18.8	5.1	11	...	...	...	...	...	...	18.8	plt
LHS3909	23 12 11.3	−14 06 12	21.4	6.1	11	19.5	3.1	12	18.2	0.7	1	18.2	trg
LTT09412	23 13 01.8	−05 31 10	23.1	6.5	11	...	...	...	...	...	...	23.1	plt
GJ2154	23 14 16.7	−19 38 39	[13.4]	3.7	11	15.5	2.6	12	19.8	0.8	1	19.8	trg
LEHPM1-5625	23 15 02.0	−35 28 25	19.5	6.0	11	...	...	...	...	...	...	19.5	plt
LHS3918	23 15 43.8	−12 21 49	23.4	6.4	11	...	...	...	...	...	...	23.4	plt
LHS0539	23 15 51.6	−37 33 31	26.8	7.7	11	24.3	4.0	12	18.9	0.7	1	18.9	trg
LP702-050	23 15 54.5	−06 27 46	19.3	5.8	11	...	...	...	...	...	...	19.3	plt
LHS3916	23 15 57.2	−81 22 21	[9.4]	2.8	11	[15.6]	2.6	9	22.5	0.7	1	22.5	trg
LTT09448	23 16 36.7	−01 30 48	20.8	6.1	11	...	...	...	...	...	...	20.8	plt
L719-021	23 17 00.2	−23 23 47	17.1	5.3	11	24.5	4.0	9	21.3	0.8	1	21.3	trg
LTT09461	23 17 21.8	−25 42 21	24.7	7.2	11	...	...	...	...	...	...	24.7	plt
LTT09462	23 17 25.5	−40 26 46	18.6	5.3	11	21.0	3.4	12	...	...	...	21.0	ccd
LHS3925	23 17 50.3	−48 18 47	20.6	5.6	11	21.9	3.5	12	21.3	0.5	1	21.3	trg
G273-014	23 19 35.6	−08 53 17	23.5	7.8	11	...	...	...	...	...	...	23.5	plt
LP642-048	23 20 57.7	−01 47 37	[16.0]	4.5	11	[17.1]	2.7	12	...	...	...	[17.1]	ccd
LTT09506	23 21 05.7	−16 51 49	21.7	5.7	11	...	...	...	...	...	...	21.7	plt
LP934-033	23 22 23.6	−27 25 45	24.1	7.0	11	...	...	...	...	...	...	24.1	plt
LTT09524	23 24 05.6	−05 11 14	22.3	5.9	11	...	...	...	...	...	...	22.3	plt
LP822-073	23 24 16.9	−15 22 23	21.3	6.3	11	...	...	...	...	...	...	21.3	plt
LP822-074	23 24 29.1	−18 31 15	22.4	6.3	11	...	...	...	...	...	...	22.4	plt
G273-039	23 25 16.0	−12 52 31	24.6	7.7	9	...	...	...	...	...	...	24.6	plt
L120-120	23 25 25.1	−67 40 08	20.0	5.7	11	19.5	3.0	12	...	...	...	19.5	ccd
LHS3954	23 27 26.5	−17 41 33	21.8	6.4	11	...	...	...	...	...	...	21.8	plt
LP986-059	23 27 28.7	−37 54 12	20.9	5.6	11	...	...	...	...	...	...	20.9	plt
LP702-096	23 27 55.5	−05 27 01	24.7	6.7	11	...	...	...	...	...	...	24.7	plt
GJ1284	23 30 13.5	−20 23 27	[8.4]	2.4	11	[7.8]	1.2	12	15.1	0.4	2	15.1	trg
APM2330-4737	23 30 16.2	−47 36 45	15.3	4.9	11	13.1	2.1	12	13.8	0.6	1	13.8	trg
SCR2330-0838	23 30 16.9	−08 38 37	19.9	6.8	11	22.1	3.4	12	...	...	...	22.1	ccd
LEHPM2-2163	23 30 38.2	−84 55 19	17.8	5.1	11	...	...	...	...	...	...	17.8	plt
DEN2331-2749	23 31 21.8	−27 49 50	12.0	3.8	11	14.3	2.3	10	14.5	0.4	1	14.5	trg

Table 2—Continued

Name	RA	DEC	d_{plt} (pc)	σ_{tot} (pc)	# rel	d_{ccd} (pc)	σ_{tot} (pc)	# rel	d_{trig} (pc)	σ_{trig} (pc)	# π	d_{best} (pc)	d type
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
LTT09580	23 31 25.0	−16 15 58	16.0	4.4	11	13.6	2.2	12	...	...	...	13.6	ccd
LTT09582	23 32 00.2	−39 17 37	17.3	4.7	11	15.9	2.5	12	...	...	...	15.9	ccd
LTT09596	23 33 36.7	−42 13 22	15.1	4.6	11	15.4	2.6	12	...	...	...	15.4	ccd
GJ1286	23 35 10.5	−02 23 21	10.1	4.3	11	7.0	1.1	12	7.2	0.2	1	7.2	trg
G275-071	23 35 48.8	−24 19 09	21.3	6.0	11	...	...	...	...	...	...	21.3	plt
LHS0547	23 36 52.3	−36 28 52	14.7	4.1	11	14.3	2.4	12	11.6	0.3	1	11.6	trg
LP763-003	23 37 38.3	−12 50 28	23.6	9.1	11	...	...	...	...	...	...	23.6	plt
L026-054	23 37 52.8	−76 45 26	15.3	6.1	11	...	...	...	...	...	...	15.3	plt
LTT09634	23 38 08.2	−16 14 10	16.0	5.0	8	14.0	2.2	12	...	...	...	14.0	ccd
LTT09635	23 38 17.4	−41 31 04	15.5	4.6	11	16.8	2.7	12	18.7	1.2	1	18.7	trg
LEHPM1-6053	23 40 23.9	−40 21 47	17.7	5.1	11	...	...	...	...	...	...	17.7	plt
G275-082	23 41 16.3	−26 57 21	20.5	5.9	11	...	...	...	...	...	...	20.5	plt
LP703-042	23 41 39.3	−06 35 50	21.2	6.1	11	...	...	...	...	...	...	21.2	plt
LEHPM2-1679	23 41 41.6	−85 56 07	22.3	6.7	11	...	...	...	...	...	...	22.3	plt
LEHPM1-6134	23 44 10.9	−68 31 47	20.4	5.9	11	...	...	...	...	...	...	20.4	plt
LEHPM1-6159	23 45 10.6	−38 32 24	20.5	5.5	11	...	...	...	...	...	...	20.5	plt
LHS4009	23 45 31.3	−16 10 20	[13.9]	6.8	11	[9.2]	1.5	12	12.5	0.2	1	12.5	trg
LHS4012	23 46 32.0	−50 43 28	22.9	6.8	11	...	...	...	...	...	...	22.9	plt
LP987-023	23 46 38.2	−34 10 02	18.4	4.9	11	20.1	3.1	12	...	...	...	20.1	ccd
GR0481	23 47 37.8	−23 16 06	20.1	6.1	11	...	...	...	...	...	...	20.1	plt
LHS4016	23 48 36.1	−27 39 39	[17.8]	4.7	11	[17.2]	2.7	12	24.2	0.9	1	24.2	trg
LHS4021	23 50 31.6	−09 33 33	17.8	5.3	11	11.8	2.0	12	16.0	0.4	1	16.0	trg
LEHPM1-6333	23 51 50.5	−25 37 37	[13.4]	6.2	8	[17.2]	2.8	12	...	...	...	[17.2]	ccd
LEHPM1-6366	23 52 32.2	−34 13 07	24.8	7.7	11	...	...	...	...	...	...	24.8	plt
L217-036	23 52 44.4	−57 56 03	16.9	4.5	11	...	...	...	...	...	...	16.9	plt
LTT09783	23 53 08.3	−42 32 04	23.0	6.3	11	...	...	...	...	...	...	23.0	plt
L085-031	23 53 25.2	−70 56 41	11.5	3.3	11	11.8	1.8	12	...	...	...	11.8	ccd
LP987-047	23 53 41.0	−35 59 06	17.1	4.8	11	...	...	...	...	...	...	17.1	plt
L026-027	23 53 50.1	−75 37 57	7.2	2.0	11	6.7	1.1	12	10.0	0.1	1	10.0	trg
LHS4038	23 54 04.3	−41 32 31	20.2	5.4	11	...	...	...	...	...	...	20.2	plt
L169-058	23 54 41.3	−61 35 10	20.6	5.7	11	...	...	...	...	...	...	20.6	plt
LHS4046	23 55 26.0	−03 59 00	24.0	7.0	11	24.5	3.9	12	...	...	...	24.5	ccd
GJ0912	23 55 39.8	−06 08 33	11.6	3.4	11	11.7	1.9	12	18.3	0.9	2	18.3	trg
G158-008	23 55 55.2	−13 21 24	19.7	5.3	11	18.0	2.8	12	...	...	...	18.0	ccd
LEHPM1-6494	23 56 10.8	−34 26 05	20.2	9.0	11	22.8	3.8	9	19.1	0.6	1	19.1	trg
SCR2356-0429	23 56 20.4	−04 29 32	[21.6]	6.2	11	[22.4]	3.5	12	...	...	...	[22.4]	ccd
LP987-060	23 57 53.6	−34 07 36	18.5	5.0	11	...	...	...	...	...	...	18.5	plt
LP764-040	23 58 13.7	−17 24 34	12.0	3.4	11	16.0	7.8	12	...	...	...	16.0	ccd
APM2359-6246	23 58 42.9	−62 45 42	24.9	7.4	11	21.8	3.9	12	20.8	1.0	1	20.8	trg
LTT09828	23 59 44.8	−44 05 00	[16.4]	4.7	11	[17.6]	2.7	12	...	...	...	[17.6]	ccd
LHS4058	23 59 51.4	−34 06 43	11.6	3.2	11	12.2	1.9	12	15.8	0.5	1	15.8	trg
GJ1293	00 01 25.8	−16 56 55	16.5	4.6	4	24.8	4.1	9	32.1	2.3	1	32.1	trg
L290-032	00 02 27.1	−46 01 44	24.5	6.6	11	...	...	...	38.4	6.6	1	38.4	trg
LHS0105	00 09 17.3	−19 42 32	25.9	7.9	11	29.1	5.1	12	...	...	...	29.1	ccd
LTT00074	00 11 04.6	−05 47 02	16.6	4.6	9	21.0	3.6	10	25.8	1.4	2	25.8	trg

Table 2—Continued

Name	RA	DEC	d_{plt} (pc)	σ_{tot} (pc)	# rel	d_{ccd} (pc)	σ_{tot} (pc)	# rel	d_{trig} (pc)	σ_{trig} (pc)	# π	d_{best} (pc)	d type
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
LTT00095	00 13 29.1	−36 49 44	13.5	3.7	11	...	...	...	28.2	2.1	1	28.2	trg
LHS1048	00 15 33.5	−35 11 48	40.6	12.1	11	52.6	8.5	12	...	...	...	52.6	ccd
SCR0015-6957	00 15 52.5	−69 57 21	28.1	7.8	11	31.8	5.3	12	...	...	...	31.8	ccd
LHS0109	00 17 40.0	−10 46 17	{71.7}	22.1	11	{103.1}	17.1	9	35.2	4.4	1	35.2	trg
LEHPM1-0439	00 18 19.4	−82 07 15	55.3	15.7	11	58.8	11.0	12	...	...	...	58.8	ccd
L086-093	00 18 34.6	−68 46 60	22.6	6.6	11	30.3	4.9	9	...	...	...	30.3	ccd
LP644-095	00 19 12.4	−03 03 13	19.3	5.3	11	...	...	...	31.0	2.2	1	31.0	trg
LHS0110	00 19 37.0	−28 09 46	[51.9]	13.8	3	[49.3]	7.9	12	30.5[a]	1.2	2	30.5	trg
LEHPM1-0494	00 21 05.9	−42 44 43	34.6	10.1	11	31.7	7.0	12	26.9[a]	2.0	2	26.9	trg
LTT00207	00 23 47.3	−36 51 41	19.0	7.0	10	...	...	...	40.2	2.6	1	40.2	trg
LHS1094	00 32 15.4	−63 05 28	10.1	2.9	11	...	...	...	25.1	0.7	2	25.1	trg
SCR0033-6317	00 33 02.3	−63 17 50	27.0	9.1	11	25.6	4.6	12	...	...	...	25.6	ccd
LHS1106	00 36 00.0	−09 30 56	22.2	6.6	11	30.5	5.7	10	33.8	2.4	1	33.8	trg
SCR0052-6155	00 52 09.9	−61 55 23	28.9	7.6	11	32.6	5.1	12	...	...	...	32.6	ccd
SIP0052-6201	00 52 15.3	−62 01 55	29.3	8.6	11	26.5	5.6	12	...	...	...	26.5	ccd
GJ0043	00 55 25.4	−51 49 58	23.5	7.0	11	25.8	4.1	12	33.0	4.4	2	33.0	trg
LTT00525	00 55 49.3	−29 40 34	12.6	3.8	11	...	...	...	30.5	1.1	2	30.5	trg
G270-100	00 56 30.2	−04 25 16	24.6	6.9	11	...	...	...	30.0	2.9	1	30.0	trg
LTT00648	01 09 38.8	−07 10 50	15.0	4.4	11	15.6	2.5	12	37.7	4.1	1	37.7	trg
SCR0112-7939	01 12 23.5	−79 39 13	29.3	9.3	11	33.3	5.1	12	...	...	...	33.3	ccd
GJ0056.2	01 17 59.4	−48 09 01	22.2	7.4	11	29.8	5.2	10	34.4	3.3	2	34.4	trg
LHS1245	01 24 22.1	−44 08 11	23.0	7.2	11	...	...	...	33.9	4.7	1	33.9	trg
GJ2022	01 24 27.7	−33 55 09	[13.8]	4.4	11	[14.8]	3.0	12	25.8	1.4	1	25.8	trg
GJ1038	01 25 01.8	−32 51 04	10.0	3.6	10	...	...	...	25.1	1.0	1	25.1	trg
L222-009	01 35 40.4	−50 15 42	17.9	5.0	11	...	...	...	48.2	5.7	1	48.2	trg
LP939-103	01 36 36.9	−34 23 26	63.1	28.3	11	54.6	8.5	12	...	...	...	54.6	ccd
SCR0138-5353	01 38 20.5	−53 53 26	24.3	7.4	11	29.7	4.5	12	...	...	...	29.7	ccd
SCR0138-7855	01 38 54.0	−78 55 18	[26.7]	7.9	11	[35.3]	5.4	12	...	...	...	[35.3]	ccd
SCR0139-7536	01 39 27.9	−75 36 14	18.5	6.6	11	26.2	4.1	12	...	...	...	26.2	ccd
LP708-253	01 40 04.8	−13 54 41	17.6	5.6	11	...	...	...	34.9	4.6	1	34.9	trg
L367-082	01 41 03.6	−43 38 10	25.0	7.6	11	...	...	...	41.8	4.6	1	41.8	trg
LHS1288	01 42 55.8	−42 12 13	16.4	4.8	11	23.8	3.7	9	28.4	1.9	2	28.4	trg
SCR0143-3840	01 43 03.3	−38 40 08	19.3	5.3	11	25.3	4.1	12	...	...	...	25.3	ccd
L367-008	01 45 21.4	−39 57 20	19.3	5.4	11	...	...	...	29.6	2.0	1	29.6	trg
L173-003	01 51 46.2	−54 57 58	23.4	7.0	11	...	...	...	47.9	7.9	1	47.9	trg
SCR0153-0703	01 53 20.6	−07 03 32	26.6	8.4	11	29.5	4.7	12	...	...	...	29.5	ccd
SCR0153-5000	01 53 24.2	−50 00 04	28.0	7.6	11	36.3	5.9	12	...	...	...	36.3	ccd
L223-102	01 54 39.0	−50 45 58	47.4	12.7	11	66.6	11.2	12	...	...	...	66.6	ccd
LTT01021	01 55 32.2	−15 31 22	25.0	7.0	7	30.6	5.0	10	...	...	...	30.6	ccd
SCR0156-6702	01 56 26.1	−67 02 36	29.7	8.5	11	32.8	5.7	12	...	...	...	32.8	ccd
SCR0201-5739	02 01 38.8	−57 39 36	27.9	9.3	11	40.8	6.8	12	...	...	...	40.8	ccd
L583-033	02 02 17.5	−26 33 52	[30.6]	10.1	8	[35.5]	15.1	11	...	...	...	[35.5]	ccd
LP649-030	02 03 30.2	−04 54 41	19.5	5.7	11	22.8	4.3	11	28.8	3.0	1	28.8	trg
GJ0088	02 12 51.0	−17 41 12	19.6	5.3	7	23.7	3.8	9	26.5	1.9	2	26.5	trg
LP941-016	02 13 37.4	−35 12 24	21.1	6.7	10	...	...	...	29.0	2.9	1	29.0	trg
LHS1380	02 17 56.8	−35 37 01	21.6	5.9	11	24.5	3.8	12	28.6	2.8	1	28.6	trg
LHS1386	02 18 41.4	−39 37 11	28.8	7.7	11	29.5	4.6	12	...	...	...	29.5	ccd

Table 2—Continued

Name	RA	DEC	d_{plt} (pc)	σ_{tot} (pc)	# rel	d_{ccd} (pc)	σ_{tot} (pc)	# rel	d_{trig} (pc)	σ_{trig} (pc)	# π	d_{best} (pc)	d type
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
SCR0228-6248	02 28 13.9	−62 48 05	29.6	9.4	11	26.2	4.2	12	...	...	...	26.2	ccd
SCR0232-3006	02 32 03.1	−30 06 41	31.3	9.2	11	29.3	4.6	12	...	...	...	29.3	ccd
SCR0234-8204	02 34 47.1	−82 04 29	36.8	16.3	7	50.1	7.7	12	...	...	...	50.1	ccd
LHS5058	02 36 32.8	−34 36 32	23.2	6.4	11	...	...	...	31.4	3.2	1	31.4	trg
SCR0238-1420	02 38 07.5	−14 20 11	23.3	7.1	11	26.4	4.4	12	...	...	...	26.4	ccd
L441-032	02 39 56.7	−38 28 00	20.4	6.0	11	...	...	...	34.4	2.7	1	34.4	trg
LHS0158	02 42 02.9	−44 30 59	58.6	16.9	8	62.7	10.1	12	40.1	2.6	1	40.1	trg
LP651-009	02 46 12.9	−04 19 57	40.4	10.7	11	39.1	6.0	12	...	...	...	39.1	ccd
LP651-011	02 46 48.9	−04 21 28	38.8	10.5	11	42.1	6.5	12	...	...	...	42.1	ccd
SCR0247-5729	02 47 14.6	−57 29 22	[37.3]	10.3	11	[36.6]	5.9	12	...	...	...	[36.6]	ccd
LHS1459	02 51 43.3	−26 01 39	56.2	15.4	11	69.3	10.8	11	...	...	...	69.3	ccd
LTT01393	02 55 23.2	−25 13 29	16.3	4.9	11	...	...	...	29.0	1.3	1	29.0	trg
L012-040	03 03 26.4	−82 50 39	20.6	6.8	11	...	...	...	36.7	1.7	1	36.7	trg
LTT01453	03 03 36.7	−25 35 33	16.5	4.7	11	18.8	3.4	12	38.6	3.9	1	38.6	trg
LTT01552	03 17 28.2	−01 07 27	37.2	10.6	11	45.6	7.2	12	...	...	...	45.6	ccd
LP887-068	03 17 35.1	−27 41 47	17.9	4.9	11	...	...	...	29.5	2.3	1	29.5	trg
G077-042	03 17 55.4	−01 05 41	45.5	12.1	11	52.1	8.3	12	...	...	...	52.1	ccd
LP888-006	03 20 51.1	−28 15 34	24.6	7.2	10	26.2	4.2	12	...	...	...	26.2	ccd
SCR0325-0308	03 25 03.1	−03 08 20	24.8	7.4	11	31.4	4.9	12	...	...	...	31.4	ccd
LHS1561	03 34 39.6	−04 50 33	17.4	4.9	11	13.5	2.1	12	29.2	3.5	1	29.2	trg
SCR0337-1056	03 37 38.2	−10 56 55	21.3	5.9	6	26.2	4.1	9	...	...	...	26.2	ccd
GJ0155.3	03 53 19.7	−37 03 59	20.3	5.7	11	...	...	...	25.1	1.8	2	25.1	trg
LHS1622	04 03 30.4	−37 53 33	25.1	8.0	11	27.7	4.3	12	...	...	...	27.7	ccd
LHS0186	04 03 38.4	−05 08 05	{67.1}	20.0	11	{99.6}	16.1	11	51.6	12.0	1	51.6	trg
WT0135	04 11 27.1	−44 18 10	{50.5}	14.0	11	{54.6}	9.3	12	25.6	1.6	1	25.6	trg
LHS1656	04 18 51.0	−57 14 01	26.2	7.5	11	25.7	4.0	12	25.4	1.3	1	25.4	trg
L446-008	04 21 00.5	−35 51 21	16.8	4.9	7	23.5	3.9	9	29.0	1.5	1	29.0	trg
LHS1676	04 31 44.0	−21 50 44	28.1	9.3	11	26.8	5.2	12	...	...	...	26.8	ccd
LHS1678	04 32 42.6	−39 47 12	25.4	6.9	11	27.1	4.2	12	...	...	...	27.1	ccd
SCR0457-0731	04 57 23.8	−07 31 40	28.2	7.7	11	25.2	3.9	12	...	...	...	25.2	ccd
L305-024	05 06 07.3	−47 12 52	21.1	5.7	11	30.3	4.9	12	...	...	...	30.3	ccd
LP892-040	05 21 15.9	−32 21 27	24.4	6.8	11	25.3	4.1	12	...	...	...	25.3	ccd
SCR0525-7425	05 25 45.6	−74 25 26	28.7	9.4	11	42.2	6.6	12	...	...	...	42.2	ccd
SCR0527-7231	05 27 07.0	−72 31 20	22.7	6.5	11	25.1	3.9	12	...	...	...	25.1	ccd
LHS1815	06 04 20.4	−55 18 47	20.3	5.4	11	...	...	...	28.2	1.9	2	28.2	trg
SCR0610-1832	06 10 08.2	−18 32 25	31.8	9.4	11	31.2	4.8	12	...	...	...	31.2	ccd
LHS1837	06 19 50.7	−59 52 25	39.7	10.6	11	45.2	7.0	12	...	...	...	45.2	ccd
SCR0629-4648	06 29 33.6	−46 48 37	25.8	6.8	11	27.3	4.3	12	...	...	...	27.3	ccd
SCR0635-6722	06 35 48.8	−67 22 59	22.7	6.3	11	26.1	4.2	11	...	...	...	26.1	ccd
SCR0639-6939	06 39 08.4	−69 39 32	36.0	9.9	11	39.7	6.2	12	...	...	...	39.7	ccd
SCR0639-6934	06 39 22.3	−69 34 13	33.4	9.1	11	38.5	6.1	12	...	...	...	38.5	ccd
LP453-049	06 44 32.4	−38 31 59	23.6	6.8	11	26.1	4.2	12	...	...	...	26.1	ccd
SCR0659-2031	06 59 48.7	−20 31 47	29.2	8.9	11	31.3	4.8	12	...	...	...	31.3	ccd
LHS1904	07 11 19.7	−67 07 22	19.5	5.7	11	24.5	4.0	10	26.4	1.0	2	26.4	trg
SCR0714-7140	07 14 26.2	−71 40 38	33.1	9.9	11	29.4	4.7	12	...	...	...	29.4	ccd
SCR0719-5050	07 19 35.4	−50 50 52	26.6	12.6	11	27.4	4.3	12	...	...	...	27.4	ccd
SCR0725-8530	07 25 22.2	−85 30 58	39.7	10.8	11	42.9	6.9	12	...	...	...	42.9	ccd

Table 2—Continued

Name	RA	DEC	d_{plt} (pc)	σ_{tot} (pc)	# rel	d_{ccd} (pc)	σ_{tot} (pc)	# rel	d_{trig} (pc)	σ_{trig} (pc)	# π	d_{best} (pc)	d type
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
LTT02856	07 26 29.1	−70 49 41	22.2	6.0	11	25.2	4.0	12	...	...	...	25.2	ccd
WT0214	07 28 40.1	−61 20 41	44.2	13.8	11	50.3	9.4	12	...	...	...	50.3	ccd
GJ2061	07 31 04.1	−37 13 46	18.2	5.3	11	20.7	3.2	12	33.3	4.6	1	33.3	trg
SCR0743-1929	07 43 22.1	−19 29 04	29.4	13.4	11	29.1	4.5	12	...	...	...	29.1	ccd
SCR0745-4814	07 45 32.2	−48 14 57	31.5	9.4	11	30.9	5.2	12	...	...	...	30.9	ccd
GJ1100	07 47 03.1	−13 56 19	22.5	6.3	11	26.8	4.6	11	27.6	1.9	2	27.6	trg
SCR0749-4955	07 49 29.4	−49 55 06	26.4	7.8	11	30.4	5.0	12	...	...	...	30.4	ccd
SCR0758-4126	07 58 28.7	−41 26 44	27.6	9.0	11	30.0	4.6	12	...	...	...	30.0	ccd
LP784-012	08 02 03.4	−17 10 18	17.4	6.0	7	...	...	...	30.0	1.1	1	30.0	trg
SCR0810-4056	08 10 20.3	−40 56 50	28.9	7.8	11	34.0	5.4	12	...	...	...	34.0	ccd
SCR0829-6203	08 29 24.7	−62 03 23	37.9	11.6	11	47.2	8.7	12	...	...	...	47.2	ccd
L891-016	08 31 21.6	−06 02 02	17.4	4.9	11	18.0	3.3	12	26.4	1.9	1	26.4	trg
L186-042	08 35 47.5	−56 45 13	23.6	6.3	7	36.3	5.7	9	...	...	...	36.3	ccd
LTT03187	08 36 14.3	−41 33 26	15.3	5.7	8	...	...	...	39.0	3.1	2	39.0	trg
GJ0316	08 40 00.3	−06 28 33	11.8	4.1	11	16.1	2.8	10	30.1	3.5	2	30.1	trg
SCR0840-3113	08 40 56.6	−31 13 33	23.8	6.5	11	25.1	3.9	12	...	...	...	25.1	ccd
L098-062	08 41 32.6	−68 25 40	17.4	6.7	9	24.5	4.3	10	30.8	1.4	1	30.8	trg
SCR0843-2937	08 43 09.5	−29 37 31	28.3	8.3	11	28.8	4.7	12	...	...	...	28.8	ccd
SCR0844-7120	08 44 54.6	−71 20 43	29.9	8.3	11	32.0	5.3	12	...	...	...	32.0	ccd
SCR0852-3507	08 52 54.1	−35 07 33	24.7	9.8	11	25.1	3.9	12	...	...	...	25.1	ccd
SCR0853-6123	08 53 03.0	−61 23 48	40.3	15.0	11	35.2	5.8	12	...	...	...	35.2	ccd
LHS2072	08 55 04.7	−71 35 48	25.2	7.1	11	25.3	4.0	12	...	...	...	25.3	ccd
LP786-022	08 57 14.2	−19 35 04	21.3	6.3	11	...	...	...	28.3	2.1	1	28.3	trg
SCR0859-7517	08 59 52.0	−75 17 30	27.1	7.6	11	31.4	4.9	12	...	...	...	31.4	ccd
SCR0904-4851	09 04 47.8	−48 51 24	29.7	12.9	11	35.0	5.5	12	...	...	...	35.0	ccd
SCR0912-8311	09 12 59.6	−83 11 52	30.4	8.8	11	28.6	4.5	12	...	...	...	28.6	ccd
SCR0914-7304	09 14 53.9	−73 04 19	26.3	7.5	11	29.8	4.6	12	...	...	...	29.8	ccd
SCR0916-3431	09 16 07.1	−34 31 31	28.5	8.6	11	29.8	4.6	12	...	...	...	29.8	ccd
SIP0933-1602	09 33 49.7	−16 02 55	34.8	14.6	11	32.3	7.2	12	...	...	...	32.3	ccd
SCR0936-3237	09 36 01.5	−32 37 59	25.2	7.0	11	27.9	4.4	12	...	...	...	27.9	ccd
CE089	09 38 53.8	−33 48 45	32.0	9.7	11	27.8	5.4	12	...	...	...	27.8	ccd
SCR0943-4833	09 43 18.2	−48 33 50	26.1	7.1	11	26.3	4.2	12	...	...	...	26.3	ccd
L462-023	09 44 45.4	−36 32 38	22.6	6.5	11	...	...	...	39.8	3.5	1	39.8	trg
SCR0947-0020	09 47 20.1	−00 20 09	29.3	9.8	11	26.3	4.5	12	...	...	...	26.3	ccd
LHS2209	09 54 52.5	−13 31 21	66.2	17.9	11	85.0	13.2	12	...	...	...	85.0	ccd
SCR1005-4322	10 05 03.1	−43 22 28	28.1	7.3	6	29.3	4.7	12	...	...	...	29.3	ccd
WT0248	10 05 54.9	−67 21 31	47.1	19.3	11	42.8	7.5	12	26.0	1.0	1	26.0	trg
LTT03719	10 10 00.0	−25 58 33	19.4	6.0	11	...	...	...	37.6	2.7	1	37.6	trg
LHS2228	10 11 09.2	−82 51 58	19.2	5.7	11	...	...	...	28.0	2.4	1	28.0	trg
SCR1011-8106	10 11 12.4	−81 06 42	26.7	9.4	11	30.6	4.8	12	...	...	...	30.6	ccd
LTT03763	10 15 50.1	−11 47 48	21.9	7.1	11	...	...	...	38.5	5.2	1	38.5	trg
L752-053	10 21 08.1	−17 43 38	19.8	5.5	5	22.3	3.9	12	33.1	2.6	1	33.1	trg
LHS2257	10 24 23.4	−02 34 18	57.1	26.7	5	47.2	49.2	11	...	...	...	47.2	ccd
LHS0284	10 36 03.1	−14 42 29	{67.9}	19.2	11	{66.8}	13.6	12	47.3	2.9	1	47.3	trg
LP904-036	10 36 28.4	−28 27 15	14.4	4.1	11	17.7	3.0	12	25.2	2.0	1	25.2	trg
LP904-045	10 40 18.5	−29 30 23	20.0	6.1	11	...	...	...	37.7	3.3	1	37.7	trg
L017-050	10 41 56.4	−82 59 23	19.7	6.5	11	27.1	4.3	12	...	...	...	27.1	ccd

Table 2—Continued

Name	RA	DEC	d_{plt} (pc)	σ_{tot} (pc)	# rel	d_{ccd} (pc)	σ_{tot} (pc)	# rel	d_{trig} (pc)	σ_{trig} (pc)	# π	d_{best} (pc)	d type
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
LP905-022	10 51 58.9	−32 01 20	16.7	5.1	11	...	...	...	32.4	2.8	1	32.4	trg
LP849-020	10 52 26.4	−22 41 16	23.9	6.6	11	...	...	...	28.6	2.2	1	28.6	trg
LTT04033	10 58 41.3	−42 40 09	23.3	9.8	9	...	...	...	51.9	9.5	2	51.9	trg
LTT04042	11 00 02.8	−35 06 37	16.9	4.6	11	...	...	...	33.8	5.1	1	33.8	trg
SCR1104-0150	11 04 08.4	−01 50 18	29.6	9.7	11	38.2	6.1	12	...	...	...	38.2	ccd
SCR1104-8352	11 04 51.0	−83 52 25	33.1	14.3	11	53.9	9.0	12	...	...	...	53.9	ccd
UPM1105-5825	11 05 30.4	−58 25 19	40.6	17.1	7	41.4	6.4	12	...	...	...	41.4	ccd
LTT04105	11 09 12.2	−04 36 25	18.1	5.2	11	...	...	...	28.5	3.7	1	28.5	trg
LHS0299	11 11 22.7	−06 31 56	{109.1}	29.9	9	{142.2}	22.8	9	83.3	21.4	1	83.3	trg
LP792-044	11 13 13.0	−19 06 23	54.7	14.8	11	60.7	13.4	12	...	...	...	60.7	ccd
SCR1117-3202	11 17 29.3	−32 02 10	26.3	8.1	11	27.6	4.3	12	...	...	...	27.6	ccd
SCR1118-3511	11 18 59.7	−35 11 39	28.0	8.9	11	26.8	4.2	12	...	...	...	26.8	ccd
SCR1121-8057	11 21 27.9	−80 57 03	32.4	10.2	11	32.0	5.0	12	...	...	...	32.0	ccd
GJ0429.2	11 28 00.5	−09 10 57	30.8	8.6	7	36.8	5.7	11	25.1	1.9	2	25.1	trg
SCR1132-8446	11 32 22.3	−84 46 28	62.7	23.4	11	87.3	18.0	12	...	...	...	87.3	ccd
USN1137-0317	11 37 16.6	−03 17 37	34.4	9.8	11	27.4	5.1	12	...	...	...	27.4	ccd
CE440-087	11 47 50.7	−28 49 45	84.0	36.7	5	67.7	13.9	12	...	...	...	67.7	ccd
Ruiz440-064	11 48 50.6	−28 33 23	28.1	7.6	3	25.3	4.4	12	39.8	2.4	1	39.8	trg
SCR1153-5430	11 53 22.6	−54 30 08	27.5	8.1	11	27.3	10.8	12	...	...	...	27.3	ccd
SCR1159-4256	11 59 37.7	−42 56 39	26.7	7.0	11	26.5	4.2	12	...	...	...	26.5	ccd
LP907-063	12 03 03.9	−33 39 55	45.8	13.5	11	36.9	6.8	12	...	...	...	36.9	ccd
SCR1204-4037	12 04 15.5	−40 37 53	21.2	5.7	11	25.1	3.9	12	...	...	...	25.1	ccd
GJ2090	12 04 36.6	−38 16 25	18.6	5.5	11	...	...	...	27.5	3.1	1	27.5	trg
WT1928	12 08 06.9	−32 06 36	23.8	10.0	11	35.9	5.8	12	...	...	...	35.9	ccd
NLTT30217	12 17 06.8	−17 38 15	23.8	7.0	11	28.5	4.6	12	...	...	...	28.5	ccd
LHS0323	12 17 30.2	−29 02 21	{73.3}	22.1	11	{76.7}	15.3	12	42.9	3.4	1	42.9	trg
LP470-065	12 17 46.8	−39 04 05	[22.8]	6.7	11	...	...	...	30.9	2.5	1	30.9	trg
SCR1217-3557	12 17 55.8	−35 57 15	24.4	6.7	11	26.8	4.2	12	...	...	...	26.8	ccd
SCR1220-8302	12 20 03.7	−83 02 29	25.0	8.8	11	26.4	4.1	12	...	...	...	26.4	ccd
LHS0326	12 24 26.8	−04 43 37	{99.9}	31.4	11	{140.7}	23.4	9	49.0	4.7	1	49.0	trg
SCR1224-8205	12 24 39.8	−82 05 53	25.4	7.7	11	25.7	4.0	12	...	...	...	25.7	ccd
SCR1227-4039	12 27 03.9	−40 39 40	24.4	6.7	11	30.1	5.0	12	...	...	...	30.1	ccd
LP909-006	12 30 19.6	−28 24 31	31.3	12.8	11	28.1	4.3	12	...	...	...	28.1	ccd
LHS2573	12 32 32.2	−26 10 14	31.4	8.5	11	33.2	5.6	12	...	...	...	33.2	ccd
LTT04828	12 39 55.9	−08 34 42	22.9	6.8	11	...	...	...	36.0	3.8	1	36.0	trg
WT1962	12 59 51.3	−07 30 35	[47.5]	12.9	11	[44.6]	7.1	12	...	...	...	[44.6]	ccd
L147-045	13 04 43.8	−62 15 26	14.7	6.3	11	...	...	...	38.5	5.0	1	38.5	trg
LHS2698	13 13 29.6	−32 27 05	36.8	9.9	11	44.4	7.3	12	46.3	2.0	1	46.3	trg
LP910-061	13 16 21.9	−33 47 45	24.6	7.0	11	...	...	...	39.1	4.4	1	39.1	trg
SCR1322-7254	13 22 27.5	−72 54 37	44.1	11.8	11	41.9	6.5	12	...	...	...	41.9	ccd
SCR1328-7253	13 28 42.1	−72 53 47	71.2	20.3	11	71.7	13.0	12	...	...	...	71.7	ccd
LHS2744	13 30 52.6	−32 37 49	24.6	7.1	11	...	...	...	38.2	3.3	1	38.2	trg
SIP1338-3752	13 38 26.5	−37 52 50	41.3	12.7	11	37.7	9.0	12	...	...	...	37.7	ccd
LTT05294	13 39 37.6	−01 35 43	22.8	7.6	9	...	...	...	32.3	3.5	1	32.3	trg
SIP1343-3823	13 43 49.4	−38 23 50	33.7	9.7	11	35.5	5.5	12	...	...	...	35.5	ccd
LTT05330	13 44 55.1	−45 35 19	17.8	8.2	6	28.7	4.6	9	...	...	...	28.7	ccd
SCR1347-7610	13 47 56.8	−76 10 20	22.6	6.2	11	29.2	4.7	9	...	...	...	29.2	ccd

Table 2—Continued

Name	RA	DEC	d_{plt} (pc)	σ_{tot} (pc)	# rel	d_{ccd} (pc)	σ_{tot} (pc)	# rel	d_{trig} (pc)	σ_{trig} (pc)	# π	d_{best} (pc)	d type
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
LP912-026	13 53 19.8	−30 46 38	21.1	6.2	11	...	...	...	33.3	4.2	1	33.3	trg
LHS2841	14 00 57.0	−31 47 50	16.3	5.3	11	...	...	...	33.7	2.7	2	33.7	trg
GJ0539.2	14 09 27.2	−30 55 49	19.9	5.6	11	27.5	4.7	12	39.4	5.2	2	39.4	trg
SCR1410-2750	14 10 22.6	−27 50 59	24.8	7.8	11	30.0	4.9	12	...	...	...	30.0	ccd
L836-121	14 14 21.4	−15 21 22	[12.8]	3.6	8	[16.2]	3.5	11	30.2	1.4	1	30.2	trg
LHS5275	14 39 58.8	−56 54 46	19.3	5.2	6	...	...	...	56.5	2.6	1	56.5	trg
SCR1450-3742	14 50 02.9	−37 42 10	30.1	9.1	11	25.9	4.2	12	...	...	...	25.9	ccd
LHS0381	14 50 28.9	−08 38 37	{87.0}	27.3	11	{129.8}	21.3	10	36.5	7.5	1	36.5	trg
LHS0382	14 50 41.2	−16 56 31	{84.8}	24.8	11	{79.8}	14.7	12	48.3	5.3	1	48.3	trg
LHS0385	14 55 35.8	−15 33 44	{105.7}	29.2	11	{140.0}	24.1	9	49.0	15.2	1	49.0	trg
SCR1510-5141	15 10 56.6	−51 41 36	28.1	8.5	11	27.5	4.4	12	...	...	...	27.5	ccd
UPM1515-6258	15 15 04.9	−62 58 06	35.7	26.0	10	59.7	9.2	12	...	...	...	59.7	ccd
LP915-016	15 17 21.1	−27 59 50	[18.8]	6.3	10	[25.2]	4.4	10	29.4	3.3	1	29.4	trg
UPM1523-5454	15 23 43.7	−54 54 35	...	...	0	29.7	4.8	12	...	...	...	29.7	ccd
LP802-068	15 24 45.8	−17 07 39	16.8	5.0	11	...	...	...	34.6	6.4	1	34.6	trg
SCR1528-3807	15 28 50.6	−38 07 41	21.3	7.9	11	35.0	5.9	12	...	...	...	35.0	ccd
LEHPM2-0016	15 29 14.0	−29 07 38	51.8	16.3	11	47.4	11.4	12	36.0	1.3	1	36.0	trg
SCR1532-3622	15 32 13.9	−36 22 31	23.0	10.3	11	31.6	5.0	12	...	...	...	31.6	ccd
LP916-023	15 44 05.5	−32 05 22	22.3	6.7	11	26.1	4.0	12	...	...	...	26.1	ccd
L336-071	15 49 38.3	−47 36 34	20.5	5.9	11	25.9	4.2	10	27.2	1.6	2	27.2	trg
LP916-003	15 54 23.5	−33 08 44	16.7	6.4	11	27.0	4.7	12	...	...	...	27.0	ccd
LP684-003	15 56 41.4	−04 14 21	23.2	6.9	11	...	...	...	40.8	6.2	1	40.8	trg
LHS3144	16 00 27.8	−34 43 17	21.3	7.1	11	30.0	4.9	12	...	...	...	30.0	ccd
LHS3147	16 02 23.6	−25 05 57	23.1	7.3	11	20.7	3.2	12	25.5	0.9	1	25.5	trg
SCR1608-4442	16 08 43.9	−44 42 29	27.5	13.2	11	31.8	5.2	12	...	...	...	31.8	ccd
SCR1609-3730	16 09 05.4	−37 30 40	29.2	13.0	11	50.8	8.0	10	...	...	...	50.8	ccd
LEP1610-0040	16 10 29.0	−00 40 54	[37.5]	13.3	11	[35.3]	6.5	12	...	...	...	[35.3]	ccd
GJ0618.1	16 20 24.8	−04 16 02	16.4	4.5	9	22.1	3.9	10	33.5	2.4	2	33.5	trg
LP745-070	16 33 41.6	−09 33 12	18.6	6.5	10	...	...	...	30.7	2.3	1	30.7	trg
SCR1637-4703	16 37 56.6	−47 03 44	28.4	9.3	11	31.9	5.0	12	...	...	...	31.9	ccd
2MA1651-2719	16 51 59.8	−27 19 51	...	...	0	32.2	5.1	12	...	...	...	32.2	ccd
CCD1702-2718	17 02 09.1	−27 18 24	19.3	6.3	11	30.2	6.7	11	...	...	...	30.2	ccd
LP806-025	17 07 58.3	−19 28 43	10.8	9.1	11	27.3	4.2	12	...	...	...	27.3	ccd
NLTT44264	17 10 03.8	−21 46 56	11.7	9.5	11	32.3	5.1	12	...	...	...	32.3	ccd
SCR1712-1907	17 12 26.1	−19 07 04	22.1	20.7	11	44.7	7.0	12	...	...	...	44.7	ccd
SCR1716-2239	17 16 35.7	−22 39 49	24.4	18.1	11	35.2	5.4	12	...	...	...	35.2	ccd
UPM1718-2245	17 18 25.6	−22 46 29	18.2	15.6	11	32.8	6.7	12	...	...	...	32.8	ccd
LHS0440	17 18 32.3	−43 26 38	38.7	10.7	7	41.1	6.4	12	27.5	2.1	1	27.5	trg
LP920-011	17 19 13.7	−27 45 44	12.9	7.8	9	32.5	5.1	12	...	...	...	32.5	ccd
GJ1217	17 22 43.0	−14 57 37	19.0	6.3	10	27.7	4.6	9	26.9	1.8	1	26.9	trg
LP687-026	17 22 50.6	−03 29 38	23.5	14.1	10	38.8	6.2	12	...	...	...	38.8	ccd
SCR1724-3727	17 24 07.0	−37 27 53	23.4	10.1	11	30.2	4.7	12	...	...	...	30.2	ccd
SCR1733-2452	17 33 04.6	−24 52 57	22.6	14.2	8	52.8	8.6	12	...	...	...	52.8	ccd
SCR1735-4051	17 35 15.5	−40 51 13	27.2	12.6	11	28.6	4.4	12	...	...	...	28.6	ccd
LTT07022	17 39 28.3	−22 41 46	14.3	9.1	9	...	...	...	43.5	20.7	1	43.5	trg
SCR1750-2530	17 50 07.6	−25 30 21	19.1	6.9	11	25.6	4.8	12	...	...	...	25.6	ccd
SCR1750-0128	17 50 14.4	−01 28 51	29.3	13.3	11	33.0	5.5	12	...	...	...	33.0	ccd

Table 2—Continued

Name	RA	DEC	d_{plt} (pc)	σ_{tot} (pc)	# rel	d_{ccd} (pc)	σ_{tot} (pc)	# rel	d_{trig} (pc)	σ_{trig} (pc)	# π	d_{best} (pc)	d type
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
LHS0456	17 50 59.0	−56 36 07	25.6	8.0	11	31.9	5.0	12	...	...	...	31.9	ccd
LP808-023	17 51 27.5	−18 59 32	14.6	8.1	9	...	...	...	44.0	5.8	1	44.0	trg
SCR1753-7403	17 53 32.6	−74 03 46	26.1	7.4	11	26.1	4.2	12	...	...	...	26.1	ccd
SCR1755-0455	17 55 30.7	−04 55 42	21.5	18.5	11	26.5	4.1	12	...	...	...	26.5	ccd
SCR1800-0755	18 00 33.9	−07 55 03	21.1	13.1	11	36.3	6.7	12	...	...	...	36.3	ccd
SCR1801-7000	18 01 28.9	−70 00 49	26.2	7.1	11	27.8	4.3	12	...	...	...	27.8	ccd
SCR1802-1919	18 02 28.7	−19 19 19	23.1	20.0	10	48.8	7.8	12	...	...	...	48.8	ccd
L077-206	18 06 55.6	−74 35 20	33.7	11.8	11	36.0	5.7	12	...	...	...	36.0	ccd
LEHPM2-0088	18 08 00.0	−81 20 49	28.3	8.6	7	34.4	5.4	12	...	...	...	34.4	ccd
SCR1808-0341	18 08 48.4	−03 41 54	49.4	41.0	9	87.4	14.2	12	...	...	...	87.4	ccd
LTT07218	18 09 33.3	−12 02 20	13.3	5.5	11	...	...	...	28.4	1.0	2	28.4	trg
LEP1809-0247	18 09 50.1	−02 47 43	28.3	24.6	8	35.6	7.6	12	...	...	...	35.6	ccd
SCR1820-6225	18 20 49.4	−62 25 53	28.3	7.9	11	36.4	5.8	10	...	...	...	36.4	ccd
GJ1226	18 20 57.2	−01 02 58	[15.5]	5.3	11	[12.7]	3.9	12	25.8[a]	2.0	2	25.8	trg
SCR1821-0700	18 21 54.2	−07 00 18	18.6	12.5	9	38.9	6.7	12	...	...	...	38.9	ccd
G155-020	18 31 04.4	−09 58 09	21.2	13.6	11	26.8	4.2	12	...	...	...	26.8	ccd
SCR1842-2736	18 42 56.7	−27 36 33	38.5	13.4	7	50.3	8.6	12	...	...	...	50.3	ccd
SCR1844-1310	18 44 59.6	−13 10 24	23.2	17.7	10	44.2	6.8	12	...	...	...	44.2	ccd
G155-041	18 47 36.0	−17 03 16	23.7	12.5	11	38.4	5.9	12	...	...	...	38.4	ccd
LHS0468	18 48 44.9	−02 33 46	{28.4}	15.5	11	{49.1}	7.9	12	28.6	2.3	1	28.6	trg
SCR1851-6156	18 51 55.4	−61 56 56	25.5	6.9	11	27.4	4.3	12	...	...	...	27.4	ccd
LHS3421	18 52 52.4	−57 07 37	14.4	4.5	11	...	...	...	26.6	2.7	2	26.6	trg
SCR1853-7537	18 53 26.6	−75 37 40	20.1	6.1	11	25.9	4.4	10	...	...	...	25.9	ccd
SCR1854-2859	18 54 20.8	−28 59 53	18.8	15.0	10	41.7	6.5	12	...	...	...	41.7	ccd
SCR1900-2547	19 00 47.1	−25 47 13	25.8	8.0	11	28.8	4.5	12	...	...	...	28.8	ccd
SCR1907-7924	19 07 53.5	−79 24 03	29.0	8.9	11	33.8	5.3	12	...	...	...	33.8	ccd
SCR1916-3638	19 16 46.6	−36 38 06	{199.2}	60.9	11	{280.7}	47.9	11	67.7	6.3	1	67.7	trg
LP347-017	19 19 09.0	−45 47 59	20.9	6.4	11	...	...	...	38.7	5.4	1	38.7	trg
LHS3451	19 19 29.3	−18 19 06	68.0	18.7	11	59.7	9.8	12	...	...	...	59.7	ccd
LEHPM2-3658	19 22 43.7	−43 19 21	25.2	6.8	11	26.6	4.3	12	...	...	...	26.6	ccd
L347-073	19 26 30.2	−48 36 16	24.8	7.1	11	26.6	4.5	12	...	...	...	26.6	ccd
L347-072	19 27 30.9	−48 33 53	27.9	7.6	11	31.8	4.9	12	...	...	...	31.8	ccd
L208-005	19 30 13.7	−54 56 19	23.8	7.6	9	...	...	...	34.6	3.3	1	34.6	trg
SCR1932-0652	19 32 46.3	−06 52 18	23.7	9.1	11	26.7	4.1	12	...	...	...	26.7	ccd
GJ0762	19 34 36.5	−62 50 39	15.9	5.3	11	20.4	3.1	12	25.7	0.9	2	25.7	trg
SCR1936-4816	19 36 33.3	−48 16 54	26.3	7.6	11	25.9	4.2	12	...	...	...	25.9	ccd
LTT07786	19 42 52.8	−45 04 53	12.5	3.4	8	...	...	...	27.3	1.0	2	27.3	trg
LHS3480	19 44 22.0	−22 30 54	{91.1}	29.2	11	{106.2}	20.3	12	56.5	37.3	1	56.5	trg
LHS3492	19 51 31.3	−50 55 38	34.0	9.8	11	38.8	6.8	12	...	...	...	38.8	ccd
GJ0769	19 54 00.1	−47 48 37	21.7	8.8	11	27.3	4.3	12	25.3	5.7	1	25.3	trg
SCR1954-7356	19 54 06.4	−73 56 51	64.3	17.8	11	73.5	13.0	12	...	...	...	73.5	ccd
SCR1955-2856	19 55 16.8	−28 56 43	26.2	7.8	11	27.5	4.5	12	...	...	...	27.5	ccd
SCR1959-5549	19 59 58.8	−55 49 30	25.0	7.0	11	27.1	4.3	12	...	...	...	27.1	ccd
L277-205	20 03 52.4	−53 57 28	22.3	6.0	11	27.2	4.3	12	...	...	...	27.2	ccd
L277-082	20 10 45.4	−51 19 39	37.7	10.9	11	49.2	7.8	9	...	...	...	49.2	ccd
LHS3528	20 10 55.5	−25 35 09	{22.0}	8.3	11	{58.4}	22.1	8	...	...	...	{58.4}	ccd
LP814-044	20 17 52.4	−17 17 09	18.3	6.6	6	...	...	...	35.1	2.8	1	35.1	trg

Table 2—Continued

Name	RA	DEC	d_{plt} (pc)	σ_{tot} (pc)	# rel	d_{ccd} (pc)	σ_{tot} (pc)	# rel	d_{trig} (pc)	σ_{trig} (pc)	# π	d_{best} (pc)	d type
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
LP815-001	20 20 07.1	−19 39 03	20.2	7.7	8	28.0	4.3	12	...	...	...	28.0	ccd
WT0708	20 27 04.4	−68 41 07	33.9	9.8	11	31.9	5.1	12	...	...	...	31.9	ccd
LTT08147	20 36 43.6	−02 41 20	24.9	8.7	10	27.7	4.7	12	...	...	...	27.7	ccd
SCR2042-5737	20 42 46.4	−57 37 15	[22.7]	8.5	11	[25.3]	5.9	12	...	...	...	[25.3]	ccd
SCR2043-6501	20 43 10.4	−65 01 17	55.3	15.6	11	67.1	11.9	12	...	...	...	67.1	ccd
LHS3582	20 46 18.0	−47 09 28	24.0	6.5	8	...	...	...	32.5	11.4	1	32.5	trg
2MA2051-2458	20 51 09.8	−24 58 18	24.2	7.0	11	25.4	4.0	12	...	...	...	25.4	ccd
LHS3600	20 55 59.9	−59 56 44	12.9	5.3	11	...	...	...	27.8	1.1	1	27.8	trg
LEHPM1-4008	20 58 30.4	−65 01 11	33.1	12.7	11	36.6	5.8	12	...	...	...	36.6	ccd
LP816-061	20 59 06.6	−16 05 37	23.2	6.5	11	...	...	...	33.8	2.9	1	33.8	trg
L211-096	20 59 51.3	−58 45 31	14.8	6.3	11	...	...	...	30.2	2.9	1	30.2	trg
SCR2102-3128	21 02 15.6	−31 28 13	26.2	7.2	11	28.0	4.3	12	...	...	...	28.0	ccd
LHS3620	21 04 25.4	−27 52 47	{188.7}	54.4	11	{246.0}	41.8	11	77.6	8.5	1	77.6	trg
LEHPM1-4021	21 05 11.4	−62 47 02	43.7	16.1	11	47.8	9.4	12	...	...	...	47.8	ccd
SCR2105-3515	21 05 41.8	−35 15 00	27.5	7.7	11	28.2	4.4	12	...	...	...	28.2	ccd
LHS0505	21 11 57.9	−31 03 16	37.9	9.9	3	42.3	7.7	12	...	...	...	42.3	ccd
LEHPM1-4051	21 15 15.1	−75 41 52	26.1	7.6	11	24.6	3.8	12	30.3	4.6	1	30.3	trg
LP637-024	21 19 18.3	−00 33 19	24.1	6.6	9	...	...	...	40.4	6.1	1	40.4	trg
GJ0836.4	21 42 07.5	−12 09 48	20.3	5.6	11	16.9	3.0	12	35.0	3.2	1	35.0	trg
L048-001	21 42 58.5	−74 05 56	21.9	6.3	11	26.7	4.5	12	...	...	...	26.7	ccd
CD-32 16735	21 47 02.7	−32 24 40	2.5	0.9	11	2.3	0.6	12	213.2	558.9	1	213.2	trg
L282-061	21 51 12.3	−52 15 40	23.1	6.3	9	32.1	5.1	9	31.7	2.5	1	31.7	trg
LHS0515	21 55 48.0	−11 21 43	{151.3}	50.6	11	{207.4}	48.9	12	51.3	11.0	1	51.3	trg
LHS3740	21 58 53.2	−57 56 04	22.2	6.3	11	22.4	3.4	12	27.8	3.2	1	27.8	trg
LHS3754	22 04 40.9	−19 46 42	43.1	17.1	4	49.3	8.7	12	...	...	...	49.3	ccd
LHS3775	22 12 56.0	−18 15 21	67.6	18.1	11	86.1	13.5	12	...	...	...	86.1	ccd
LP699-075	22 18 13.2	−03 10 20	19.2	5.4	8	...	...	...	40.7	3.3	1	40.7	trg
LEHPM1-4592	22 21 11.4	−19 58 15	{95.4}	27.9	11	{89.0}	29.1	12	...	...	...	{89.0}	ccd
WT0918	22 21 37.0	−65 47 30	41.0	12.7	11	38.0	6.2	12	...	...	...	38.0	ccd
LP931-054	22 23 18.0	−27 09 15	21.4	6.1	11	27.1	4.2	12	...	...	...	27.1	ccd
SCR2224-7242	22 24 51.6	−72 42 00	26.9	7.7	11	26.5	4.1	12	...	...	...	26.5	ccd
LEHPM1-4828	22 32 42.7	−60 16 34	35.4	12.3	11	42.5	6.8	12	...	...	...	42.5	ccd
LHS3836	22 38 02.9	−65 50 09	31.8	8.8	11	29.5	5.0	12	27.5	0.9	1	27.5	trg
LP932-053	22 39 44.0	−32 04 18	20.7	6.5	9	...	...	...	39.7	3.4	1	39.7	trg
SCR2241-6119	22 41 44.4	−61 19 31	23.2	7.3	11	26.6	4.1	12	...	...	...	26.6	ccd
SCR2242-5103	22 42 10.9	−51 03 28	[29.2]	8.3	10	[34.7]	6.0	11	...	...	...	[34.7]	ccd
LHS3846	22 44 00.2	−04 57 57	65.5	22.0	9	66.1	11.1	12	...	...	...	66.1	ccd
L106-104	22 46 45.2	−63 18 05	18.3	5.2	11	22.0	3.4	12	25.1	1.9	1	25.1	trg
LTT09210	22 48 53.0	−28 50 03	17.1	5.0	10	22.2	3.9	10	40.1	3.6	1	40.1	trg
LTT09203	22 48 54.5	−54 18 52	17.5	6.1	11	26.0	4.5	10	33.6	3.0	1	33.6	trg
L214-072	22 49 26.0	−58 15 12	19.6	5.6	11	...	...	...	36.6	3.1	1	36.6	trg
SCR2250-5726	22 50 45.0	−57 26 02	73.7	21.2	11	46.4	8.0	12	...	...	...	46.4	ccd
LP933-024	22 55 43.9	−30 22 39	[21.0]	6.1	11	...	...	...	32.3	2.9	1	32.3	trg
LHS5396	23 00 23.6	−31 07 12	17.4	5.1	11	21.4	3.6	12	30.8	2.4	1	30.8	trg
L286-071	23 00 26.1	−53 13 40	20.9	6.6	10	...	...	...	41.4	3.2	1	41.4	trg
SCR2312-3124	23 12 08.7	−31 24 04	29.4	8.4	11	31.6	4.9	12	...	...	...	31.6	ccd
LHS5397	23 14 15.4	−56 50 52	19.6	5.6	11	...	...	...	28.0	1.8	1	28.0	trg

Table 2—Continued

Name	RA	DEC	d_{plt} (pc)	σ_{tot} (pc)	# rel	d_{ccd} (pc)	σ_{tot} (pc)	# rel	d_{trig} (pc)	σ_{trig} (pc)	# π	d_{best} (pc)	d type
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
L168-009	23 20 07.5	−60 03 55	16.4	4.7	11	18.7	3.1	12	26.4	1.6	1	26.4	trg
LTT09507	23 21 11.3	−01 35 45	20.9	5.7	11	...	...	...	27.9	1.2	2	27.9	trg
GJ0895.1	23 25 42.0	−45 36 35	19.3	5.6	11	21.7	3.6	12	35.9	3.6	2	35.9	trg
SCR2325-8057	23 25 52.9	−80 57 41	43.1	15.1	11	30.2	4.7	12	...	...	...	30.2	ccd
L288-049	23 41 43.6	−51 56 37	21.5	5.9	11	...	...	...	27.6	2.0	1	27.6	trg
LEHPM1-6094	23 42 02.3	−78 41 23	40.7	12.4	11	40.4	7.1	12	...	...	...	40.4	ccd
WT1026	23 46 35.2	−52 47 02	72.8	19.3	11	88.7	14.4	12	...	...	...	88.7	ccd
LP1035-064	23 47 56.5	−39 11 13	22.7	6.4	11	25.3	4.0	12	...	...	...	25.3	ccd
LHS4025	23 50 52.6	−39 05 17	22.4	6.3	11	25.2	4.0	12	...	...	...	25.2	ccd
SCR2352-6124	23 52 29.5	−61 24 23	50.3	14.6	11	59.4	11.2	12	...	...	...	59.4	ccd
L361-021	23 57 45.6	−45 48 55	20.2	5.6	11	27.1	4.5	10	41.0	5.0	2	41.0	trg

[a]The weighted mean distance includes that of both the primary and the secondary components.

Table 3. Comparison Photometry for Giants

Name	RA	DEC	V_J (mag)	R_{KC} (mag)	I_{KC} (mag)	# nts	J (mag)	H (mag)	K_s (mag)
TT SCL	00 16 54.6	−30 13 52	11.81	10.89	10.18	2	8.92	8.21	7.98
AF ERI	04 20 19.5	−10 24 26	13.18	10.99	8.75	2	5.80	4.94	4.45
HD270965	05 00 40.4	−71 57 53	11.38	10.62	9.94	2	8.91	8.17	7.98
DEN0515-2200	05 15 36.6	−22 00 10	13.37	12.27	10.81	2	9.32	8.42	8.13
HD269328	05 17 07.5	−70 56 38	10.41	9.70	9.04	1	8.05	7.33	7.20
SCR0629-2101	06 29 20.2	−21 01 30	15.37	12.98	10.84	1	7.82	6.91	6.47
SCR0656-2918	06 56 15.9	−29 18 03	13.89	11.72	9.45	1	6.37	5.51	5.05
SCR0703-3507	07 03 49.6	−35 07 44	15.34	12.80	10.61	1	7.35	6.37	5.95
SCR0705-3534	07 05 47.4	−35 34 26	13.95	11.70	9.39	1	6.03	5.12	4.62
SCR0833-6107	08 33 27.7	−61 07 58	13.02	11.90	10.72	1	9.63	8.87	8.52
SCR1048-7739	10 48 26.7	−77 39 19	11.47	10.53	9.64	1	8.26	7.54	7.30
SCR1317-4643	13 17 56.5	−46 43 54	13.96	12.12	10.02	1	7.57	6.75	6.38
SCR1358-4910	13 58 43.6	−49 10 52	16.14	13.91	11.62	1	8.61	7.67	7.24
SCR1440-7837	14 40 37.4	−78 37 11	10.75	9.88	9.01	1	7.71	6.92	6.76
SCR1534-7237	15 34 02.5	−72 37 11	16.03	13.94	11.71	1	8.90	7.96	7.55
SCR1544-1805	15 44 45.0	−18 05 07	13.54	11.36	9.09	1	5.96	5.05	4.54
HIP082725	16 54 32.5	−62 24 14	11.55	10.82	10.12	1	9.06	8.32	8.15
SCR2000-0837	20 00 58.3	−08 37 28	14.49	12.08	9.73	1	6.46	5.46	5.04
V506AQL	20 02 50.8	−04 32 56	13.18	10.99	8.74	1	6.14	5.18	4.74
SCR2038-0409	20 38 45.5	−04 09 27	16.44	14.01	11.65	2	8.27	7.30	6.89
2MA2108-2120	21 08 33.1	−21 20 52	14.15	12.12	9.90	2	7.31	6.49	6.09
CD-32 16735	21 47 02.7	−32 24 40	9.22	8.11	6.70	3	5.24	4.41	4.06
LEHPM2-0438	23 50 08.3	−86 51 02	11.63	10.49	9.17	2	7.69	6.77	6.54

Table 4. Subdwarf Candidates

Name	RA	DEC	μ ($''$yr^{-1})	PA (deg)	d$_{best}$ (pc)	type	V_{tan} (kms^{-1})	Spec Typ	ref
LHS0109	00 17 40.0	−10 46 17	1.051	180.0	35.21	trg	175	M1.0VI	4
LHS0110	00 19 37.0	−28 09 46	1.388	192.2	30.45	trg	195	M4.0JVI:	5
GJ1062	03 38 15.7	−11 29 14	2.958	152.0	16.03	trg	230	M2.5VI	1
LHS0186	04 03 38.4	−05 08 05	1.153	168.0	51.55	trg	282	M2.0VI	4
WT0135	04 11 27.1	−44 18 10	0.692	067.1	25.61	trg	84	M3.0VI	5
LHS0189	04 25 38.4	−06 52 37	1.237	145.1	18.44	trg	108	M3.0VIJ	4
GJ0191	05 11 40.6	−45 01 06	8.728	131.4	3.91	trg	162	M1.0VI	1
LHS0272	09 43 46.2	−17 47 06	1.439	279.2	13.52	trg	92	M3.0VI	1
LHS0284	10 36 03.1	−14 42 29	1.165	300.5	47.30	trg	261	M4.0V	5
LHS0299	11 11 22.7	−06 31 56	1.073	206.9	83.33	trg	424	M0.5VI	4
LHS0323	12 17 30.2	−29 02 21	1.147	308.1	42.94	trg	225	M4.0V	5
LHS0326	12 24 26.8	−04 43 37	1.301	241.8	49.04	trg	303	M3.0VI	4
LHS2852	14 02 46.7	−24 31 50	0.506	315.6	21.79	ccd	52	M2.0VI	1
LHS0375	14 31 38.3	−25 25 33	1.386	268.6	23.98	trg	158	M4.0VI	1
SSS1444-2019	14 44 20.3	−20 19 26	3.507	236.0	16.23	trg	270	M9.0VI:	7
LHS0381	14 50 28.9	−08 38 37	1.560	188.4	36.50	trg	270	M3.5VI	8
LHS0382	14 50 41.2	−16 56 31	1.379	243.6	48.33	trg	327	M3.5VI	3
LHS0385	14 55 35.8	−15 33 44	1.736	209.6	49.02	trg	403	M1.0VI	4
SCR1916-3638	19 16 46.6	−36 38 06	1.328	184.0	67.66	trg	426	M3.0VI	4
LHS3480	19 44 22.0	−22 30 54	0.547	139.5	56.50	trg	147	M4.0VI	1
LHS3528	20 10 55.5	−25 35 09	0.848	166.6	58.40	ccd	235	M4.5V	2
LHS3620	21 04 25.4	−27 52 47	0.985	184.4	77.64	trg	363	M2.0VI	5
LHS0515	21 55 48.0	−11 21 43	1.093	120.3	51.28	trg	265	M3.5VI	6
LEHPM1-4592	22 21 11.4	−19 58 15	1.066	125.1	88.99	ccd	450		

Note. — Spectral Type References: (1) Gizis (1997); (2) Hawley et al. (1996); (3) Jao et al. (2005); (4) Jao et al. (2008); (5) Jao et al. (2011); (6) Reid & Gizis (2005); (7) Schilbach et al. (2009); (8) van Altena et al. (1995).

Table 5. Distance Statistics for Southern Red Dwarf Systems

Distance	# Systems	# Multiples	# Subdwarfs
d $\leq$ 10.0 pc	104	24 [22]	1
10.0 $<$ d $\leq$ 25.0 pc	1300	140 [96]	8
25.0 $<$ d $\leq$ 100.0 pc	343	33 [15]	18
TOTAL	1747[a]	197	27[b]

Note. — Numbers in brackets indicate systems with unresolved photometry, some of which were used to calculate distance estimates that are likely underestimates.

[a]CD-32 16735 is beyond 100 pc and is not included in this total.

[b]Two of the subdwarf systems are binaries, and thus are also included in the "Multiples" counts column.